

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
		RENOVATION OF LABORATORY ROOMS AT ELECTRICAL ENGINEERING BUILDING				
1	1	GRANITE TILES	600mm x 600mm (24" x 24"), Pheobus White, see sample at OVCPD			
1	2	GRANITE TILES	600mm x 600mm (24" x 24"), Artesia Dark Beige, see sample at OVCPD			
1	3	TILE ADHESIVE	25kg/bag			
1	4	TILE GROUT	beige, 2kg/bag			
1	5	TILE GROUT SEALER	Colorless			
1	6	SAND	S1			
1	7	TYPE 1 PORTLAND CEMENT	unblended			
1	8	FIBER CEMENT BOARD	4.5mm thk. X1200mmx2400mm for drywall			
1	9	Rockwool	100mm thk. X0.60m x1.2m -90 pcs of board			
1	10	METAL STUDS	.8mm x102mm x35mm, light weight			
1	11	METAL TRACK	.8mm x102mm x35mm, light weight			
1	12	BLIND RIVETS	5/32"x1/2", 500pcs per box			
1	13	GYPSTUM BLACKSCREW	6x1 1/4"			
1	14	ACOUSTIC BOARD	2' x 4' x 5/8", Georgian Design			
1	15	MAIN TEE RUNNER	24mm x 28mm x 12', Powder Coated Finish, standard			
1	16	CROSS TEE RUNNER	24mm x 28mm x 4', Powder Coated Finish, standard			
1	17	WALL ANGLE	24mm x 24mm x 10', Powder Coated Finish, standard			
1	18	STEEL ANGLE BRACKET	1/4" unthreaded hole, standard size			
1	19	METAL SCREW WITH METAL EXPANDING SHIELD	1/8" Ø x 1", 20 pcs/box			
1	20	CONCRETE SEALER	premium grade			
1	21	LATEX PAINT	semi-gloss, UPLB Beige Color, Factory Pre-mix, 16L/pail, premium quality			
1	22	LATEX PAINT	Chocolate Brown, premium quality			
1	23	FLAT LATEX PAINT	White Color, 16L/pail, premium quality			
1	24	PAINT THINNER	premium grade			
1	25	QDE	Chocolate Brown Color, premium quality			
1	26	EPOXY ENAMEL	Silver Gray Color, premium quality,			
1	27	PAINT BRUSH	3", White Bristle, Horse Hair			
1	28	PAINT BRUSH	2", White Bristle, Horse Hair			
1	29	PAINT BRUSH	1", White Bristle, Horse Hair			
1	30	ROLLER BRUSH WITH HANDLE	7", foam			
1	31	ROLLER BRUSH WITH HANDLE	4", foam			
1	32	ROLLER BRUSH REFILL	7", foam			
1	33	ROLLER BRUSH REFILL	4", foam			
1	34	PVC PAINT TRAY				
1	35	MASKING TAPE	18mm x 20 yard, cream			
1	36	G.I. WIRE No. 16	1kg/roll			
1	37	DRILL BIT FOR STEEL	1/8" Ø, Heavy Duty			
1	38	DRILL BIT FOR CONCRETE	1/8" Ø, Heavy Duty			
1	39	DRILL BIT FOR CONCRETE	3/8" Ø, Heavy Duty			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
1	40	2-BULB LOUVER LIGHTING FIXTURE	Recessed type w/ mirrorized reflector, aluminum egg crate louver, w/ Electronic Ballast made in Germany and spring-actuated Lamp Holder			
1	41	FLUORESCENT LIGHT BULB	28W T5, 220V			
1	42	PATCHING COMPOUND	premium grade			
1	43	ELECTRICAL WIRE	#14, Stranded, THHN, UL-listed, 150m/box			
1	44	ELECTRICAL WIRE	#10, Stranded, THHN, UL-listed, 150m/box			
1	45	ELECTRICAL WIRE	#12, Stranded, THHN, UL-listed, 150m/box			
1	46	PVC MOULDING	1/2" X10'			
1	47	ELECTRICAL TAPE	3/4" x 25' x 7 mm thick, big size, rubber.			
1	48	ELECTRICAL HOSE	1/2" Ø FLEXIBLE CORRUGATED			
1	49	CUTTING DISC	4" Ø, heavy duty			
1	50	PVC PIPE (Electrical)	1/2" Ø, 10ft long, 2.2 mm minimum Wall Thickness			
1	51	DIAMOND TIP CUTTER BLADE	4" Ø, heavy duty			
1	52	TWO-GANG CONVENIENCE OUTLET	Universal Grounding Type w/ Plate and Cover			
1	53	ONE GANG CONVENIENCE OUTLET	Three Prong, Grounding Type, Universal Slot with plate and cover.			
1	54	TWO-GANG SWITCH w/ PLATE and COVER				
1	55	ONE-GANG SWITCH w/ PLATE and COVER				
1	56	TUBULAR KNOBSET	Stainless Steel Finish for 35mm-45mm, Heavy Duty			
1	57	DOOR CLOSER	Heavy Duty			
1	58	DRIVE PIN	1 1/2, suitable for RAMSET Viper (semi-auto) power tool			
1	59	Cal. .27 POWER LOAD	100 loads, 10strips/box, suitable for RAMSET Viper (semi-auto) power tool			
1	60	WASTE CLOTH, Small Round	WASTE CLOTH, Small Round			
1	61	1" COMMON WIRE NAIL	1" COMMON WIRE NAIL			
1	62	2" COMMON WIRE NAIL	2" COMMON WIRE NAIL			
1	63	HANDY CUTTER	18mm width, w/ refill			
1	64	HANDY CUTTER REFILL	10pcs/box			
1	65	STEEL BRUSH	w/ Wooden Handle			
1	66	ELASTOMERIC SEALEANT				
1	67	COLD CHISEL	3/4" x 12", Heavy Duty			
1	68	EVEL HOSE	10mm Ø, Clear			
1	69	DIAMOND TIP CUTTER BLADE	4" Ø, heavy duty			
1	70	NYLON CORD	2mm Ø, Clear, 30m/roll			
1	71	EMPTY SACK	50kg capacity, ordinary.			
1	72	SQUARE BOX	6" x6", gage #16, deep type			
1	73	DUPLEX CONVENIENCE OUTLET	Floor-mounted, Grounding Type, Universal Slot w/ Plate and Cover			
		RENOVATION OF COMFORT ROOMS AT UPRHS				
2	1	SILICONE SEALANT FOR SANITARY GRADE	Bio-Tech System Anti-Bacterial, 310mL per cartridge, transparent			
2	2	GATE VALVE	1/2"Ø, Brass, Heavy Duty			
2	3	G.I. UNION PATENTE	G.I. UNION PATENTE, 1/2"Ø, Schedule 40, Heavy Gauge			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	4	G.I. PIPE	G.I. PIPE, 1/2"Ø x 20', Schedule 40, Heavy Gauge, 2.77mm min. Wall Thickness			
2	5	TEFLON TAPE	1" wide, 10m per roll			
2	6	G.I. ELBOW	1/2" Ø x 90° Bend, Schedule 40, Heavy Gauge			
2	7	G.I. COUPLING REDUCER	3/4"Ø x 1/2"Ø, Schedule 40, Heavy Gauge			
2	8	G.I. STREET ELBOW	1/2" Ø x 90° Bend, Schedule 40, Heavy Gauge			
2	9	G.I. TEE	1/2"Ø, Schedule 40, Heavy Gauge			
2	10	G.I. COUPLING	1/2"Ø, Schedule 40, Heavy Gauge			
2	11	G.I. Plug	1/2"Ø, Schedule 40, Heavy gauge			
2	12	PVC PIPE	4"Ø x 10', Sanitary Guard, Series 1000			
2	13	PVC PIPE	4"Ø x 10', Sanitary Guard, Series 600			
2	14	PVC ELBOW	4"Ø x 90° Bend, Sanitary Guard, Series 1000			
2	15	PVC ELBOW	4"Ø x 45° Bend, Sanitary Guard, Series 1000			
2	16	PVC TEE	4"Ø x 4"Ø, Sanitary Guard, Series 1000			
2	17	PVC TEE REDUCER	4"Ø x 2"Ø, Sanitary Guard, Series 1000			
2	18	PVC WYE REDUCER	4"Ø x 2"Ø, Sanitary Guard, Series 1000			
2	19	PVC COUPLING	4"Ø, Sanitary Guard, Series 1000			
2	20	PVC REDUCER BUSHING	4"Ø x 2"Ø, Eccentric			
2	21	PVC TEE	2"Ø x 2"Ø, Sanitary Guard, Series 1000			
2	22	PVC PIPE	2"Ø x 10', Sanitary Guard, Series 1000			
2	23	PVC PIPE	2"Ø x 10', Sanitary Guard, Series 600			
2	24	PVC ELBOW	2"Ø x 90° Bend, Sanitary Guard, Series 1000			
2	25	PVC ELBOW	2"Ø x 45° Bend, Sanitary Guard, Series 1000			
2	26	PVC SOLVENT CEMENT	400cc/can			
2	27	ELASTOMERIC SEALANT	Premium Quality			
2	28	FLOOR DRAIN STRAINER	6" x 6", Stainless Steel			
2	29	FLOOR DRAIN STRAINER	4" x 4", Stainless Steel			
2	30	UNIVERSAL ANGLE VALVE	1/2"Ø F Supply Inlet, 2 Connection Outlets 1/2"Ø M and 1/2"Ø M, Heavy Duty			
2	31	FLOOR CLEAN OUT	with adaptor, 4"Ø, Brass, Heavy Duty, Countersunk			
2	32	PVC P-Trap	2"Ø, Sanitary Guard, Series 1000			
2	33	PVC P-Trap	4"Ø, Sanitary Guard, Series 1000			
2	34	WALL EXHAUST VENT HOOD	W/ SCREEN AND CAP, compatible with 4" Ø pipe, Stainless Steel, with complete screws, and accessories			
2	35	CEILAST PVC LAMINATED BOARD	2' x 4' (SEE SAMPLE AT OVCPD)			
2	36	MAIN RUNNER TEE	12', Powder Coated Finish Standard			
2	37	CROSS RUNNER TEE	4', Powder Coated Finish, Standard			
2	38	WALL ANGLE	12', Powder Coated Finish, Standard			
2	39	CONCRETE NAIL	2 1/2"			
2	40	BLACK SCREW	w/ PVC Expanding Shield, 2", Self Tapping			
2	41	BLIND RIVETS	1/8" x 1/2", 100pcs/box			
2	42	STEEL ANGLE BRACKET	1/4" Unthreaded Hole, Standard			
2	43	FLAT BAR	3/16" x 1" x 6m, Standard			
2	44	Bolt and Nut w/ Washer	1/4" x 1"			
2	45	Stainless Steel Eye-with-Hook Turn Buckle	3/8" Ø x 6" length			
2	46	Round Rod BHR	3/8 " Ø, 6m			
2	47	G.I. TIE WIRE	Ga. #16			
2	48	EPOXY PRIMER	Premium Grade, with Catalyst			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	49	WALL TILES	Monteclaro Gris, Unglazed, 300mm x 600mm (SEE SAMPLE AT OVCPD)			
2	50	WALL TILES	Monteclaro Natural, Unglazed, 300mm x 600mm (SEE SAMPLE AT OVCPD)			
2	51	LAVATORY COUNTER TOP SOLID SURFACE GRANITE	Full Slab Type, Golden Brown or similar, 1.2cm thk x 70cm x 3m (SEE SAMPLE AT OVCPD)			
2	52	TILE GROUT SEALER	Colorless			
2	53	FLOOR TILE GROUT	BLACK, 2kg/bag			
2	54	WALL TILE GROUT	WHITE, 2kg/bag			
2	55	PVC TILE TRIM	8mm x 8", White			
2	56	TILE ADHESIVE	Premium Quality, 25kg/bag			
2	57	FLEXIBLE CEMENTITIOUS WATERPROOFING	acrylic polymer, tough, elastic, waterproof, UV resistant seam free membrane			
2	58	ELECTRICAL WIRE	2.0mm ² (AWG#14), Stranded, THW (150m/box), UL-LISTED			
2	59	ELECTRICAL WIRE	3.5mm ² (AWG#12), Stranded, THW (150m/box), UL-LISTED			
2	60	ELECTRICAL WIRE	5.0mm ² (AWG#10), Stranded, THW (150m/box), UL-LISTED			
2	61	ELECTRICAL TAPE	48mm x 16m x .177mm, Rubber, Vinyl Electrical Tape			
2	62	JUNCTION BOX	WITH COVER, 4" x 4", Ga. #16, Deep Type, Metal			
2	63	UTILITY BOX	2" x 4", Ga. #16, Deep Type, Metal			
2	64	PVC ELECTRICAL COUPLING	20mmØ			
2	65	PVC LOCKNUT & BUSHING	20mmØ			
2	66	PVC ELECTRICAL PIPE	20mmØ x 3m, Thick wall			
2	67	PVC ELECTRICAL ELBOW	20mmØ x 90° Bend, Long Sweep			
2	68	TWO-GANG SWITCH	WITH PLATE AND COVER, Recessed			
2	69	REGULAR CONVINIENCE OULET	15A-250V Tamper Resistant, DOUBLE, UL Listed, Universal Slot			
2	70	CO w/ GROUND FAULT CURRENT INTERRUPTOR (GFCI)	w/ LED INDICATOR LIGHT. 20A-240V Tamper Resistant, SINGLE, UL Listed. Universal Slot			
2	71	LED BULB	6" Ø, 750 Lm, 10W, Recessed, Warm White			
2	72	FLUORESCENT BOX-TYPE CASING	Single, 600mm (24"), Warm White			
2	73	LED TUBE	Fluorescent, 900Lm10W-220V, 600mm (24"), White			
2	74	20-Amp Circuit Breaker	2P, 220V Plug-in Type			
2	75	20-Amp Circuit Breaker	2P, 220V Bolt-on Type, NEMA-1 Metal Type Enclosure			
2	76	30-Amp Circuit Breaker	2P, 220V Plug-in Type			
2	77	30-Amp Circuit Breaker	2P, 220V Bolt-on Type, NEMA-1 Metal Type Enclosure			
2	78	Panel Box	2 pole plug-in, 2 branches			
2	79	METAL PRIMER	Red Oxide			
2	80	PVC Adaptor	20mmØ			
2	81	LAVATORY	Under Counter Wash Basin, 600L x 422W x 209H with Complete Accessories Including Bracket and Tubular P-Trap Brass P-O-Plug x 6", Brass CP, Shallow Flange/Die Cast Nuts, 1-1/4" CP Rubber Joint. (SEE ACTUAL SAMPLE AT OVCPD)			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	82	SINGLE LEVER LAVATORY FAUCET W/ POP-UP WASTE	Neo modern Single Hole Basin Mixer, 95mm x 64mm x 125mm, 0.05MPa-0.75MPa Water Pressure, Brass w/ Nickel Chrome Finish, with Complete Accessories including Angle Valve, Tail Piece, Stop Valve And Braided Flexible Hose (SEE ACTUAL SAMPLE AT OVCPD)			
2	83	UTILITY FAUCET	Level Control, Plain end, Brass			
2	84	WATER CLOSET	elongated, L725 x W410 x H750 mm, Close-coupled front lever type flush, elongated, Single Flush with volume of 6L, with complete tank fittings, Angle Valve, 1/2"Ø F Supply Inlet, 2 Connection Outlets 1/2"Ø M and 1/2"Ø M, Heavy Duty, braided flexible water supply hose and anti-bac seat and cover (SEE ACTUAL SAMPLE AT OVCPD)			
2	85	SHOWER	In- wall Bath and Shower Fitting. Stop Valve Type Faucet and Shower, Stainless Steel Faucet and Shower Head			
2	86	Towel Rod Hanger	1/2" Ø 24"			
2	87	BIDET SPRAY KIT	Plastic White Hygienic Douche w/ White Hose and Mounting Bracket. (SEE ACTUAL SAMPLE AT OVCPD)			
2	88	WALL HUNG TYPE URINAL	W/ BUILT-IN URINAL SENSOR (DC Lithium Battery Operated 6V) with 4 Rechargeable Batteries, C3150 Waterford, 400mm x 290mm x 995mm, 1.2-1.9L flush volume, 0.1MPa-0.75Mpa, with built-in integral P-Trap (345mm from floor), includes CT481 urinal sensor flush valve and stop valve, C947 wall flange, C943 bracket, C921 strainer, Complete with Accessories and Fittings and Appropriate Metal Screw and PVC/Metal Expanding Shield, White glossy finish. (SEE ACTUAL SAMPLE AT OVCPD)			
2	89	Jet Towel Mini Hand Dryer	Dimension: H480mm x W170 x L250mm. Weight: 5kg. Power Supply: 220-240 V and 50-60 Hz. Motor Type: Commutator . Standby Power Consumption: 0.5W. Power Consumption 735-825W. Mode: High and Low. Heater: On and Off. Airflow Rate (m/s): 140-150 and 190-100. Air Volume (m ³ /min): 12-13 and 0.8-0.9. Noise (dB): 62-64 and 52-54. Drain Tank: 0.6L. (SEE ACTUAL SAMPLE AT OVCPD)			
2	90	PAPER TOWEL DISPENSER	8"Ø, PVC, White, with app. Mounting Screw and Expanding Shield. (SEE ACTUAL SAMPLE AT OVCPD)			
2	91	SOAP DISPENSER	500mL, Wall Mounted, Stainless Steel, with app. Mounting Screw and Expanding Shield			
2	92	SOAP HOLDER	Half Recessed, White, 155 x 85 x 155			
2	93	EXHAUST FAN	Wall Mounted w/ Automatic Louver, 14"Ø, 220V			
2	94	EXHAUST FAN	Ceiling Cassette Type, 12" x 12", 3kg, 60Hz, 38W, case size 32.3 x 16.9 x 32 90 (cm) , 220V			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	95	FACIAL MIRROR	1/4" thk x 1.9m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Aluminum Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
2	96	FACIAL MIRROR	1/4" thk x 2.3m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Aluminum Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
2	97	WHOLE BODY MIRROR	1/4" thk x 1.4m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Aluminum Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
2	98	QDE PAINT	Choco Brown, Premium Quality			
2	99	GLAZING PUTTY	for enamel-painted wood, alkyd-type			
2	100	FLAT WALL ENAMEL PAINT	White, Premium Quality			
2	101	PAINT THINNER	Premium Grade			
2	102	DOUBLE TUBULAR DEADBOLT LOCKSET	Brass Finish , Adjustable Backset 60-70mm, Heavy Duty			
2	103	TUBULAR KNOBSET	Stainless Steel Finish for 35mm-45mm door thickness, Heavy Duty			
2	104	SOLID PHENOLIC BOARD	Oxford Cherry, 5' x 6', Protected w/ Thin Plastic Film Wrap			
2	105	CUBICLE PARTITION PANEL FOOTING	Nylon, Compatible to Phenolic Board			
2	106	CUBICLE PARTITION LEFT PANEL HINGES	Nylon, Compatible to Phenolic Board			
2	107	CUBICLE PARTITION RIGHT PANEL HINGES	Nylon, Compatible to Phenolic Board			
2	108	CUBICLE PARTITION PANEL LOCKSET	(Occupant Indicator), Nylon, Compatible to Phenolic Board			
2	109	CUBICLE PARTITION PANEL DOOR KNOB	Nylon, Compatible to Phenolic Board			
2	110	CUBICLE PARTITION PANEL COAT HOOK	Nylon, Compatible to Phenolic Board			
2	111	CUBICLE PARTITION PANEL HEAD RAIL	3m, Compatible to Phenolic Board			
2	112	CUBICLE PARTITION PANEL U-CHANNEL	6', Compatible to Phenolic Board			
2	113	METAL SCREW	must be compatible with Cubicle Partition Accessories			
2	114	CW Nail	3"			
2	115	CW Nail	2"			
2	116	LIQUID NAIL	Heavy duty construction, 310ml per cartridge			
2	117	COAL TAR				
2	118	WOOD PRESERVATIVE	clear			
2	119	LOOSE PIN HINGE	3" x 3", Brass, Heavy Duty, 3pc/box			
2	120	STARWHEEL DOOR CLOSER	Heavy Duty, Satin Finish			
2	121	PULL BAR W/ PLATE	3.5"W x 15"L, Stainless Steel, w/ 6 Corner Holes and Metal Screw, 6mmØ x 20mm			
2	122	PUSH PLATE	3.5"W x 15"L, Stainless Steel, w/ 6 Corner Holes and Metal Screws, 6mmØ x 20mm			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	123	1 3/4" Thk HOLLOW-CORE FLUSH DOOR	(90cm x 210cm) with 2" x 3" KD Tanguile wood door frame and 1/4" thk Marine Plywood skins wih 2" x 5" KD Tanguile Single Rabbeted Stop DOOR JAMB with 2"x 3" wood block for mounting of lockset and stainless steel pull and push plates (Factory Prefabricated Pre assembled)			
2	124	1 3/4" Thk HOLLOW-CORE FLUSH DOOR	(65cm x 210cm) with 2" x 3" KD Tanguile wood door frame and 1/4" thk Marine Plywood skins wih 2" x 5" KD Tanguile Single Rabbeted Stop DOOR JAMB with 2"x 3" wood block for mounting of lockset and stainless steel pull and push plates (Factory Prefabricated Pre assembled)			
2	125	PVC SHOWER DOOR	With Louver and Appropriate Door Jamb, 1 3/4"thk, White, External Door Frame Size: 210cm x 70cm			
2	126	DOOR LATCH BARREL BOLT	Stainless Steel, 3" Long, 30mm Width, 7mm Rod Diameter, with appropriate Screw			
2	127	PULL HANDLES	Stainless Steel, 4" Long, with Screw			
2	128	Polyester Fiber Filler	with hardener			
2	129	SAND PAPER	#100			
2	130	SAND PAPER	#150			
2	131	SAND PAPER	#240			
2	132	BLACK SCREW	1cm Ø x 3cm with appropriate PVC expanding Sheild			
2	133	3-CELL CONCRETE HOLLOW BLOCKS	4", 350psi			
2	134	TYPE I PORTLAND CEMENT	(Unblended)			
2	135	WHITE SAND				
2	136	DEFORMED BAR	10mmØ x 6m, PNS Grade 230 (0.617 kg/m)			
2	137	LUMBER	2" x 2" x 12', Rough, SD			
2	138	LUMBER	2" x 4" x 12', Rough, SD			
2	139	ORDINARY PLYWOOD	1/4" x 4' x 8'			
2	140	ORDINARY WELDING ROD	3/32"Ø			
2	141	SDS-PLUS DRILL BIT	5/32"Ø, 2" Usable Length, 4 1/2"Overall Length, Compatible with MAKITA brand HR2470 Rotary Hammer			
2	142	SDS-PLUS DRILL BIT	3/16"Ø, 4" Usable Length, 6 1/4"Overall Length, Compatible with MAKITA brand HR2470 Rotary Hammer			
2	143	BULL POINT	(demolition hammer standard accessory), overall length: 280, 400mm; Bit shank: SDS Max; extreme heavy duty			
2	144	HIGH SPEED STEEL Cobalt (HSS-CO) METAL DRILL BIT	1/8", Heavy Duty			
2	145	CIRCULAR SAW BLADE	7 1/4", 40teeth or 50 teeth, Heavy Duty			
2	146	NYLON CHORD (TANSI)	2mm, 30m/roll			
2	147	PLUMB BOB	3", Stainless Steel			
2	148	LEVELING HOSE	3/8" Ø (Clear), 15m/roll			
2	149	PAINT BRUSH	3", White Bristle, Horse Hair			
2	150	PAINT BRUSH	2", White Bristle, Horse Hair			
2	151	PAINT BRUSH	1", White Bristle, Horse Hair			
2	152	ROLLER BRUSH WITH HANDLE	7", Foam			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
2	153	ROLLER BRUSH WITH HANDLE	4", Foam			
2	154	ROLLER BRUSH REFILL	7", Foam			
2	155	ROLLER BRUSH REFILL	4", Foam			
2	156	HEAVY GRADE DEMOLITION GLOVES	Heavy Duty			
2	157	WASTE CLOTH	Small Round			
2	158	EMPTY SACK	50kg capacity			
2	159	PAINT TRAY	PVC			
2	160	HACK SAW BLADE	18TPI, 2pcs/set, Heavy Duty			
2	161	STRAIGHT ROUTER BIT	1/2"x 1/2", Compatible w/ MAKITA Brand Model MT-360			
2	162	DIAMOND TIP CUTTING DISC	4", Universal, Heavy Duty			
2	163	METAL CUTTING DISC	4", Heavy Duty, Standard			
2	164	COLD CHISEL	3/4" x 12", Heavy Duty			
2	165	CAULKING GUN	9", Heavy Duty, all metal construction			
2	166	RIVETER	Heavy Duty, Must be Compatible w/ the Blind Rivets			
2	167	Steel Wire Mesh	#8, 4' x 8', 0.097 in, wire diameter: 0.028 in, #8 stands for 8 mesh per inch or 8 wires per inch			
2	168	FINISHING or FLOATING CEMENT TROWEL	with Notch and Plain Edges, 1/4 x 1/4 x 1/4, (PALITADA), 8" Metal, (see sample at OVCPD)			
		RENOVATION OF COMFORT ROOMS AT CHE MAIN BUILDING AND MPH OF COLLEGE OF HUMAN ECOLOGY				
3	1	SILICONE SEALANT FOR SANITARY GRADE	Bio-Tech System Anti-Bacterial			
3	2	GATE VALVE, 1/2"Ø	Brass, Heavy Duty			
3	3	GATE VALVE, 3/4"Ø	Brass, Heavy Duty			
3	4	G.I. UNION PATENTE, 1/2"Ø	Schedule 40, Heavy Gauge			
3	5	G.I. UNION PATENTE, 3/4"Ø	Schedule 40, Heavy Gauge			
3	6	G.I. PIPE, 1/2"Ø x 20'	Schedule 40, Heavy Gauge, 2.77mm min. Wall Thickness			
3	7	TEFLON TAPE	1/2" wide			
3	8	G.I. ELBOW, 1/2" Ø x 90° Bend	Schedule 40, Heavy Gauge			
3	9	G.I. TEE REDUCER , 3/4"Ø x 1/2"Ø	Schedule 40, Heavy Gauge			
3	10	G.I. COUPLING REDUCER , 3/4"Ø x 1/2"Ø	Schedule 40, Heavy Gauge			
3	11	G. I. PLUG, 1/2"Ø	Schedule 40, Heavy gauge			
3	12	G. I. NIPPLE, 1/2"Ø	Schedule 40, Heavy gauge			
3	13	G.I. STREET ELBOW, 1/2" Ø x 90° Bend	Schedule 40, Heavy Gauge			
3	14	G.I. TEE, 1/2"Ø	Schedule 40, Heavy Gauge			
3	15	G.I. COUPLING, 1/2"Ø	Schedule 40, Heavy Gauge			
3	16	PVC PIPE, 4"Ø x 10'	Sanitary Guard, Series 1000			
3	17	PVC PIPE, 4"Ø x 10'	Sanitary Guard, Series 600			
3	18	PVC ELBOW, 4"Ø x 90° Bend	Sanitary Guard, Series 1000			
3	19	PVC ELBOW, 4"Ø x 45° Bend	Sanitary Guard, Series 1000			
3	20	PVC WYE, 4"Ø x 4"Ø	Sanitary Guard, Series 1000			
3	21	PVC TEE, 4"Ø x 4"Ø	Sanitary Guard, Series 1000			
3	22	PVC COUPLING, 4"Ø	Sanitary Guard, Series 1000			
3	23	PVC PIPE, 2"Ø x 10'	Sanitary Guard, Series 1000			
3	24	PVC PIPE, 2"Ø x 10'	Sanitary Guard, Series 600			
3	25	PVC ELBOW, 2"Ø x 90° Bend	Sanitary Guard, Series 1000			
3	26	PVC ELBOW, 2"Ø x 45° Bend	Sanitary Guard, Series 1000			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
3	27	PVC TEE REDUCER, 4"Ø x 2"Ø	Sanitary Guard, Series 1000			
3	28	PVC WYE REDUCER, 4"Ø x 2"Ø	Sanitary Guard, Series 1000			
3	29	PVC REDUCER BUSHING, 4"Ø x 2"Ø	Eccentric			
3	30	PVC TEE, 2"Ø x 2"Ø	Sanitary Guard, Series 1000			
3	31	PVC SOLVENT CEMENT	400cc/can			
3	32	ELASTOMERIC SEALANT				
3	33	FLOOR DRAIN STRAINER, 6" x 6"	Stainless Steel			
3	34	FLOOR DRAIN STRAINER, 4" x 4"	Stainless Steel			
3	35	UNIVERSAL ANGLE VALVE	1/2"Ø F Supply Inlet, 2 Connection Outlets 1/2"Ø M and 1/2"Ø M, Heavy Duty			
3	36	FLOOR CLEAN OUT with adaptor, 4"	Brass, Heavy Duty, Countersunk			
3	37	PVC P-Trap, 2"Ø	Sanitary Guard, Series 1000			
3	38	PVC P-Trap, 4"Ø	Sanitary Guard, Series 1000			
3	39	CEILAST PVC LAMINATED BOARD	2' x 4'			
3	40	MAIN RUNNER TEE, 12'	Powder Coated Finish Standard			
3	41	CROSS RUNNER TEE, 4	Powder Coated Finish, Standard			
3	42	WALL ANGLE, 12	Powder Coated Finish, Standard			
3	43	CONCRETE NAIL	3"			
3	44	BLACK SCREW w/ PVC EXPANDING SHIELD	2", Self Tapping			
3	45	STEEL ANGLE BRACKET	1/4"Unthreaded Hole, Standard			
3	46	FLAT BAR	3/16" thk x 1" x 6m, Standard			
3	47	BOLT AND NUT W/ WASHER	1/4" x 1"			
3	48	STAINLESS STEEL EYE-WITH-HOOK TURN BUCKLE	3/8" Ø x 8" length			
3	49	ROUND ROD BHR	3/8 " Ø, 6m			
3	50	EPOXY PRIMER	Premium Grade, w/ Catalyst			
3	51	BLIND RIVETS	1/8" x 1/2" 100pcs/box			
3	52	EXHAUST PIPE HOOD	w/ screen 4" Ø Stainless Steel w/ Complete Screws and Accessories			
3	53	FLOOR TILES	Monteclaro Gris, Unglazed, 300mm x 600mm			
3	54	WALL TILES	Monteclaro Natural, Unglazed, 300mm x 600mm			
3	55	LAVATORY COUNTER TOP SOLID SURFACE GRANITE	Full Slab Type, Golden Brown, 70cm x 3m x 1.2cm thk			
3	56	TILE GROUT SEALER	Colorless			
3	57	WALL TILE GROUT	White, 2kg/bag			
3	58	FLOOR TILE GROUT	Black, 2kg/bag			
3	59	PVC TILE TRIM	8mm x 8', White			
3	60	TILE ADHESIVE	25kg/bag, Premium Quality			
3	61	FLEXIBLE CEMENTITIOUS WATERPROOFING	acrylic polymer, tough, elastic, waterproof, UV resistant seam free membrane			
3	62	ELECTRICAL WIRE, 2.0mm ²	(AWG#14), Stranded, THW, 150m/box, UL-LISTED			
3	63	ELECTRICAL WIRE, 3.5mm ²	(AWG#12), Stranded, THW, 150m/box, UL-LISTED			
3	64	ELECTRICAL WIRE, 5.0mm ²	(AWG#10), Stranded, THW, 150m/box, UL-LISTED			
3	65	ELECTRICAL TAPE	48mm x 16m x .177mm, Rubber			
3	66	JUNCTION BOX WITH COVER	4" x 4", Ga. #16, Deep Type, Metal			
3	67	UTILITY BOX	2" x 4", Ga. #16, Deep Type, Metal			
3	68	PVC ELECTRICAL COUPLING	20mmØ			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
3	69	PVC LOCKNUT & BUSHING	20mmØ			
3	70	PVC ELECTRICAL PIPE	20mmØ x 3m, Thick wall			
3	71	PVC ELECTRICAL ELBOW	20mmØ x 90° Bend, Long Sweep			
3	72	TWO-GANG SWITCH WITH PLATE AND COVER	Recessed			
3	73	LED BULB	6" Ø, 750 Lm, 10W, Recessed, Warm White			
3	74	LED TUBE	Fluorescent, 900Lm 10W-220V, 600 mm (24")			
3	75	LED BOX-TYPE CASING	Single, 600mm (24")			
3	76	20-AMP CIRCUIT BREAKER	2P, 220V Plug-in Type			
3	77	20-AMP CIRCUIT BREAKER	2P, 2P, 220V Bolt-on Type, NEMA-1 Metal Type Enclosure			
3	78	30-AMP CIRCUIT BREAKER	2P, 220V Plug-in Type			
3	79	30-AMP CIRCUIT BREAKER	2P, 220V Bolt-on Type, NEMA-1 Metal Type Enclosure			
3	80	PANEL BOX 2 POLE PLUG IN	Ga. No. 16, Pre-painted, 2 branches			
3	81	LACQUER THINNER	Premium Grade			
3	82	METAL PRIMER	Red Oxide			
3	83	PVC ADAPTOR	20mmØ			
3	84	LAVATORY	Under Counter Type Wash Basin, 600L x 422W x 209H with Complete Accessories Including Bracket and Tubular P-Trap Brass P-O-Plug x 6", Brass CP, Shallow Flange/Die Cast Nuts, 1-1/4" CP Rubber Joint (SEE SAMPLE AT OVCPD)			
3	85	HALF-PEDESTAL LAVATORY	including fixation set, size(W200xD290xH295), Ceramic, white, 6 kilogram, with Complete Accessories Including Bracket and 1-1/4" P-trap (SEE BROCHURE AT OVCPD)			
3	86	SINGLE LEVER LAVATORY FAUCET W/ POP-UP WASTE	1 Hole, 0.05MPa-0.75MPa Water Pressure, Brass w/ Nickel Chrome Finish, with Complete Accessories including Angle Valve, Tail Piece, Stop Valve And Braided Flexible Hose (SEE SAMPLE AT OVCPD)			
3	87	UTILITY FAUCET	Level Control Plain end, Brass			
3	88	WATER CLOSET	elongated, L725 x W410 x H750 mm, Close-coupled front lever type elongated Toilet, Single Flush with volume of 6L, with complete tank fittings, Angle Valve, 1/2"Ø F Supply Inlet, 2 Connection Outlets 1/2"Ø M and 1/2"Ø M, Heavy Duty, braided flexible water supply hose and anti-bac seat and cover (SEE SAMPLE AT OVCPD)			
3	89	BIDET SPRAY KIT	Plastic White Hygenic Douche w/ White Hose and Mounting Bracket			
3	90	WALL HUNG TYPE URINAL W/ BUILT-IN URINAL SENSOR	(DC Lithium Battery Operated 6V) with 2 Extra Rechargeable Batteries, C3150 Waterford, 400mm x 290mm x 995mm, 1.2-1.9L flush volume, 0.1MPa-0.75Mpa, with built-in integral P-Trap (345mm from floor), includes CT481 urinal sensor flush valve and stop valve, C947 wall flange, C943 bracket, C921 strainer, Complete with Accessories and Fittings and Appropriate Metal Screw and PVC/Metal Expanding Shield, White glossy finish. (SEE ACTUAL SAMPLE AT OVCPD)			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
3	91	JET TOWEL MINI HAND DRYER	Dimension: H480mm x W170 x L250mm. Weight: 5kg. Power Supply: 220-240 V and 50-60 Hz. Power Consumption: 735-825 Watts Motor Type: Commutator . Standby Power Consumption: 0.5W. Mode: High and Low. Heater: On and Off. Airflow Rate (m/s): 140-150 and 190-100. Air Volume (m ³ /min): 12-13 and 0.8-0.9. Noise (dB): 62-64 and 52-54. Drain Tank: 0.6L.			
3	92	PAPER TOWEL DISPENSER	8"Ø, PVC, White, with appropriate mounting screw and expanding shield			
3	93	SOAP DISPENSER	500mL, Wall Mounted, Stainless Steel, with appropriate mounting screw and PVC expanding shield			
3	94	EXHAUST FAN	Wall Mounted w/ Automatic Louver, 14"Ø, 220V			
3	95	EXHAUST FAN	Ceiling Cassette Type, 12" x 12", 3kg, 60Hz, 38W, case size 32.3 x 16.9 x 32.90 (cm) , 220V			
3	96	FACIAL MIRROR	1/4" thk x 2.2m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Alumimun Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
3	97	FACIAL MIRROR	1/4" thk x 1.6m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Alumimun Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
3	98	FACIAL MIRROR	1/4" thk x 0.5m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Alumimun Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
3	99	WHOLE BODY MIRROR	1/4" thk x 1.2m x 0.9m, w/ 1/4 " thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Alumimun Edge Frame Including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield			
3	100	QDE PAINT	Choco Brown, Premium Quality			
3	101	GLAZING PUTTY FOR ENAMEL-PAINTED WOOD	alkyd-type			
3	102	POLYESTER FIBER FILLER with Hardener				
3	103	FLAT WALL ENAMEL PAINT	White, Premium Quality			
3	104	PAINT THINNER	Premium Grade			
3	105	SINGLE TUBULAR DEADBOLT LOCKSET	Brass Finish , Adjustable Backset 60-70mm, Heavy Duty			
3	106	LOOSE PIN HINGE	3"x 3", Brass, Heavy Duty, 2pcs/set			
3	107	DOOR CLOSER	Heavy Duty			
3	108	PULL BAR W/ PLATE	4"W x 12"L, Stainless Steel, w/ 4 Corner Holes and Metal Screw			
3	109	PUSH PLATE	4"W x 12"L, Stainless Steel, w/ 4 Corner Holes and Metal Screw			
3	110	LIQUID NAIL	10 oz/296 ml. Heavy Duty Construction			

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS		OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
3	111	HOLLOW-CORE FLUSH TYPE DOOR	1 3/4" Thk. (W90cm x H210cm) with 2" x 3" KD Tanguile wood door frame and 1/4" thk. Marine Plywood skins with 2" x 5" KD Tanguile Single Rabbeted Stop Door Jamb, with 2"x3" Wood Block for mounting of lockset and stainless steel push and pull plates (Factory Pre-fabricated/ Pre Assembled)				
3	112	HOLLOW-CORE FLUSH TYPE DOOR	1 3/4" Thk. (W80cm x H210cm) with 2" x 3" KD Tanguile wood door frame and 1/4" thk. Marine Plywood skins with 2" x 5" KD Tanguile Single Rabbeted Stop Door Jamb, with 2"x3" Wood Block for mounting of lockset and stainless steel push and pull plates (Factory Pre-fabricated/ Pre Assembled)				
3	113	CW NAIL	1 1/2"				
3	114	SOLID PHENOLIC BOARD	Oxford Cherry, 6' x 6', Protected w/ Thin Plastic Film Wrap				
3	115	CUBICLE PARTITION PANEL FOOTING	Nylon, Compatible to Phenolic Board				
3	116	CUBICLE PARTITION PANEL HINGES	Nylon, Compatible to Phenolic Board				
3	117	CUBICLE PARTITION PANEL LOCKSET	(Occupant Indicator), Nylon, Compatible to Phenolic Board				
3	118	CUBICLE PARTITION PANEL DOOR KNOB	Nylon, Compatible to Phenolic Board				
3	119	CUBICLE PARTITION PANEL COAT HOOK	Nylon, Compatible to Phenolic Board				
3	120	CUBICLE PARTITION PANEL HEAD RAIL	3m, Compatible to Phenolic Board				
3	121	CUBICLE PARTITION PANEL U-CHANNEL	6', Compatible to Phenolic Board				
3	122	METAL SCREW	must be compatible with Cubicle Partition Accessories				
3	123	COAL TAR					
3	124	WOOD PRESERVATIVE	Clear				
3	125	CW Nail	3"				
3	126	3-CELL CONCRETE HOLLOW BLOCKS	4", 350psi				
3	127	TYPE I PORTLAND CEMENT	(Unblended)				
3	128	SAND	S1				
3	129	G.I. TIE WIRE	Ga. #16				
3	130	DEFORMED BAR	10mmØ x 6m, PNS Grade 230, w=0.617 kg/m				
3	131	ORDINARY PLYWOOD	1/4" x 4' x 8'				
3	132	LUMBER, 2" x 4" x 12'	Rough, SD				
3	133	ORDINARY WELDING ROD	3/32"Ø				
3	134	SDS-PLUS DRILL BIT, 5/32"Ø	2" usable length, 4 1/2" overall length, Compatible with Makita brand HR2470 Rotary Hammer				
3	135	SDS-PLUS DRILL BIT, 3/16"Ø	4" usable length, 6 1/4" overall length, Compatible with Makita brand HR2470 Rotary Hammer				
3	136	HARD STEEL METAL DRILL BIT	1/8", Heavy Duty				
3	137	NYLON CHORD (TANSI)	2mm, 30m/roll				
3	138	PAINT BRUSH, 3"	White Bristle, Horse Hair				
3	139	PAINT BRUSH, 2"	White Bristle, Horse Hair				
3	140	PAINT BRUSH, 1"	White Bristle, Horse Hair				
3	141	ROLLER BRUSH WITH HANDLE	Foam, 7"				
3	142	ROLLER BRUSH WITH HANDLE	Foam 4"				
3	143	ROLLER BRUSH REFILL	7", Foam				
3	144	ROLLER BRUSH REFILL	4", Foam				

revised BIDFORM FOR THE PUBLIC BIDDING OF:

UPLB-I-030-7-17

SUPPLY AND DELIVERY OF CONSTRUCTION MATERIALS AND SUPPLIES FOR OVCPD

DEADLINE OF SUBMISSION OF BIDS:

Thursday, July 27, 2017 10:15 AM

LOT #	ITEM #	REQUIRED SECIFICATIONS	OFFERED SPECIFICATIONS (write down detailed offered specifications)	REFERENCES (include supporting documents)	COMMENTS/ REMARKS (clarify inclusion/ exclusion)	EVALUATION
3	145	WASTE CLOTH	Small Round			
3	146	EMPTY SACK	50kg capacity			
3	147	PAINT TRAY	PVC			
3	148	HACK SAW BLADE	18TPI, 2pcs/set, Heavy Duty			
3	149	ELECTRIC ROUTER BLADE	Compatible w/ MAKITA Brand Model MT-360			
3	150	DIAMOND CUTTING DISC	4", Diamond Tip, Continuous Rim, Heavy Duty			
3	151	BUFFING DISC	w/ polishing disc, Rough to Finish, 4", 5pcs/set, for Slab Type Synthetic Granite Shaping and Polishing			
3	152	RIVETER	Heavy Duty, Must be Compatible w/ the Blind Rivets			
3	153	METAL CUTTING DISC	4", Heavy Duty, Standard			

Note: Please fill-up applicable columns.

Signature of Representative: _____

Name of Representative: _____

End-user:

Position: _____

 Signature over Printed Name

Company: _____

Address: _____

Telephone/ Fax: _____

Email: _____