Standard Form No. SPC-0005Revised on: August 12, 2014



UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg TIN 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) UPLB University Planning & Maintenance Office

BY. UATE: FOR POPULATION - NO DEC 16 2020 9:00 WELB-RQ- 12 - 294 - 20 NOR U

| UP BERDE-RU- | 1 | . , | , | , | |
|--------------------|--------|------|------|-----|---|
| DEADLNE | OF | SUBI | VIIS | SIO | N |
| DEADLINE OF SUBMIS | SSION: | | | | |

| Suppliers Name | Date: | December 10, 2020 |
|----------------|----------------------|--------------------|
| | Fund Code | 9151017 |
| | MOP: | SHOPPING |
| | Evaluation and Award | For Lot Awarding |
| | Contact No | (049) 536-7085 |
| | Contact Person: | Mickiee C. Oracion |

Please quote your lowest price on the item/s listed below, subject to the General Conditions below

- Note
 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable
 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.)
 5. Quotations exceeding the Approved Budget for Contract shall be rejected.
 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation.

- 7 Others

| ITEM # | GENERAL NAME OF THE ITEM | REQUIRED SPECIFICATIONS | UNIT OF MEASURE | QTY | ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT | ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT | OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements. | QUOTED UNIT PRICE | TOTAL QUOTED PRICE | EVALUATION (Leave this space blank. For BAC/ Evaluators only) |
|--------|--|---|--------------------|-----|---|---|--|----------------------|--------------------|--|
| 1 | SUPPLY AND DELIVERY OF AIRCONDITIONING ACCESSORIES, TOOLS AND SUPPLIES FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION | Branded and Brand New Metal Fuel Pipe Repair Double Flaring Die Cutter Tool Kit Specification: Material: 45# steel Fixture size: 125 * 95mm / 4.9 * 3.7 inch Pipe cutter: 1/8" -1-1/8" (3-30mm) Spreader size: 775 * 55mm / 6.9 * 2.2 inch Adapter size: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" (5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm) Shell size: 330 * 130 * 40mm / 13.0 * 5.1 * 1.6 inch Features: Easy to use, including a flaring cone, a flaring rod, a tube cutter and 7 adapters, easy to store and organize, and with a handle for easy removal. Versatility with the help of broken tools and knives, it can meet all your professional and personal work needs. The foldable reamer and replacement blade help clean and ensure a better connection. Durable and strong, plastic box protector, the flaring tools and knives are made of alloy steel and are chrome plated to help reduce friction. Wide application, suitable for cutting and flaring of copper, brass or thin-walled aluminum tubes. | Set | 1 | 3,800.00 | 3,800.00 | | | | |
| 2 | SERVICES SECTION, UPMO. | Branded and Brand New MAPP Gas + Brazing Torch with Igniter | Set | 1 | 2,000.00 | 2,000.00 | | | | |
| 3 | | Branded and Brand New 14 Pcs/Set Universal Car Cooling System Leak Detector Radiator Pressure Tester Gasket Test Kit Aluminum radiator header tank caps are color-coded for ease of use and have quick release fittings. Heavy-duty pressure test kit is suitable for wide range of vehicle applications and for locating leaks in vehicle cooling system. Pump unit features smooth action and easy-to-read scale. Ideal instrument for testing for leaks, head gasket, radiator, heater core and header tank. Set supplied with thermometer and packed in rugged carry-case. | Set | 1 | 7,300.00 | 7,300.00 | | | | |

| , | Standard Form No. SPC- | 0005Revised on: August 12, 2014 | | | | | | For Non-cetalogue | |
|---------|---|--|-----|---|------------|------------|----|-------------------|--|
| 4 | 4 | Branded and Brand New Heavy Duty Automatic High Pressure Cleaning Machine Voltage: 220V/50-60Hz Input Power: 1700W Pressure: 9MPa Traffic: 8.5L/Min Motor Type: Induction Motor Light and portable yet powerful. Variable pressure control. Easy to maintain and service. Access to internal equipment for easy maintenance. | Un | 1 | 7,000.0 | 0 7,000.0 | 00 | | |
| 5 | | Branded and Brand New Ceiling Air-Conditioner Cleaning Bag Ceiling Air conditioner cleaning cover is designed to protect your souring from water damage during cleaning. For 3 to 5 HP Ceiling Air Conditioners Suitable for Air Conditioner's width of 1.15 m to 1.15m Quality sewing of the material Has a water external outlet to let you drain your water in a bucket. Easy to use and reusable Material: None Woven PVC (Not Disposable) Waterproof: Yes | Pc | 1 | 7,500.0 | 0 7,500.6 | 00 | | |
| 6 | SUPPLY AND DELIVERY OF AIRCONDITIONING ACCESSORIES, TOOLS AND SUPPLIES FOR THE REPAIR AND | Branded and Brand New Hanging Air-Conditioner Cleaning Cover Specifications: Material: PVC (Polyvinyl Chloride) + Aluminum Alloy Size: 120cm x 39cm / 47" x 15" Color: transparent Suit for less than 3.5HP split type indoor air conditioning host | Pc | 1 | 1 11,200.0 | 0 11,200.0 | 00 | | |
| 7 | REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICES SECTION UPMO. | Made of polyurethane, soft texture, soft texture, easy to lift, durable. With a new external outlet design and a 3 meter length of water pipe, you can pour water into the bucket. It can prevent the sewage from splashing into the customer's wall and other places, and has a good protection effect. Sewing material, clamping, folding, no deformation. It is used perfectly as an air conditioning 3P office or home wall. | Pc | 1 | 3,100.00 | 3,100.0 | 0 | | |
| \$ 3 | | Branded and Brand New Refrigerant Vacuum Pump Motor Rafed voltage: 220V/50HZ Pumping rate: 3.6m3/H Ultimate pressure: 2Pa Motor power: 180W Fuel: 250ml Air inlet connection threads: 7/16*-20UNF Suitable for R410A, R407C, R134a, R12, R22, and other refrigerants Vacuum pump is used to seal the container vacuum pumping gas to obtain basic equipment. Suitable for refrigeration service, printing machinery, vacuum packaging, gas analysis, thermoplastic molding and other industries Pumping operations can also be used as various types of high vacuum equipment before the pump use -ligh accuracy vacuum gauge shows system pressure automatic anti-backflow valve design Big sight glass for monitoring oil level. | Set | 1 | 14,800.00 | 14,800.00 | | | |

| . (| Standard Form No. SPC-00 | 05Revised on: August 12, 2014 | | | | | | | For Non-cetalogue | | |
|--|--|--|-------------|---|---|---|--|------------------------------------|-------------------|--|--|
| 9 | | Branded and Brand New Refrigerant Manifold Gauge Used for all refrigerants (R410a, R134a, R22, R404, R32, R407, etc) Built in metal handle With sightglass Shock proof Package Includes: 1.5 meters charging hose set Dual Gauge Shockproof cover Hook Adapter for inverter | Set | 1 | 4,000.00 | 4,000.00 | | | | | |
| 10 | SUPPLY AND DELIVERY OF AIRCONDITIONING ACCESSORIES, TOOLS AND SUPPLIES FOR THE REPAIR AND MAINTENANCE WORKS OF | Branded and Brand New Heavy Duty Air Compressor Voltage: 220-240V/60Hz Input Power: 1.5kw (2HP) Speed: 3400rpm Tank Capacity: 24L (6.3Gal) Operating Pressure: 8Bar Air Displacement: 93L/Min Pump Lubricated with Oil Packed by Colored Box | Un | 1 | 14,900.00 | 14,900.00 | | | | | |
| 11 | TRANSPORTATION SERVICES SECTION, UPMO. | Branded and Brand New Aluminum Nozzle Air Duster Blow Gun Specifications: Barrel Material: Aluminum Gun handle material: Plastic Dust Blower Piston Material: Aluminum Nozzle caliber: 8mm Inlet size: 11cm Work pressure: 0-8Mpa Color: Sliver Size: 140x90x20mm / 5.5x3.54x0.79in | Set | 1 | 1,500.00 | 1,500.00 | | | | | |
| | | NOTE: WARRANTY: All items should have at least One (1) Year Standard Warranty. DELIVERY: 14 Calendar Days upon receipt of Purchase Order. | | T | OTAL ABC: | | | | | | |
| | Reviewed and Checked By. | 4 | | | OTAL ABG: | P77,100.00 | TOTAL AMOUNT: IN WORDS | | | | |
| | one one of the original of the | | | | | | III WORDS | | | | |
| Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein. TERMS AND CONDITIONS: | | | | | | | | | | | |
| 2. In ord | er to assure that manufacturing defe | d of at least (30) calendar days from the date of submission. | | | | | BUYER END-USER | | | | |
| Delivi Awari | ery period within calendar days. d of contract shall be made to the low | of all least (30) calendar days from the date of submission. cits shall be corrected by supplier, a warranty security shall be required from the estimated of the supplier and the specifications, and other terms is offered as may be considered most advantageous to the linear-state. | e contract | awardee | for a minimum period | of three (3) months | i, in the case of EXPENDABLE SUPPL | IES, or a minimum | of one (1) we | | |
| UPLEAny ir | reserves the right to reject any or all terlineations, erasure, or overwriting | rest quotation wich compiles with the technical specifications, and other terms i I offers as may be considered most advantageous to the University shall be valid only if they are project for the constant of the constant o | and condito | n stated | herein | | , | | one (1) year | | |
| | ments for Suppliers (GPPB Reso | any of your duly are signed or initiated by you or any of your duly auth | orized repr | esentativ | ve/s | | | | | | |
| | | REQUIREMENTS | Ph. | | | | | | | | |
| 1 1 2 1 | Mayor's/Business Permit PhilGEPS Registration Number | Shoppir (Section | 52) | Negotiated Procurement- Small Value Procurement (Section 53.9) | Negotiated Procurement- Lease of Real Property or Venue (Section 53.10) | Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6) | Negotiated Procurement- Emergency (Section 53.2) | | | | |
| 3 1 | Tofessional license/ CV (consulting a | services) | / | | -/- | / | / | / | | | |
| -911 | CAB License (for Infrastructure) | ot for government agencies as lessor) | | | / | · | / | / | | | |
| 6 0 | Omnibus Swom Statement | | | 100 | OR ABC'S ABOVE | / | | FOR AR | | | |
| 7 N | IFCC for Infrastructure with ABC abo | ve Ph500k | | F | OR ABC'S ABOVE | | The state of the s | FOR ABC'S ABOVE FOR ABC'S ABOVE | | | |
| fter ha | iving carefully read and accor | ented your Consol O | | | / | | | FOR ABC'S ABOVE | | | |
| ame of | the Company. | epted your General Conditions, I/We quote you on the Item | at prices | noted | above. | | | 50K | | | |
| | | | | | | -1.11 | | | | | |
| gnatur | e over Printed Name of | | | | | el. No ax No | | | | | |

Email Address Date

Signature over Printed Name of Position

RFQ No ____