



**UNIVERSITY OF THE PHILIPPINES**  
**LOS BANOS**  
 Los Banos, IV-A  
 VAT Reg. TIN **000-864-006-00004**

Request for Quotation/ Bid Form (Technical Specifications)  
**UPLB University Planning & Maintenance Office**

**UPLB BAC SECRETARIAT**  
 BY: *[Signature]* DATE: 12-11-20  
For Non-catalogue  
**DEC 16 2020** 9:10  
**UPLB-RQ-12-295-20** *[initials]*  
**DEADLINE OF SUBMISSION**

**UPLB-RQ**

DEADLINE OF SUBMISSION:

Suppliers Name \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Date \_\_\_\_\_  
 Fund Code \_\_\_\_\_  
 MOP \_\_\_\_\_  
 Evaluation and Award \_\_\_\_\_  
 Contact No \_\_\_\_\_  
 Contact Person \_\_\_\_\_

**December 10, 2020**  
 9151017  
 NP-SVP  
 For Lot Awarding  
 (049) 536-7085  
 Mickiee C. Oracion

**Please quote your lowest price on the item/s listed below, subject to the General Conditions below.**

- Note
- Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries. put N/A for not applicable.
  - Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
  - Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
  - Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.)
  - Quotations exceeding the Approved Budget for Contract shall be rejected.
  - Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation.
  - Others \_\_\_\_\_

ITEM #	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION <small>Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.</small>	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION <small>(Leave this space blank. For BAC/Evaluators only)</small>
1	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICE SECTION, UPMO.	<b>Branded and Brand New Ring Wrench Set</b>  9 Pcs/Set (Sizes: 8-9mm, 10-11mm, 12-13mm, 14-15mm, 16-17mm, 18-19mm, 22-24mm, 24-27mm, 30-32mm) Ring spanner Made from tough heat treated chrome vanadium steel Highly durable for heavy duty mechanical works	Set	2	3,275.00	6,550.00				
2		<b>Branded and Brand New Combination Wrench Set</b>  16 Pcs/Set (Sizes: 8,9,10,11,12,13,14,15,17,19,21,22,24,27,30,32mm) Made from tough heat treated chrome vanadium steel Highly durable for heavy duty mechanical works Mirror polished / sand blast	Set	2	4,300.00	8,600.00				
3		<b>Branded and Brand New 1/2 Drive Socket Wrench Set</b>  1/2" Drive, 6 Point Socket Set 24 Pcs/Set (Sizes: 10mm - 32mm) Constructed of high-alloy steel and heat-treated for performance Deep laser etched markings for easy socket size identification Mirror polished and chrome plated for rust resistance Sturdy metal carry case for organization & easy retrieval easy maneuverability in constricted areas Consistent & accurate fit for long life	Set	2	4,500.00	9,000.00				
4		<b>Branded and Brand New 3/8 Drive Socket Wrench Set</b>  3/8" Drive, 6 Point Socket Set 19 Pcs/Set (Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm) 4 Pcs 3/8" drive accessories: extension bar 75mm Extension bar 150mm Universal joint Sliding T-Bar 3/8" quick release ratchet All inside molded case Material: Steel, Chrome finish Easy to use ratchet handle	Set	2	4,800.00	9,600.00				

5		<b>Branded and Brand New 3 Ton High Lift Jack Stand</b>  3 Ton capacity each stand Quick adjust from 285-425mm Heavy duty steel body Safely support loads up to 6,600lb. Welded steel base for strength Self-locking ratchet handle	Pc	8	2,700.00	21,600.00				
6		<b>Branded and Brand New Valve Spring Compressor Lifter</b>  Durable Carbon Steel Construction Ideal for Removal of Valve Springs on Most Automobile and Light Trucks without Removing Cylinder Head Spring Loaded Offset Jaws Easily Grip and Compress Valve Springs Requires Flexible Air Valve Holders and Air Hold Fitting to Keep Valve in Place when Keepers are Removed	Pc	1	2,800.00	2,800.00				
7		<b>Branded and Brand New Hexagonal Allen Key Wrench Set</b>  12 Pcs/Set (Size: 3/8 to 1/16 inch) Hexagon and imperial ball Made using chrome vanadium steel so will resist corrosion Comes in a plastic open carry case	Set	4	1,800.00	7,200.00				
8	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICE SECTION, UPMO.	<b>Branded and Brand New Universal Gear Pullers, Bearing Separator and Puller Set Removal Kit and 3 Splitters Bearings</b>  Kit Includes: Two bearing separator jaws (Splitters) - 2" and 3" Puller head bar A-Type with a 9/16" forcing screw Hex push puller legs - 4 sets Yoke center adapter - 6" 5" puller cross bar with forcing screw Extension legs: 5" - 4pcs Extension legs: 4" - 4pcs Separator tools are used with bar puller and legs for a wide variety of pulling jobs 2 Bearing separators ranging in size for sizes 9/32" to 3" in diameter  The 5" puller cross-bar with a 6-1/4" forcing screw or each of the bearing separators may also be used separately or in combination with other pullers or tools Heavy duty drop forged, heat treated steel guaranteed to last a lifetime Molded storage and carrying case provides easy transportation and storage	Set	1	4,300.00	4,300.00				
9		<b>Branded and Brand New Cup Type Oil Filter Wrench Set</b>  1/2" drive aluminum alloy for a professional grade set that stands up to tough daily use 17 Pcs/Set (Sizes: 903-8 (30P-75), 903-7 (15P-74), 903-1 (15P-75), 903 (14P-73-74), 903-9 (14P-71 5-72 5), 904-1 (15P-82), 911 (12P-76), 901-1 (16P-87), 906-1 18P-86, 903-6 (36P-93), 904 (15P-78-79), 901 (14P-64-65), 902 (14P-67), 902-2 (14P-84) Space-saving design - low profile sockets lock tightly to cartridge filters on both new & old cars, plus the compact carry case keeps everything right at your fingertips	Set	1	4,800.00	4,800.00				

10	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICE SECTION, UPMO.	<p><b>Branded and Brand New Circlip Pliers Set Snap Ring Plier Mini Internal External Straight Bent</b></p> <p>4 Pcs/Set (Size 4 Inches) Material: Steel + Rubber</p> <p>Features Using high-quality materials, strong and durable, has a long service life Pliers have different shapes to meet your different needs, very practical Wide range of use, can be used for hand-made, metal smelting, jewelry watch repair, home repair, etc</p> <p>Small size, easy to carry and store, convenient to use and with good performance Strict quality control and quality assurance, high safety factor, can be used with peace of mind</p>	Set	1	1,800.00	1,800.00			
11		<p><b>Branded and Brand New Compression Test Gauge</b></p> <p>Thread sizes: M18x1.5, M14x1.25, M12x1.25, M10x1.0 Dimension: 28.5 cm x 6.5 cm x 22.5 cm approx.</p> <p>Package Includes 1 x Cylinder Compression Tester from 0-21 bar or 0-300 psi 1 x Adapter M10 x 1.0 for Cylinder Compression Tester 1 x Adapter M12 x 1.25 for Cylinder Compression Tester 1 x Adapter M14 x 1.25 for Cylinder Compression Tester 1 x Adapter M18 x 1.5 for Cylinder Compression Tester 2 x Pressure Tubes with rubber nozzles for Cylinder Compression Tester 1 x Convenient Carry Case for Cylinder Compression Tester</p>	Set	1	2,300.00	2,300.00			
12		<p><b>Branded and Brand New Analog Multi-Tester</b></p> <p>Features: This instrument is a portable multi-tester designated for the measurement of low-voltage circuit. This is used at small communications equipments, home electric appliances, voltage of lump line, and measurement of various types of batteries Total 35 wide ranges (24ch sw + additional functions) ±DCV zero center meter LED for continuity check Output terminal (series capacitor terminal) Battery check</p>	Pc	1	5,000.00	5,000.00			
13		<p><b>Branded and Brand New 4 Inch C-Clamp</b></p> <p>Features High-visibility, corrosion-resistant finish Advanced frame design resists flexing and bending Heavy-duty, malleable iron and steel construction Roll-formed screw threads ensure smooth operation and durability Oversized "T" handle for extra torque</p>	Pc	1	1,000.00	1,000.00			
14		<p><b>Branded and Brand New All Purpose Snips</b></p> <p>Features Overall Length: 12" / 305mm Handle Color: Black/ yellow Meets or exceeds ANSI standards Slip-resistant double cushion grip for comfort Cuts up to 20 gauge (0.91mm) cold-rolled steel or 23 gauge (0.71mm) stainless-steel Durable forged steel construction</p>	Pc	1	1,800.00	1,800.00			

15	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICE SECTION, UPMO.	<b>Branded and Brand New Vise Grip Pliers Set</b>  <b>Features</b> Constructed from durable nickel chromium steel Machined jaws for maximum gripping strength Anti-pinch, non-slip ProTouch Grips provide comfort, control, and less hand fatigue Includes 6-inch diagonal and slip-joint, 8-inch long nose, and 10-inch groove joint pliers. Tool Wrap rolls small to store easily Variable-size jaws on slip-joint pliers are a flexible solution for most household needs Long-nose pliers reach into confined areas	Set	1	4,800.00	4,800.00
16		<b>Branded and Brand New Socket Set Car Repair Tool, Ratchet Torque Wrench Combo Tools Kit Auto Repairing</b>  <b>Features:</b> 46 Pcs/Set (Sizes: 1/4" Drive metric sockets: 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 11, 12, 13 & 14mm) Torque 50% higher than that of carbon steel The socket using high-quality chrome vanadium steel 50 bv30 cold-press forming Using inferior smooth surface processing, good rust prevention effect. Batch head adopts cr-v materials, stronger hardness, toughness is higher.	Set	1	1,300.00	1,300.00
17		<b>Branded and Brand New Automobile Clutch Hole Correct, Clutch Disassembly, Clutch Installation Tool, Universal Alignment Centering Tool</b>  <b>Package Included:</b> 2 sleeve anchors 1 strut sleeve  <b>Features:</b> Universal device for locking the clutch disk This tool makes a quick job of single handedly aligning the clutch and pressure plate before fitting. It is made of high quality materials, safe and environmentally friendly, and more durable. Allow the clutch disc to be centered comfortably and comfortably on the workbench	Set	1	1,000.00	1,000.00
18		<b>Branded and Brand New Car Piston Ring Compressor Cylinder Installer Tool Set</b>  <b>Specifications</b> Quantity: A pair of pliers with different collars Range 1: 62-65mm, Range 2: 75mm, Range 3: 80mm, Range 4: 85-86-87mm, Range 5: 90-92-95mm, Range 6: 100-102mm, Range 7: 105-105-108mm, Range 8: 110mm, Range 9: 113-114-115mm, Range 10: 120-123mm, Range 11: 125-126mm, Range 12: 135-137mm, Range 13: 140-142-145mm  <b>Package Contents:</b> 13 x Piston Ring Compressor 1 x Plier 1 x Carry Case	Set	1	3,200.00	3,200.00
		<b>Branded and Brand New 10 Pcs Drive Ball Joint Remover Car Repairing Tools Case Frame Press Service Kit Set Installation Tool</b>  <b>Specification</b> Material: carbon steel Ball Joint Press Internal Distance: 158mm / 6.2in Internal Diameter: 57mm / 2.2in Screw Length: 255mm / 10.in Receiving Tube 1 Height: 57mm / 2.2in Internal Diameter: 69mm / 2.7in External Diameter: 76mm / 3.0in Receiving Tube 2 Height: 45mm / 1.8in				

19	<p>Internal Diameter: 57mm / 2.2in                  External Diameter: 64mm / 2.5in                  Receiving Tube 3                  Height: 45mm / 1.8in                  Internal Diameter: 45mm / 1.8in                  External Diameter: 51mm / 2.0in                  Installation Adapter:                  Height: 29mm / 1.1in                  Internal Diameter: 25mm / 1.0in                  External Diameter: 78mm / 3.1in                  Removal Adapter:                  Height: 29mm / 1.1in                  Internal Diameter: 15mm / 0.6in                  External Diameter: 78mm / 3.1in                  Installing Cup:                  Height: 94mm / 3.7in</p> <p>Internal Diameter: 45mm / 1.8in                  External Diameter: 51mm / 2.0in                  Receiving Cup:                  Height: 63mm / 2.5in                  Internal Diameter: 51mm / 2.0in                  External Diameter: 55mm / 2.2in                  Install Cup Adapter:                  Height: 22mm / 0.9in                  Internal Diameter: 48mm / 1.9in                  External Diameter: 57mm / 2.2in                  Package Weight: 7152g / 15.8lb                  Package Size: 360 * 270 * 80mm / 14.2 * 10.6 * 3.1in</p>	Set	1	8,000.00	8,000.00	
20	<p><b>SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICE SECTION, UPMO.</b></p> <p><b>Branded and Brand New 5 in 1 Front End Service Tool Kit</b></p> <p>Package Included:                  1 x Pitman Arm/Tie Rod End Puller                  1 x Ball Joint Separator                  1 x Pitman Arm Puller                  1 x Ball Joint/Tie Rod End Remover                  1 x Tie Rod/Inner Bearing Race Puller                  1 x Carrying Case</p> <p>Specifications:                  Large C-shape puller: jaw spread: 1-11/32", throat depth: 2-1/2"                  Small C-shape puller: jaw spread: 1-1/8", throat depth: 2-1/8"</p> <p>Large swing arm puller: jaw spread: 0 to 2-1/2", throat depth: 3-1/4"                  Small L-shape puller: jaw spread: 3/4", throat depth: 1-3/4"                  Large rocker arm puller: jaw spread: 7/8", throat depth: 2-1/4" large C-shape puller</p> <p>Press type ball joint separator allows for ball joint removal without damage to boots and other parts.                  The tool front end service set allows easy removal of most popular types of pitman arms, tie rods and ball joints found on domestic/import automotive and light truck applications.</p>	Set	1	13,500.00	13,500.00	
21	<p><b>Branded and Brand New 7.5L Plastic Oil Drain Pan</b></p> <p>The drain pan is made of corrosion-resistant, high-quality recyclable polyethylene plastic, so your oil pan can be made of durable oil, gasoline and antifreeze.</p> <p>Splash-proof crimped lip prevents any splash when moving the pan.</p> <p>Deep pot can hold up to 7.5 liters of high capacity making it the Perfect oil pan for oil changes.</p> <p>Simple handles on both sides of the pan make transport easier and the connected nozzle makes it easy to discharge into large openings.</p>	Pc	1	1,800.00	1,800.00	