

22	<p><b>Branded and Brand New 40" Repair Car Lying Board</b></p> <p>Padded head section It features 300 Lbs capacity with the length of 40 inches and the width of 19 inches 6 multi-terrain swivel casters with the size of 3 inches, it provides not only the maneuverability but also the extra clearance while working underneath the car. Made of premium plastic, wear resistant and durable</p>	Pc	1	3,400.00	3,400.00			
23	<p><b>Branded and Brand New Metric Crowfoot Wrench Set</b></p> <p>15 wrenches drop forged, heat treated made of CR-MO alloy Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm. Includes rugged ABS case.</p>	Set	1	4,200.00	4,200.00			
24	<p><b>Branded and Brand New Interchangeable Fork Strut Coil Spring Compressor Tool Kit</b></p> <p>Jaw sizes: Gold perch: 2.500" (65mm) - 4.920" (125mm). Black perch: 3.460" (88mm) - 6.300" (160mm). Silver perch: 4.960" (126mm) - 8.450" (215mm). Maximum perch distance 12.550". Technical Data: Operated with a ratchet or wrench with a 21mm spanner width 1 pair of spring retainers for an 80-110mm range of application 1 Pair of springs for a 105-145mm range of application 1 Pair of springs for a 145-190mm range of application Maximum span width 300mm</p>	Set	1	14,900.00	14,900.00			
25	<p><b>Branded and Brand New Bearing Puller Hammer Kit</b></p> <p>Specifications: Material: Carbon steel 5 Pcs/Set (Sizes): Small Internal Puller Diameter: Approx. 15-40mm/0.6-1.6in Large Internal Puller Diameter: Approx. 30-100mm/1.2-3.9in External Puller Diameter: Approx. 15-120mm/0.6-4.7in</p> <p>Features: Capable of locking the nut to open 3 jaws and clip the bearing. The slide hammer is utilized to pull out the bearing. Drop-forged carbon steel puller arms with locking/gripping function. The kit includes three sets of 100mm triple leg pullers with locking function which clamp the jaws firmly inside/outside the gear or bearing.</p>	Set	1	9,500.00	9,500.00			
26	<p><b>Branded and Brand New Valve Clamps Spring Compressor Tool Set Repair Kit with 3 Valve Adapters</b></p> <p>Features: This is a heavy duty valve spring compressor tool set includes 8pcs tools in total for the replacement of valve springs or valve stem seals Portable tool includes 3 different adapters (34mm / 26mm / 20mm) suitable for a wide range of 8V, 12V and 16V engines All the tools are well organized in a blow molded case to protect the components and easy to carry and collect 3 pushers for easier to compress the valve spring and fitting it correctly Premium carbon steel material, resistant to corrosion and rust for ultra durability</p>	Set	1	5,700.00	5,700.00			

27	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICES SECTION, UPMO.	<p><b>Branded and Brand New Flexible Pick Up Tool</b></p> <p>Compact aluminum alloy design 3-in-1 functionality: Magnet + 4 prong claw + LED light, Universal shaft lets you adjust direction on the job Application: Picking up the small things from the gaps, drains, and other hard-to-reach-to places. Material: Stainless steel, aluminum alloy, magnet Package Include 1 x Flexible retrieval tool</p>	Set	1	1,000.00	1,000.00			
28		<p><b>Branded and Brand New Engine Overhead Valve Spring Compressor Installer Remover Stem Seal Tool</b></p> <p>Specification: Material: Carbon Steel Item size: 14 x 7.5 x 4cm Color: Black &amp; silver Material: Zinc and black oxide finish</p> <p>Features Ergonomic design for comfortable handling better control the pressure during use. Strong and durable: made of carbon steel material to ensure maximum strength and durability Easy installation. Easy to install assemble and remove with great convenience Remove valve spring easily and you do have to remove the cylinder head.</p>	Pc	1	1,400.00	1,400.00			
29		<p><b>Branded and Brand New Heavy Duty High Pressure Washer</b></p> <p>Power: 1400watt Water Flow (low) : 5.5 L/m Water Flow (High) : 6.8 L/m Voltage: 220V, 60Hz Pressure (low) : 70bar Pressure (High): 105bar With auto stop</p> <p>FEATURES: High Performance aluminum high-pressure pump with long life and high corrosion resistance Compact and Lightweight, easy to transport. Multi-Function various spray nozzle (from 0° - 30°) Effective and Powerful 360 roto power nozzle. Auto Start/Stop system. The Machine Only runs when the trigger is pressed. Cable Holder and all accessories hangs on the Machine. Simple Changing nozzle (quick click). Two large Wheels for Easy transport</p>	Un	1	5,400.00	5,400.00			
30		<p><b>Branded and Brand New Heavy Duty Battery Charger</b></p> <p>Maximum Charge: 1.4KW Maximum Start: 8KW Charge 12V/ 24V 70A Start 12V/ 24V 320A 3s ON/ 120s OFF 5Cycle Four (4) Batteries Simultaneous Charging Jump Start Function</p>	Un	1	14,500.00	14,500.00			
31	<p><b>Branded and Brand New Heavy Duty 36" Pipe Wrench</b></p> <p>Tube Length: 78cm Mouth Width: 4cm Maximum Opening: 10cm</p>	Pc	1	3,100.00	3,100.00				

32		<b>Branded and Brand New Heavy Duty 18" Pipe Wrench</b>  Pipe Clamp Length: 41cm Mouth Width: 9cm Maximum Opening: 7.5 cm	Pc	1	1,400.00	1,400.00		
33		<b>Branded and Brand New Hose Fittings Recoil Pneumatic Airline including Air Compressor Hose Quick Coupler</b>  Features: Length: 25 Ft. (7.5 Meter) Work Pressure: 200 PSI Fittings: 1/4" NPT Material: Polyethylene Working Temperature: -20°C~ +100°C Application: Machinery manufacturing, electrical insulation protection, lighting equipment, automobile manufacturing, aviation equipment, subway, train, automation and other industries	Set	1	1,100.00	1,100.00		
34		<b>Branded and Brand New Flare Nut Wrench Set</b>  6 Pcs/Set (Sizes: Size: 6 x 8, 9 x 11, 10 x 12, 13 x 14, 15 x 17, 19 x 21) Vanadium Steel	Set	1	2,000.00	2,000.00		
35	SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICES SECTION, UPMO.	<b>Branded and Brand New Measuring Tool Stainless Steel Digital Caliper</b>  Specification: Resolution: 0.01mm Accuracy: ± 0.04mm, Body material: 4CR13 stainless steel body, Housing material: ABS plastic & durable stainless steel construction, Battery: LR441.5v, LCD display measurement range: 0-150mm  Electronic Digital Caliper offers instant and accurate readings of inside, outside, step, and depth measurements with accuracy of 0.01mm mm/inch conversion switch automatically converts measurements to inches or millimeters with the simple press of a button. Adjustable thumbscrew provides tension for optimal movement of the slide and locks the jaws of the caliper in place.	Pc	1	1,500.00	1,500.00		
36		<b>Branded and Brand New Digital Multi-Meter</b>  Specifications:  DC voltage 20-1000V accuracy ±0.5% DC current 20mA-20A accuracy ±1.5% AC voltage 20-700V accuracy ±1.0% AC current 20mA-20A accuracy ±2.0% Measuring of motor dwell angle: 0-1°C -360°C (1/2/3/4/5/6/8 cylinder) Measuring of motor speed: 300RPM-19999RPM (2 Stroke) 600RPM-19999RPM(4 Stroke) Impulse time measurement: 0.1mS - 1000mS Measuring temperature: -40°C -1000°C Frequency measurement: 2-20kHz	Pc	1	3,000.00	3,000.00		

		<p>Maximum display: 1999 (3 1/2 digit, AC and DC voltage, current, resistance)          19999 (Speed, frequency, pulse duration, Dwell)          LCD display size: 70x48mm, 28mm character height          Power supply: a 9V battery (NEDA1604, 6F22 or equivalent)          Working temperature: 0°C -40°C Relative humidity&lt;80%          Storage temperature: -10°C -50°C Relative humidity&lt;85%</p> <p>Package Includes :          1x Automotive Multi-meter          1x Manual          1x TP01 K temperature measuring probe (250°C)          1 x A pair of test lead</p>																						
37		<p><b>Branded and Brand New 6 Pcs Auto Repair Tool</b></p> <p>Specifications:          Remove Stripped Broken Studs Auto Repair Tool          Broken Head Screw          Material: Bearing steel</p> <p>Features:          Featured materials rugged and durable, it is made of metal and is not easily broken          Meticulous workmanship: Precision machining precision, durable and easy to use          Unique advantage: Stable performance, strong hardness and long service life.</p>	Set	1	1,100.00	1,100.00																		
38	<p>SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICES SECTION, UPMO.</p>	<p><b>Branded and Brand New Metric Tap Die Set Hand Threading Tool Tungsten Carbide Screw Thread Bit</b></p> <p>Specifications:          Material: Stainless Steel          Measurement System: SAE/Imperial          Thread Type: NC, NF, NPT          Taps and Dies Size: M3X0.5, M3X0.6, M4X0.7, M4X0.75, M5X0.8, M5X0.9, M6X0.75, M6X1.0, M7X0.75, M7X1.0, M8X1.0, M8X1.25, M10X1.25, M10X1.5, M12X1.5, M12X1.75          40 Pcs/Set</p> <p>Package Includes:          1 x Adjustable Tap Wrench (1/8" NPT-27)          1 x T-Handle Wrench          1 x Die Handle          1 x Screwdriver          1 x Screw Pitch Gauge          34 x Taps and Dies          1 x Storage Case</p>	Set	1	2,700.00	2,700.00																		
39		<p><b>Branded and Brand New 8 Inch C-Clamp</b></p> <p>Jaw width: 8 inches          Heat treated for durability and long time use          High quality steel lead screws          Finished in blue enamel</p>	Pc	1	800.00	800.00																		
40		<p><b>Branded and Brand New 3/4 Drive Flank Socket Set</b></p> <p>Flank Sockets 19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50mm          Extension Bar with Quick Release - 4" &amp; 8" (L)          Sliding T- Handle with Quick Release - 18" (L)          43 Teeth Reversible Ratchet Handle with Quick Release</p>	Set	1	14,000.00	14,000.00																		

41		<p><b>Branded and Brand New Brake Piston Multifunctional Replacement Part Tension Tool Three Claw Flexible Shaft Adjustable Engine Cylinder Hone</b></p> <p>Specifications  Material: Steel  Size: 1inch/2inch  1inch expansion range: 3/4" - 2 1/2" (19-63.5mm)  2inch expansion range: 1 1/4" - 3 1/2" (32-90mm)</p> <p>Package included: 1pc x Engine Cylinder Hone</p> <p>Features:  This product can wear off the scratches on the inner wall of the cylinder; the nut controls the adjustable grindstone tension to ensure close to the cylinder wall  Knurled nut controls tension  Flexible shaft, easy to use and self-centering  Flexible shafts, controlled spring action and unfolding limiters are functions that help to switch from one cylinder to another faster at the fastest cutting speed.  Engine cylinders are used in automobiles, trucks, buses, tractors, industrial engines and other multi-purpose grinding machines.</p>	Set	1	1,500.00	1,500.00		
42	<p>SUPPLY AND DELIVERY OF MACHINE TOOLS FOR THE REPAIR AND MAINTENANCE WORKS OF MECHANICAL AND TRANSPORTATION SERVICES SECTION, UPMO.</p>	<p><b>Branded and Brand New Cylinder Brake Hone with Stones Tractors 4 Bore Honing Tool</b></p> <p>Specifications:  Material: Steel  Grinding stone length: 4"</p> <p>Package included:  1 x Car Engine Cylinder Brake Hone  3 x Replacement Hone Stones</p> <p>Fitted with fine Stones  Knurled nut controls tension.  Flexible shaft for ease of use and self centering.  Flexible shaft, controlled spring action and spread control limiter are features which contribute to faster changing from one cylinder to another with fastest cutting action.  Engine cylinder hone replacement stones: 3-piece packed.  Engine Cylinder Hone Extremely versatile hone for 51mm to 177mm diameter cylinders found on cars, trucks, buses, tractors, industrial engines and small air-cooled engines.</p>	Set	1	2,500.00	2,500.00		
43		<p><b>Branded and Brand New Battery Booster Jumping Jump Cable</b></p> <p>Specifications  Amperage: 1000AMP  Cable length (approx.): 4m/13ft  Cable outer diameter (approx.): 12mm  Clamp material: Iron  Insulation material: PVC  Core material: copper clad aluminum  Ideal for 6V, 12V and 24V applications</p> <p>Package includes:  1x Red Jumper Lead  1x Black Jumper Lead  1x Zipped Carry Case</p>	Set	2	4,000.00	8,000.00		

44	<p><b>Branded and Brand New Manual Hand Electric Dual Purpose Coil Rewinder Winding Machine + Counting</b></p> <p>Material: Cast iron frame, steel gear                  Max Diameter: 150 mm                  Maximum width: 100 mm                  Wrap wire diameter: 0.02-2.6mm                  Count range: 0-99999                  Transmission ratio: 1.8, 1.1</p>	Pc	1	8,500.00	8,500.00			
45	<p><b>Branded and Brand New Tow Rope Cable High Strength Hook Steel</b></p> <p>Pull capacity: 5 Tons                  Material: Steel Wire                  Length: 4m</p>	Pc	1	2,000.00	2,000.00			
<p><b>NOTE:</b></p> <p><b>WARRANTY:</b> All items should have at least One (1) Year Standard Warranty.</p> <p><b>DELIVERY:</b> 14 Calendar Days upon receipt of Purchase Order.</p>								

**TOTAL ABC: P233,150.00** **TOTAL AMOUNT:**  
 IN WORDS

Reviewed and Checked By

*[Signature]*  
**DONNA REYD CANUS**  
 BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.

*[Signature]*  
**ELMER L. CENTENO**  
 BUYER/END USER

**TERMS AND CONDITIONS:**

- Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission
- In order to assure that manufacturing defects shall be corrected by supplier a warranty security shall be required from the contract awardee for a minimum period of three (3) months in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year
- Delivery period within \_\_\_ calendar days
- Award of contract shall be made to the lowest quotation which complies with the technical specifications and other terms and condition stated herein
- UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University
- Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representatives

**Requirements for Suppliers (GPPB Resolution No. 21-2017)**

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.8)	Negotiated Procurement- Emergency (Section 53.2)
1 Mayor's/Business Permit	/	/	/	/	/
2 PhilGEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)	/	/	/	/	/
4 PCAB License (for Infrastructure)	/	/	/	/	/
5 Income / Business tax returns (except for government agencies as lessor)	/	/	/	/	/
6 Omnibus Sworn Statement	/	FOR ABC'S ABOVE 50K	/	/	FOR ABC'S ABOVE 50K
7 NFCC for Infrastructure with ABC above Ph500k	/	FOR ABC'S ABOVE 50K	/	/	FOR ABC'S ABOVE 50K

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

Name of the Company \_\_\_\_\_  
 Address \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Tel No \_\_\_\_\_  
 Fax No \_\_\_\_\_  
 \_\_\_\_\_

Signature over Printed Name of Position \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Email Address \_\_\_\_\_  
 Date \_\_\_\_\_