

UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) Institute of Chemistry

UPLB BAC SECRETARIAT BY: 1 DATE: 3-29-22

APR 0 6 2022 - IDAM

UPLB-RQ-3-114-22-RES DEADLNE OF SUBMISSION

UPLB-RQ-

DEADLINE OF	
SUBMISSION:	

Suppliers Name:	Date	March 28, 2022	
	Fund Code:	N829423	
	MOP:	SVP	
	Contact No:	09059307519	
	Contact Person	Cristina A. Nagales	

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
 Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's unamended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
- Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
 Quotations exceeding the Appoved Budget for Contract shall be rejected.
- Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation 7. Others:

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Supplies must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank, For BAC/ Evaluators only)
1	Stainless steel commercial work table	Fabricated 18-guoge 304 Stainless steel (delivery, Installation and Commissioning) Table 1 with sink General Dimension (LxWxH) 2300mm x 600mm x 900mm 150mm Backsplash Guard (rear, left and right) Rounded edges and corners Sink Location 100mm from the left most edge 100mm from the back edge Sink Length - 600mm Sink Width - 400 mm Sink Depth - 250 mm Faucet Hole Location Rear Backsplash guard (50mm from top, 400mm from the left) Faucet Hole Diameter 40mm Drain Hole Location: Center of the sink floor Drain Hole Diameter 3-1/2" With one (1) set gooseneck type faucet, single lever quarter turn, wall-mount type, 1/2" inlet, stainless steel material	pc	5	44,000.00	220,000.00				

With one (1) set PVC schedule 80 sink fittings, complete with p-trap, gaskets, strainers, couplings, sink drain assembly (3-1/2") Height adjuster on all Leas Table 2 with sink General Dimension (LxWxH) 2100mm x 600mm x 900mm 150mm Backsplash Guard (back, left and right) Rounded edges and comers Sink Location 100mm from the left most edge 100mm from the back edge Sink Length - 600mm Sink Width - 400 mm Sink Depth - 250 mm Faucet Hole Location Rear Backsplash quard (50mm from top, 400mm from the left) Faucet Hole Diameter 40mm Drain Hole Location: Center of the sink floor Drain Hole Diameter 3-1/2" With one (1) set gooseneck type faucet, single lever quarter turn, wall-mount type, 1/2" inlet, stainless steel material With one (1) set PVC schedule 80 sink fittings, complete with p-trap, gaskets, strainers, couplings, sink drain assembly (3-1/2") Height adjuster on all Legs Table 3 with sink General Dimension (LxWxH) 2100mm x 600mm x 900mm 150mm Backsplash Guard (back, left and right) Rounded edges and corners Sink Location 100mm from the left most edge 100mm from the back edge Sink Length - 600mm Sink Width - 400 mm Sink Depth - 250 mm Faucet Hole Location Rear Backsplash guard (50mm from top, 400mm from the left) Faucet Hole Diameter 40mm

1	1	1	ı	1	ı	1	1	1	ı
1		Drain Hole Location:							
		Center of the sink floor							
		Drain Hole Diameter 3-							
		1/2"							
		With one (1) set							
		gooseneck type faucet,							
		single lever quarter							
		turn, wall-mount type, 1/2" inlet, stainless							
1		steel material							
1		With one (1) set PVC							
		schedule 80 sink							
		fittings, complete with							
		p-trap, gaskets,						Se li	
1		strainers, couplings, sink drain assembly (3-							
		1/2")							
1		Height adjuster on all							
1		Legs							
		Table 4 and 5							
		General Dimension (LxWxH) 2300mm x							
		800 mm x 900 mm							
		Overhang - 100 mm on							
-		all sides				TELESCO.			
		Undershelf Height - 300 mm							
		- with two (2) sets 5"							
		heavy duty swivel							
		casters							
		removable all legs							
		- with two (2) pc							
		stainless steel stool							
		heavy duty							
		300mm diameter 600mm height (fixed							
		or adjustable)							
		-Warranty: atleast							
		one year on parts and							
		services							
1		Delivery period: 30 Calendar days							
2	Steel Storage	Fabricated Stainless	рс	2	22,050.00	44,100.00			
	Cabinet	Steel storage gauge 18							
		(delivery, Installation and Commissioning)							
		(LxWxH) 1400mm x							
		600mm x 900mm							
1		Rounded edges and corners							
		ASSEMBLY Assembled							
		CONSTRUCTION							
		Stainless Steel 304							
		THICKNESS GAUGE 18 ADJUSTABLE SHELVES							
		3							
		SHELF QUANTITY 3							
-		SHELF CAPACITY LBS			4 4				
		COLOR FAMILY							
		Stainless Steel							
		COLOR FINISH Stainless							
		Steel							
		DOOR QUANTITY 4 DOOR TYPE Solid							
		HANDLE TYPE						THE P	
		Recessed, top side							
		Magnetic Catch							
		With height adjuster on all legs							
		Warranty: atleast one			WH 237				
		year on parts and							
		Services			-				
1		Delivery period: 30		4					
		Calendar days							

3	Steel storage racks	Steel storage racks (delivery, Installation and Commissioning) General Dimension at least (LxWxH) 2000mm x 600mm x 2000mm (maximum 2100mm x 900mm x 2500mm at least four (4) layers / tier with inlay (polypropylene / MDF) at least 200kg capacity per layer / tier or 800kg for the whole system Heavy Duty Steel, Chrome Plater or Powder Coated With 4 caster wheels (2 locking) and 8 adjustable levelling feet Warranty: atleast one year on parts and services Delivery period: 30 Calendar days	pc 3	15,000.00					
			TOTAL ABC	309,100.00	TOTAL QUOTED	AMOUNT IN WORD	S:	-	
	Reviewed and Check	red By:							

Ariel U. Glorioso

BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if

CASTINA A Nagales

BOYEN END-USER

TERMS AND CONDITIONS:

- 1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement-Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.5)	Negotiated Procurement- Emergency (Section 53.2)
Mayor's/Business Permit	/	1	1	/	/
PhilGEPS Registration Number	/	1	1	1	1
Professional license/ CV (consulting services)		1	STATE OF THE PARTY	/	
PCAB License (for Infrastructure)		1			
Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE	1		FOR ABC'S ABOVE 50K
Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FOR ABC'S ABOVE 500K
NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE 50K

After having carefully rea Name of the Company:	and accepted your General Conditions, I/	We quote you on the Item a	t prices noted above.
Address:		Tel. No. :	
Signature over Printed		Fax No. :	
Name of Representative:		Email Address:	
Position:		Date:	