

UNIVERSITY OF THE PHILIPPINES
LOS BANOS
LOS BANOS, N-A
VAT Rog. TIN: 000-864-008-00004

Request for Quotation/ Bid Form (Technical Specifications)
<u>AFBED-IABE</u>

**UPLB BAC SECRETARIAT** BY: | DATE: 5-26-22 JUN 0 1 2022 - 5PM

UPLB-RQ- 5-190-22 - RES DEADLNE OF SUBMISSION DEADLINE OF

Date	5/26/22
Fund Code:	N926932 Shopping
MOP:	Shopping
Contact No:	(049) 572-0191
Contact Person	Joanne Foliente

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put NIA for not applicable.
- 2. Price quotation's to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
  3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessores or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
  4. Quotation through faviernal is acceptable. Wirning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
  5. Quotations exceeding the Approved Budget for Contract shall be rejected.
  6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation.

	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNITOF	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Depoters must state here the detailed atchmised specifications of their offer against each of the individual postmeters of sections are applications.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC Evaluators only
	Supply, delivery and installtion of branded and brane new digital top loading weigh scale -Robust and high resolution platform scale with practical flip/flop display device for grreatest ease of use.  MEASUREMENT SYSTEM Adjust options: External calibration Linearisation (point): 3 Linearity: 150 g Load cell connection: 4-wire Readability [d]: 50 g Recommended adjusting weight: 150 kg (M1) Repeatability: 50 g Resolution: 1: 3,000 Stabilisation time under laboratory conditions: 2 s Tare range: -150 kg Warm up time: 10 min Weighing capacity [Max]: 150 kg Weighing system: Strain gauge Weighing units: g HJ kg lb oz PCS tJ	pc Pc	1	55,000.00	55,000.00					
		DISPLAY Display digit height: 2,500 cm  COUNTING AND FUNCTIONS Counting resolution: 30000 Mininum piece weight at piece counting (Laboratory:5 g Mininum piece weight at piece counting (Normal): 50 g Counting function: With counting function Percentage determination: With percentage determination Vibration-free weighing (Animal weighing program): With vibration -free weighing Weighing with tolerance range: With weighing tolerance range								

## **ENVIROMENTAL CONDITIONS** Maximum humidity: 80 % Maximum operating temperature: 40 deg C Minimum ambient temperature: -10 deg C Minimum humidity: 0 % POWER SUPPLY Charging time: 3 h Input voltage: 100V-240V 0.4A Mains adapter: Mains adapter external Mains adapter/adapter included: CH EURO UK US Operating time: 100 h Operating time (Backlight off): 43 h Operating time (Backlight on): 26 h Battery: Removable charging battery PACKAGING AND CONSTRUCTION Dimensions packaging (WxDxH): approx. 870 x 480 x 150 mm Gross weight: approx. 12,500 kg Net weight: approx. 9 kg Cable length of display device: 3 m Dimensions of display device (WxDxH):268 x 115 x 80 mm Dimensions of weighing plate (WxDxH):500 x 400 x 120 mm of stand: 33 cm Level indicator: With level indicator Material weighing plate: stainless steel Revolving screw feet: With revolving screw feet Wall mount: With wall mount Weighing surface (WxD): 500 x 400 mm WARRANTY: 1 YEAR ON PART AND SERVICES DELIVERY PERIOD: 30 CALENDAR DAYS UPON RECEIPT OF PURCHASE ORDER

No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	aty	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the declared technical specifications of floor other against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATIO (Leave this sp blank. For BA Evaluators or
in B	Supply, delivery and installation of Branded and brand new cold room blower for blast freezer	Supply, delivery and installtion of branded and brane new cold room blower for blast freezer  SPECIFICATION  Fans Species: Single - speed fan Application of Field - Machinery Noise Level - Low	rc	2	27,000.00	54,000.00				
		FEATURES: It is classical and practical air cooler match with Freon Refrigeration Unit. Adopting high efficiency aluminum fins and copper tube with diameter φ 9.52mm or φ 14mm. Dividing into 3 series DL, DD and DJ depend on the different fin space suit to different room temperature demand. DL for fresh storage with temperature at +5 to +15 °C, DD for refrigerated storage with temperature at -15 to -20 °C, DJ for freezer room with temperature at <-25 °C.								
		ADVANTAGES:  1. Shell metal made by high-quality steel sheet or embossed aluminum sheet: high strength, excellent vibration resistance, and spray-treated to be more resistant to corrosion.  2. Coils adopt staggered pattern, Mechanical expansion tightly combine the copper tube with the aluminum sheet to improve heat exchange efficiency.  3. Adopting high quality defrost heater and evenly distribution for high effective defrosting.  4. Water drain plate with Multi-layer design and combined with defrost heater, accelerate homogenizing defrosting and effectively prevent secondary freezing.  5. long distance air supply duct can be chose for different cooling temperature range.  PACKAGING & DELIVERY Package size per unit product: approx 79.00cm * 42.00 cm * 51.00 cm								
					TOTAL ABC	109.000.00				
						103,000.00	TOTAL QUOTED AMOUNT IN	WORDS:		
	Reviewed and Che	cked By:								
		ADRIAN A, BORJA				otation in the office				

JOANNE FOLIENTE BUYER/ END-USER

TERMS AND CONCILORS:

1. Price outsteen's shall be used for a period of at least (30) calendar days from the date of submission:

2. In order to assess that manufacturing detects shall be corrected by supplier, a searing security shall be required from the contracted by supplier, a searing security shall be required from the contracted by supplier. As of the submission of the delivery passe extended warranty (# applicable) in the case of NOV-EXPERADURE S-SPETUS after accordance by End-user of the delivery.

Delivery period within \_\_\_\_calendar days.
 A learn of contract shall be made to the levest outstion such complete with the technical spacifications, and other terms and concition stated therein S. UFLE freeness the right to reject any of all offers as may be considered most advantageous to the University.
 Any interdinations, areasum, or ownering shall be valid only if they are signed or initiated by you or any of your outy authorized representativers.

rements for Suppliers (GPPB Resolution No. 21-2017)					
REQUIREMENTS	Shapping (Section 52)	Small Value Procurement	cr Venue (Section 53.10)	Negotiated Procurement-Scientific. Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement Emergency (Section 53.2
1 Mayor's Business Permit		(Section 53.9)			
2 Phi/OEPS Registration Number		/		/	/
3 Professional license: CV (consulting services)	/	1	/	1	7
4 PCAB License (for Infrastructure)		1		/	
		1			-
5 Income / Business tax returns (except for government agencies as lessor)					The state of the s
		FOR ABO'S ABOVE	- /	,	FOR ABCS AND
6 Omnibus Sworn Statement		POR ABO'S ABOVE	-		SIX
THE PARTY OF THE P		FOR ADUS ABOVE			FOR ABCT ABOV
7 NFCC for Infrastructure with ABC above Ph500s	The second secon			The state of the s	None

	- HILL ST.	/	THE RESERVE	FOR ARC'S ARCY.
After having carefully read and Name of the Company:	d accepted your General Conditions, I/We quote you on the Item at prices noted above.			HOK
Address:			Tel. No. :	
Signature over Printed Name of Representative: Position:			Fax No. : Email Address:	
			Date:	