

## UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

st for Quotation/ Bid Form (Technical Specifications)

ASF Project II (Year I)

UPLB BAC SECRETARIAT BY: DATE: John OCT 3 1 2022 5000 UPLB-RQ- 10 - 363 - 22-Pry DEADLNIPLB ROSUBMISSION

DEADLINE OF SUBMISSION:

Suppliers Name:	Date	October 12, 2022
	Fund Gode:	N925828
	MOP:	Small Value Procurement
	Contact No:	D917S530205 / (D49) S72-2086
	Contact Person	Smihel Ezrael A Salamat

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Phillippine Peso shall include all taxes, duties, and/ or levies payable.
  3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.

  4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).

  5. Quotations exceeding the Approved Budget for Contract shall be rejected.

  6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

	GENERAL NAME OF THE	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	ату	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTMATED TOTAL F APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical appealsasons of their other against each of the inshebula parameters of each regulatoriests.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank, For BAC Evaluators only
1	Fluorometry kit (500 samples)	For specific quantification of double stranded DNA, 500 rxns Assay range: 0.2–400ng of double-stranded DNA (0.2–400ng/µl), based on 1 µl sample input Kit contents (minimum): 5 x 20 ml dsDNA dye (504nm Excitation/531nm Emission), 400 µg Lambda DNA standard, 25 ml 1X TE Buffer (pH 7.5) Storage Conditions: -30°C to 10°C Compatible with Promega Quantus Fluorometer	kit	2	35,000.00	70,000.00				
2	tubes (thin- walled)	Volume: 0.5mL Quantity: 200 pcs/pack Thin-wall, clear, Compatible with Promega Quantus Fluorometer	pck	5	8,000.00	40,000.00				
	long-range PCR Kit, 50 reactions (50 µl/reaction)	Enables the accurate amplification of long PCR products of up to 48 kb using \( \text{\text{DNA}} \) or up to 30 kb using genomic DNA as a template Kit contents (minimum):  Taq DNA Polymerase (5 U/\mu ): 125 U dNTP Mixture (2.5 mM each): 400 \mu   10X PCR Buffer (25 mM Mg2+ plus): 250 \mu   10X PCR Buffer (Mg2+ free): 250 \mu   MgCl2 (25 mM): 500 \mu   Control Template: 10 \mu  (100 \text{ng/\mu}  genomic DNA derived from HL60)  Control Primer-F for control DNA - 17.5kb amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - 17.5kb amplicon (10 \muM): 10 \mu   Control Primer-F for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu   Control Primer-R for control DNA - high-GC amplicon (10 \muM): 10 \mu	kit	2	38,755.00	77,510.00				
	TOTAL ABC				TOTAL ABC	187,510.00				
							TOTAL QUOTED AMO	UNT IN W	ORDS:	

Mark Anthony Badua

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before

BUYER	END-USER		

BUYER/ END-USER

1. Price quotations shall be valid for a period of at least (30) calendar days from the date of submission.
2. In offer to assure that regularizating diddeds shall be corrected by supplier, a warranty security inhall be required from the contract awardee for a minimum pariod of three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to three (3) months. In the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (3) to the case of EXPENDABLE SUPPLIES, or a minimum of expendance of EXPENDABLE SUPPLIES, or a minimum of expendanc

ty interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s					
REQUIREMENTS	Shopping	Negotiated Procurement-	Negotiated	Negotiated Procurement- Scientific,	Negotiated
	(Section 52)	Small Value Procurement	Procurement- Lease of	Scholarly or Artistic Work, Exclusive	Procurement-
		(Section 53.9)	Real Property or	Technology and Media Services	Emergency
			Venue (Section 53,10)	(Section 53,6)	(Section 53,2)
Mayor's/Business Permit					+
1 PhilGEPS Registration Number					
2[Professional license/ CV (consulting services)			Hara Expression Control		GILL AND
3 PGAB License (for Infrastructure)					
4 Income / Business tax returns (except for government agencies as lessor)		FOR ABO'S ABOVE SOOK			FOR ABC'S ABOVE
5 Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FCH ABO'S ABOVE
6 NFCC for Infrastructure with ABC above Ph500k	ALSO SECURE				FOR ABO'S ABOVE
		· · · · · · · · · · · · · · · · · · ·			Annual Control

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.						
Name of the Company:		Tel. No.:				
Address:		Fax No.:				
		Email Address:				
Position:		/				