



UNIVERSITY OF THE PHILIPPINES
LOS BANOS
Los Banos, IV-A
VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)
RESOURCE GENERATION & DEVELOPMENT OFFICE

UPLB BAC SECRETARIAT
BY: Jan DATE: 12/14/22
DEC 19 2022
UPLB-RQ- 11-160-22-I-R-100m
DEADLINE OF SUBMISSION

UPLB-RQ-

DEADLINE OF
SUBMISSION:

Suppliers Name: _____

Date: October 28, 2022
Fund Code: 8272900
MOP: Shopping
Contact No: 09989807354 / jvpenalor1@up.edu.ph
Contact: Jay Vincent V. Penallor

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Note:


- Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
- Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
- Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
- Quotations exceeding the Approved Budget for Contract shall be rejected.
- Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
- Others: _____

| ITEM No. | GENERAL NAME OF THE ITEM | REQUIRED SPECIFICATIONS | UNIT OF MEASURE | QTY | ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT | ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT | OFFERED SPECIFICATION <small>Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements</small> | QUOTED UNIT PRICE | TOTAL QUOTED PRICE | EVALUATION <small>(Leave this space blank. For BAC/ Evaluators only)</small> |
|----------|--------------------------|--|-----------------|-----|--|---|---|-------------------|--------------------|---|
| 1 | ELECTRICAL WORKS | 1x16 watts, 2350 output lumens, Daylight Fluorescent fixture, Zinc phosphate steel sheet housing, White powder coated paint finish, Recessed type, 1200mm with LED tube, T8, 90-305VAC, 50000 Lifetime hours | set | 8 | 1,500.00 | 12,000.00 | | | | |
| 2 | ELECTRICAL WORKS | 2.0mm ² , 2.8mm ² , 24kg/km, 25+A@90°C Electrical wire, Stranded, THHN/THWN-2, 600Volts, ASTM B3, ASTM B8, ULE55448, UL83, PNS35 | mtr | 115 | 28.00 | 3,220.00 | | | | |
| 3 | ELECTRICAL WORKS | 20mm PVC Adapter, 80 Joules Impact | pc | 50 | 13.00 | 650.00 | | | | |
| 4 | ELECTRICAL WORKS | 20mm PVC Elbow, 90° Bend, Long Sweep, Thick Wall, 80 Joules Izod Impact, 55MPa Tensile Strength, PNS 14 | pc | 27 | 24.00 | 648.00 | | | | |
| 5 | ELECTRICAL WORKS | 20mm PVC End Cap, 80 Joules Impact | pc | 3 | 6.00 | 18.00 | | | | |
| 6 | ELECTRICAL WORKS | 20mm PVC Pipe, 3 meters Trade length, Thick wall, 80 Joules Izod impact, 55MPa Tensile strength, PNS 14 | pc | 33 | 115.00 | 3,795.00 | | | | |
| 7 | ELECTRICAL WORKS | 20mm ø Steel Locknut & Bushing | pc | 50 | 11.00 | 550.00 | | | | |
| 8 | ELECTRICAL WORKS | 25mm ø Steel Locknut & Bushing | pc | 14 | 13.00 | 182.00 | | | | |
| 9 | ELECTRICAL WORKS | 3.5mm ² , 3.3mm ² , 37kg/km, 30+A@90°C Electrical wire, Stranded, THHN/THWN-2, 600Volts, ASTM B3, ASTM B8, ULE55448, UL83, PNS35 | mtr | 230 | 40.00 | 9,200.00 | | | | |
| 10 | ELECTRICAL WORKS | 30AT, 50AF, 2P, 240V Circuit Breaker, Bolt-On type, Internal Common trip in NEMA-3R Enclosure, Gauge No.16, Pre-molded, Pre-painter, UL67, UL50, UL943, UL489 | set | 2 | 1,400.00 | 2,800.00 | | | | |
| 11 | ELECTRICAL WORKS | 30mm ² , 9.0mm ² , 311kg/km, 115A@90°C Electrical wire, Stranded, THHN/THWN-2, 600Volts, ASTM B3, ASTM B8, ULE55448, UL83, PNS35 | mtr | 125 | 288.00 | 36,000.00 | | | | |
| 12 | ELECTRICAL WORKS | 50mm ² , 11.8mm ² , 514kg/km, 150A@90°C Electrical wire, Stranded, THHN/THWN-2, 600Volts, ASTM B3, ASTM B8, ULE55448, UL83, PNS35 | mtr | 375 | 470.00 | 176,250 | | | | |
| 13 | ELECTRICAL WORKS | 63mm PVC Adapter, 80 Joules Impact | pc | 2 | 60.00 | 120.00 | | | | |
| 14 | ELECTRICAL WORKS | 63mm PVC Elbow, 90° Bend, Long Sweep, Thick Wall, 80 Joules Izod impact, 55MPa Tensile Strength, PNS 14 | pc | 9 | 170.00 | 1,530.00 | | | | |


| | | | | | | | | | | |
|----|------------------|--|-----|-----|-----------|-----------|--|--|--|--|
| 15 | ELECTRICAL WORKS | 63mmø PVC Pipe, 3 meters Trade length, Thick wall, 80 Joules Izod impact, 55MPa Tensile strength, PNS 14 | pc | 38 | 485.00 | 18,430.00 | | | | |
| 16 | ELECTRICAL WORKS | 63mmø Steel Locknut & Bushing | pc | 2 | 40.00 | 80.00 | | | | |
| 17 | ELECTRICAL WORKS | ASTM D2564-12 PVC Pipe Solvent Cement, 100 cc/can | can | 1 | 125.00 | 125.00 | | | | |
| 18 | ELECTRICAL WORKS | Emergency light, 100-240VAC, 3watts lamp power, 220-250 output lumens, 140° angle beam, 24 hours emergency time, 4 watts power consumption, Sealed Lead-Acid 6V 4.5Ah, 48 hours charge time | set | 3 | 1,600.00 | 4,800.00 | | | | |
| 19 | ELECTRICAL WORKS | RPB Main: 150AT, 225AF, 3P, 208V, Molded Case Type, Internal Common Trip, UL listed as SWD rated, UL listed HACR Panel board housing: Gauge #12, Nema-3R enclosure, Powder coated ANSI 61 gray finish, Top and Bottom wall with knockouts, Standard door with Swing type Dead front with corbin lock, Copper extruded equipment ground Bus bar: 1/4" thk. x 1" wide, 0.250 m2 cross section area, 0.964ba/ft, 250A carrying capacity, 1000A/in2 current density, copper, mechanical lug type, copper lugs, feed thru lugs, UL67, UL50, UL943, UL489 Branches: 3- 20AT, 50AF, 2P, 230V 7- 30AT, 50AF, 2P, 230V 2- 100AT, 100AF, 2P, 230V All Branch Circuit Breakers are Bolt-On Type, 240V Class, 10kAIC, Internal Common Trip, UL listed as SWD rated, UL listed HACR | set | 1 | 35,000.00 | 35,000.00 | | | | |
| 20 | ELECTRICAL WORKS | G.I. Junction box, 4" x 4", Ga.No. 16, pre molded, pre painted | pc | 9 | 65.00 | 585.00 | | | | |
| 21 | ELECTRICAL WORKS | G.I. Pull box, 300mmx250mmx150mm, Ga.No. 16, pre molded, pre painted | pc | 2 | 1,788.00 | 3,576.00 | | | | |
| 22 | ELECTRICAL WORKS | G.I. Tie Wire, Ga.No. 16 | kg | 2.5 | 85.00 | 212.50 | | | | |
| 23 | ELECTRICAL WORKS | G.I. Utility Box, 2" x 4", Ga. No. 16, Deep Type | pc | 6 | 60.00 | 360.00 | | | | |
| 24 | ELECTRICAL WORKS | G.I. Utility box, 4" x 2", Ga.No. 16, pre molded, pre painted | pc | 17 | 65.00 | 1,105.00 | | | | |
| 25 | ELECTRICAL WORKS | Highland Medium Grade Vinyl Electrical Tape 1700, 7 mil thk., 90°C/194°F, 3/4"x36' | rl | 2 | 50.00 | 100.00 | | | | |
| 26 | ELECTRICAL WORKS | Interior Drop Wire, 24AWG Annealed Copper, 4C, 4.15mm Ø, 1.30 Ø dielectric, 11.57kg/km, PVC Jacketed Insulation, 90.2ohms/Km @ 20°C | mtr | 6 | 75.00 | 450.00 | | | | |
| 27 | ELECTRICAL WORKS | One Gang Electrical Outlet, Grounding Type, Universal Slot with Face Plate and Cover, 16A, 250V, heat resistant, full color wide series, Global Terminal stranded wire: 1.5-4.0mm2, IP# 3-1997-12873, ISO 9001, ISO 14001, IEC60884-1 | set | 5 | 265.00 | 1,325.00 | | | | |
| 28 | ELECTRICAL WORKS | One Gang Switch, 16A, 250V with Faceplate and cover, Full color wide series, Global terminal stranded wire: 1.5-4.0mm2, ISO 9001, ISO 14001, IEC60669-1 | set | 1 | 149.00 | 149.00 | | | | |
| 29 | ELECTRICAL WORKS | One-gang Cat5e Data Modular Jack, Lan, Shutter type, Full-Color Wide series, Global terminal Stranded Wire: 1.5-4.0mm2, Quick Connect Terminal II Stranded Wire: 1.5-2.5mm2 with Face plate and Cover, ISO 9001, ISO 14001, IP# 3-1997-12873, BPS Certified | set | 5 | 477.00 | 2,385.00 | | | | |
| 30 | ELECTRICAL WORKS | One-gang Telephone Modular Jack, 6P/4C, Shutter type, Full-Color Wide series, Global terminal Stranded Wire: 1.5-4.0mm2, Quick Connect Terminal II Stranded Wire: 1.5-2.5mm2 with Face plate and Cover, ISO 9001, ISO 14001, IP# 3-1997-12873, BPS Certified | set | 1 | 376.00 | 376.00 | | | | |
| 31 | ELECTRICAL WORKS | Paint Brush, 2", White Bristle, Horse Hair | pc | 1 | 30.00 | 30.00 | | | | |

| | | | | | | | | | | |
|-----------|------------------|---|-----|----|--------|-------------------------------|--|--|--|--|
| 32 | ELECTRICAL WORKS | Paint Thinner, Premium grade | ltr | 1 | 60.00 | 60.00 | | | | |
| 33 | ELECTRICAL WORKS | PVC Adapter, 25mm ø, 80 Joules Izod Impact, 55MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14 | pc | 14 | 20.00 | 280.00 | | | | |
| 34 | ELECTRICAL WORKS | PVC Elbow, 25mm ø, 90° Bend, Long Sweep, Thick Wall, 80 Joules Izod Impact, 55MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14 | pc | 10 | 40.00 | 400.00 | | | | |
| 35 | ELECTRICAL WORKS | PVC Pipe, 25mm ø x 3m, Thick Wall, Powerguard, 80 Joules Izod Impact, 55MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14 | pc | 10 | 185.00 | 1,850.00 | | | | |
| 36 | ELECTRICAL WORKS | PVC Solvent Cement, 100 cc/can | can | 2 | 120.00 | 240.00 | | | | |
| 37 | ELECTRICAL WORKS | Red Oxide Primer #310, 25-30 sq.m/4M/coat, 1.5mls/coat dry film thickness, 2 hrs. surface dry through, ISO 9001:2000, ISO 14001:2004, OHSAS 18001:2007 | ltr | 1 | 175.00 | 175.00 | | | | |
| 40 | ELECTRICAL WORKS | Three Gang Switch, 16A, 250V with Faceplate and cover, Full color wide series, Global terminal stranded wire: 1.5-4.0mm2, ISO 9001, ISO 14001, IEC60669-1 | set | 1 | 280.00 | 280.00 | | | | |
| 41 | ELECTRICAL WORKS | Two-Gang Electrical Outlet, Grounding Type, Universal Slot with Face Plate and Cover, 16A, 250V, heat resistant, full color wide series, Global Terminal stranded wire: 1.5-4.0mm2, IP# 3-1997-12873, ISO 9001, ISO 14001, IEC60884-1 | set | 10 | 354.00 | 3,540.00 | | | | |
| TOTAL ABC | | | | | | 322,876.50 | | | | |
| | | | | | | TOTAL QUOTED AMOUNT IN WORDS: | | | | |

Reviewed and Checked By:


Pamela Marie K. Gordovez
BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.


Jay Vincent V. Penafior
BUYER/ END-USER

TERMS AND CONDITIONS:

- Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.
- In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of **three (3) months**, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by End-user of the delivered supplies.
- Delivery period within **20** calendar days.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and condition stated herein.
- UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
- Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

Requirements for Suppliers (GPPB Resolution No. 21-2017)

| REQUIREMENTS | Shopping (Section 52) | Negotiated Procurement- Small Value Procurement (Section 53.9) | Negotiated Procurement- Lease of Real Property or Venue (Section 53.10) | Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6) | Negotiated Procurement- Emergency (Section 53.2) |
|--|--------------------------|--|--|---|---|
| 1 Mayor's/Business Permit | / | / | / | / | / |
| 2 PhilGEPS Registration Number | / | / | / | / | / |
| 3 Professional license/ CV (consulting services) | / | / | / | / | / |
| 4 PCAB License (for Infrastructure) | / | / | / | / | / |
| 5 Income / Business tax returns (except for government agencies as lessor) | | FOR ABC'S ABOVE 500K | / | / | FOR ABC'S ABOVE 50K |
| 6 Omnibus Sworn Statement | | FOR ABC'S ABOVE 50K | | | FOR ABC'S ABOVE 500K |
| 7 NFCC for Infrastructure with ABC above Ph500k | | / | | | FOR ABC'S ABOVE 50K |

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

Name of the Company: _____

Address: _____

Tel. No. : _____

Fax No. : _____

Signature over Printed

Name of Representative: _____

Email Address: _____

Position: _____

Date: _____