

Shg



UNIVERSITY OF THE PHILIPPINES
LOS BANOS
Los Banos, IV-A
VAT Reg. TIN: 000-864-006-00004

LOS BAC SECRETARIAT

DATE: 1-24-23

JAN 30 2023 5pm

UPLB-RQ- 1-31-23-PES

OFFICE OF SUBMISSION

Request for Quotation/ Bid Form (Technical Specifications)
AFBED-JABE

UPLB-RQ-

DEADLINE OF
SUBMISSION:

Suppliers Name: _____

Date: Jan. 20, 2023
Fund Code: N926932
MOP: Shopping
Contact No: (049) 572-0191 / 09462908438
Contact Person: JOANNE P. FOLIENTE

Please quote your lowest price on the Item/s listed below, subject to the General Conditions below.

Note:

- Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
- Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
- Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
- Quotations exceeding the Approved Budget for Contract shall be rejected.
- Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
- Others: _____

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/Evaluators only)
1	Branded and brandnew stand-alone electric current data logger with display	<p>Branded and brandnew stand-alone electric current data logger with display</p> <ul style="list-style-type: none"> -Datalogger with software , Data can be downloaded to EXCEL File, - Measures AC Current up to 300A and Voltage up to 600V - Text Display: Real Time Measurements, Logging Summary, Sample Rate, Memory Used and Memory Left - Visual Over and Under Alarm Indicators - USB Connection - Compatible with Windows® XP, Vista, 7, 8 and 10 (32-Bit and 64-Bit) - Ideal for MRO Studies, Industrial Processes, Troubleshooting Electrical Problems - Inclusion: Main unit , operator's manual, Windows software on CD ROM, 3 "AA" batteries, set of AC voltage and current probes , OM-DVCV with AC current clamp and voltage test leads and 1.8 m (6") USB interface cable <p>Specifications DATA LOGGER Measurement Type: True RMS up to the 21st harmonic at 60 Hz Current: Range: 1 to 300 Aac Accuracy: ±1.0 A Resolution: 0.2 A Voltage: Range: 1 to 600 Vac Accuracy: ±0.4V Resolution: 0.2V Text Display: Displays real time current, voltage and watts; displays logging summary, sample rate, memory used and memory left Graph Display: Shows measurement trends graphically; graph can be scrolled through the entire logged data Sample Point Capacity: 43,344 points for current or voltage only; 21,672 points for current and voltage</p>	set	2	47,500.00	95,000.00				

Resolution: 0.2 A
 Voltage:
 Range: 1 to 600 Vac
 Accuracy: ±0.4V
 Resolution: 0.2V
 Text Display: Displays real time current, voltage and watts; displays logging summary, sample rate, memory used and memory left
 Graph Display: Shows measurement trends graphically; graph can be scrolled through the entire logged data
 Sample Point Capacity: 43,344 points for current or voltage only; 21,672 points for current and voltage
 Alarms: Visual over and under alarm indicator for current and voltage; watts alarms are not available
 Calibration: No user calibration is available
 Operating Temperature: -10 to 65°C (15 to 150°F)
 Storage Temperature: -20 to 70°C (-5 to 160°F)
 Time Accuracy: ±100 ppm @ 24°C (75°F)
 Power: Three "AA" batteries (included)
 Battery Life: 1 year continuous use, 2 years average use; the logger automatically turns itself off after 1 hour, when not logging; turn on by pressing any button
 Dimensions: 10.2 W x 7.7 H x 3.8 cm D (4 x 3.05 x 1.5")
 Weight: 200 g (7.0 oz)

SOFTWARE

PC Interface: USB port
 Sampling Interval: User selectable from 1 second to 9 hours, in 1 second increments
 Operating System Compatibility: Windows® XP, Vista, 7, 8 and 10 (32-bit and 64-bit)
 Recording Start: On button press, immediate after set-up, or at a user specified date and time
 Recording Mode Stop: On memory full, or continuous recording with memory rollover
 Real Time Status: Visual indication through the status LED.
 Software real time status
 User Information: Up to 30 characters
 Logger Channels: User selectable; disabling channels increases the storage capacity of the other channels
 Units: US and Metric
 Data Format: Exportable to text or Excel® file

TOTAL ABC 95,000.00

TOTAL QUOTED AMOUNT IN WORDS:

Reviewed and Checked By:


 ADRIAN C. BORJA
 BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.



JOANIE P. FOLIENTE
BUYER/ END-USER

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.
2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of **three (3) months**, in the case of EXPENDABLE SUPPLIES, or a **minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable)** in the case of NON-EXPENDABLE SUPPLIES after acceptance by End-user of the delivered supplies.
3. Delivery period within **30** calendar days.
4. Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and condition stated herein
5. UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
6. Any Interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

Requirements for Suppliers (GPPB Resolution No. 21-2017)

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
1 Mayor's/Business Permit	/	/	/	/	/
2 PhilGEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)	/	/	/	/	/
4 PCAB License (for Infrastructure)	/	/	/	/	/
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K	/	/	FOR ABC'S ABOVE 50K
6 Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FOR ABC'S ABOVE 500K
7 NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE 50K

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

Name of the Company: _____

Address: _____

Signature over Printed Name of Representative: _____

Position: _____

Tel. No. : _____

Fax No. : _____

Email Address: _____

Date: _____