

## UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: **000-864-006-00004** 

Request for Quotation/ Bid Form (Technical Specifications)

<u>CEAT OFFICE OF THE DEAN (CEAT DO)</u>

UPLE BAC SECRETARIAT BY: / Bu DATE: 9/27/2023 OCT 0 2 2023 UPLB-RQ- 0-096-23-1 -100M DEADLNE OF SUBMISSION UPLB-RQ-

		DEADLINE O
Suppliers Name:	Date Fund Code:	9390132
	MOP:	Competitive Bidding
		049-253-8366/ 09772875890
	Contact Person	RUSELLEN BARAQUIO

## Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Note:

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not
- Bidders shall provide correct and accurate information required in this form. All entires mids by Systems (and the Systems of Systems of the Systems of Systems

- 7. Others:

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must stale here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/ Evaluators only)
		MATERIALS and L	ABOR							
1	Panel Board	Panel Board: Housing: Gauge #16, NEMA-3R Powder coated ANSI 61 gray finish, End wall with knockouts, standard door with "Corbin" lock, Copper extruded isolated equipment ground, Mechanical lug type, Copper lugs, Feed thru lugs, UL 67, UL 50, UL 943, NEMA PN-1 with 6 Hole, Main Breaker: 60 amps. Single phase Bolton type, 240V class, International common trip UL 489, UL listed, NEMA AB-1. Branches Circuit Breaker: 2-30AT, 50AF, 2-Pole, 240V, Bolt-on Type, 2-20AT, 50AF, 2-Pole, 240V, Bolt-on type	set	1	9,000.00	9,000.00				
2	Wire	Electrical wire 8.0 mm² (#8 AWG) THHN/THWN-2, copper , stranded, 55 amperes at 90°C, 5.5 mmØ, 96 kg./km. ASTM: B3, B8; UL83, PNS35, NEC compliant	box	1	12,000.00	12,000.00				
3	Wire	Electrical wire 3.5mm² (#12 AWG)THHN/ TWWN-2, copper, stranded, 30+ amperes at 90°C, 3.3 mmØ, 37kg/km., ASTM B3, B8 NEC compliant (150m/box)	box	1	7,500.00	7,500.00				
4	LED Tube	T8, LED tube 18 W, 220-240V, 60Hz, 1800 lumen, Cool Daylight, (6500k), RoHs, CE compliant	pcs.	18	400.00	7,200.00				
5	Plastic Moulding	Electrical Plastic moulding 1" x 8'	pcs.	15	150.00	2,250.00				
6	PVC Pipe	PVC Pipe, 3/4"Ø thick wall, 3 meters standard trade length, Poly Vinyl Chloride, 10% CaCO3, 90% K65 resir 80 Joules Izod impact, 55mPa tensile strength, Philippine National Standard (PNS) #14.	' pcs.	10	180.00	1,800.00				
7	PVC Elbow	PVC Long Elbow, 3/4"Ø thick wall, 90°C bend, long sweep, poly vinyl chloride, 10% CaCO3, 90% K65 resin 80 Joules Izod impact, 55mPa tensile strength, Philippine National Standard (PNS) #14		3	80.00	240.00				
8	PVC Adaptor	PVC Adaptor, ¾"Ø with locknut & busing	pcs.	10	50.00	500.00				
9	PVC Clamp	PVC - Clamp 3/4"Ø with concrete nai	pcs.	15	30.0	450.00				
10	) Junction Box	Junction Box with cover, 4" x 4", Ga. No.16, pre molded, pre painted	pcs	12	90.0	0 1,080.00				

- 32	3								
11	PVC Pipe	PVC Pipe, '%"Ø thick wall, 3 meters standard trade length, Poly Vinyl Chloride, 10% CaCO3, 90% K65 resin, 80 Joules Izod impact, 55mPa tensile strength, Philippine National Standard (PNS) #14.	pcs.	1	150.00	150.00			
12	PVC Elbow	PVC Long Elbow, %"Ø thick wall, 90°C bend, long sweep, poly vinyl chloride, 10% CaCO3, 90% K65 resin , 80 Joules Izod impact, 55mPa tensile strength, Philippine National Standard (PNS) #14	pcs.	3	60.00	180.00			
13	PVC Adaptor	PVC Adaptor, ½"Ø with locknut & busing	pcs.	12	35.00	420.00			
14	PVC Clamp	PVC Clamp ½"Ø with concrete nails	pcs.	15	30.00	450.00			
15	PVC Solvent	PVC Solvent Cement, 400cc/can	can	1	300.00	300.00			
16	Adhesive	No more nails Multi Purpose Construction Adhesive (320g)	pc.	1	300.00	300.00			
17	Flexible Hose	Flexible Hose ½"Ø	mtrs.	15	40.00	600.00			
18	Mica Tube	Mica Tube ¾"Ø	mtrs.	3	80.00	240.00			
19	Convinience Outlet	Duplex Convenience Outlet with cover Grounding type, Universal slot with faceplate and cover, 16A, 250V, Heat resistant, Full color wide series, Global terminal stranded wire: 1.5-4.0mm², Quick connect terminal II stranded wire: 1.5-2.6mm², IP#3-1997-12873, ISO 9001, ISO 14001, IEC60884-1	pcs.	10	400.00	4,000.00			
20	Switch	Photocontrols Switch, 10A, 240V, Photocell Daylight Control	pc.	1	1500	1,500.00			
21	Switch	Switch 2 gang 16A, 250V with Faceplate and cover, Heat resistant, Full color wide series, Global terminal stranded wire: 1.5-4.0mm², Quick connect terminal II stranded wire: 1.5-2.6mm², IP#3-1997-12873, ISO 9001, ISO 14001, IEC60884-1.	pcs.	4	250.00	1,000.00			
22	Metal Box	Metal box for convenience outlet	pcs.	10	180.00	1,800.00			
23	Service Entrance	Service Entrance cap ¾"Ø	pc.	1	75.00	75.00			
24	Black Screw	Black Screw 21/2" pointed	pcs.	30	6.00	180.00			
25	Black Screw	Black Screw 1" pointed	pcs.	40	3.00	120.00			
26	Tie Wire	G.I Tie Wire #16	kl.	1	120.00	120.00			
27	Saw Blade	Hack Saw Blade	pc.	1	150.00	150.00			
28	Masonry drill	Masonry drill bit 3/16"	рс.	2	100.00	200.00			
29	Таре	Electrical Tape Highland medium grade tape 1700, rubber resin adhessive material, 1000v/mil dielectric strength, 7 mil thick, 90°C/194°F, ¾ x 36'/roll, RoHS compliant, ASTM D 2301, CSA Certified, UL Listed	roll	2	60.00	120.00			
30	Labor	Labor  1.Installation of new single phase panel board including electrical wires, conduits and plastic moulding.  2.Installation and repair of lighting fixtures (T8 LED tubes).  3.Installation of convenience outlet, switches and photo control switch.  4.Testing & commissioning (Insulation Resistance Test)	lot	1	18,604.13	18,604.13			
		10			TOTAL ABC	72,529.13	TOTAL QUOTED AMO	OUNT IN WORDS:	 

Reviewed and Checked By:

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation RUSELLSN BARAQUIO

BUYER END USER

TERMS AND CONDITIONS:

- TERMS AND CONDITIONS:

  1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

  2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE 3. Delivery period within \_\_\_\_\_ calendar days.

  4. Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and conditon stated herein

  5. UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.

  6. Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

rements for Suppliers (GPPB Resolution No. 21-2017)  REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
1 Mayor's/Business Permit	/	/	/	/	/
2 PhilGEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)		/		/	
4 PCAB License (for Infrastructure)		/			FOR ABC'S ABOVE
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K	/	/	50K
6 Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FOR ABC'S ABOVE 500K
7 NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE 50K

					FOR ABC'S ABOV
7 NFCC for Infrastructure with ABC above Ph500k			/		50K
After having carefully really Name of the Company:	ad and accepted your General C	Conditions, I/We quote you or	the Item	at prices noted above	
Address:				Tel. No. :	
				Fax No. :	
Signature over Printed				Email Address:	
Name of Representative:Position:			Date:		