

UNIVERSITY OF THE PHILIPPINES LOS BANOS

Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) INSTITUTE OF CROP SCIENCE, CAFS

UPLB BAC SECRETARIAT BY: ___ DATE: 9/28/28 OCT 02 2023 - TIL

UPLB-RQ-9-372-23-900DS DEADLNEIPLE ROBMISSION

DEADLINE OF	
DEADLINE OF	
SUBMISSION:	

Suppliers Name:	Date	September 26, 2023
	Fund Code:	9390121 (MOOE)
	MOP:	SVP
	Contact No:	501-6649; 09286247569; mdcalica@up.edu.ph
	Contact Person	Maria Agnes D. Calica, ICropS,CAFS

Please quote your lowest price on the Item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	ату	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank, For BAC/ Evaluators only)
1	PRINTER	Branded and brand new, Multifunction printer; Functions: Print, Scan, Copy, ADF, Wireless Print speed black (ISO, A4): Up to 15 ppm Duty cycle (monthly, letter): Up to 5,000 pages Print technology. Thermal Inkjet Print quality black (best): Black: Up to 1200 x 1200 rendered dpi Color: Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 inp ut dpi Display: Twisted Pneumatic Positive, Reflective, LCD 2 x 0.4 in (50.8 x 10.16 mm) Processor speed: 800 MHz Number of print cartridges: 4 (1 each black bottle, set of 3 color bottles) Automatic paper sensor. Yes Wireless capability: Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct, Bluetooth low energy Connectivity, standard: Hi-Speed USB 2.0; Wi-Fi; Bluetooth LE; LAN Compatible operating systems: Windows and macOS Mobile printing capability: Apple AirPrint; Mopria certifled; Print Service Plugin (Android printing); Smart app; Wi-Fi Direct Printing [3] Memory, standard: 256 MB Maximum Memory: 256 MB Paper handling input, standard: 100-sheet output tray Paper handling input, standard: 100-sheet output tray Paper handling input, standard: 100-sheet output tray Paper handling: Automatic Media sizes supported: Letter, Legal; Government Legal; Executive; Statement; 4 x 6 in; 5 x 7 in; 8 x 10 in; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card (4 x 6 in, 5 x 8 in) Media sizes, custom: 3.5 x 5 in to 8.5 x 14 in Media types: Plain Paper, Photo Papers, Matte Brochure or Professional Paper, Other Photo Inkjet Papers, Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Plain Paper, Light/Recycled Media weights, recommended: 16 to 28 lb Borderless printing: Yes (up to 8.5 x 11 in, 210 x 297 mm) Scanner type: Flathed, ADF Scan file format: BMP, JPEG, TIFF, PDF, PNG Scan resolution, optical: Up to 1200 dpi Bit depth: 24-bit Scan size, maximum: 8.5 x 11.69 in Automatic document feeder capacity; Standard, 35 sheets File Format Supported: PDF; BMP, PNG; TIF; JPG Scan input modes: Front Panel Copy;	unit	1	17,000.00	17,000.00				
		Copy resolution (black text): Up to 600 dpi Copy resolution (color text and graphics): Up to 600 x 600 dpi Copy reduce / enlarge settings: 25 to 400% Copies, maximum: Up to 99 copies Power: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) Application/driverCD, demo inks and usb data cable included; Officially sealed upon inspection; Warranty: 2 years on parts and services.								



UNIVERSITY OF THE PHILIPPINES

LOS BANOS

Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) INSTITUTE OF CROP SCIENCE, CAFS

UPLB-RQ-

		DEADLINE OF SUBMISSION:
Suppliers Name:	Date	September 26, 2023
	Fund Code:	9390121 (MOOE)
	MOP:	SVP
	Contact No:	501-6649; 09286247569; mdcalica@up.edu.ph
	Contact Person	Maria Agnes D. Calica, ICropS,CAFS
		

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.

 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.

 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).

 5. Quotations exceeding the Approved Budget for Contract shall be rejected.

 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

- 7. Others:

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank, For BAC/ Evaluators only)
2	PRINTER	Branded and brand new, Color Laser Printer; Functions: Print Print Speed - Black (normal): Up to 28 ppm Print Speed - Color (normal): Up to 28 ppm Print spage out (ready) black: As fast as 9.3 sec First page out (ready) black: As fast as 9.3 sec First page out (ready) color: As fast as 11.1 sec Resolution (black): 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi Resolution (color): 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi Resolution technology: HP ImageREt 3600, PANTONE® calibrated Monthly duty cycle: Up to 50,000 pagesDuty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. Recommended monthly page volume: 750 to 4000[10] Print Technology: Laser Display: 2.7-in intuitive color touchscreen Processor speed: 1200 MHz Number of print cartridges: 4 (1 each black, cyan, magenta, yellow) Print languages: PCL 6, PCL 5e, postscript level 3 emulation,	unit	1	37,000.00	37,000.00				
		PDF, URF, Native Office, PWG Raster Paper trays, standard: 2 Paper trays, standard: 2 Paper trays, maximum: 3 Mobile Printing Capability: ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™; Smart App and other mobile Apps Connectivity, standard: 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHZ Wi-Fi radio Security management: Secure Boot; Secure Firmware Integrity; Runtime Code Integrity; password protected EWS; secure browsing via SSL/TLS 1.0; TLS 1.1; TLS 1.2; IPP over TLS; Network: enable/disable network ports and features; unused protocol and service disablement; SNMPv1; SNMPv2; and SNMPv3; community password change; ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPAWPA2 Personal; WPA2- enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional								



UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)

INSTITUTE OF CROP SCIENCE, CAFS

UPLB-RQ-	
UPLD-KQ-	

		DEADLINE OF SUBMISSION:
Suppliers Name:	Date	September 26, 2023
	Fund Code:	9390121 (MOOE)
	MOP:	SVP
	Contact No:	501-6649; 09286247569; mdcalica@up.edu.ph
	Contact Person	Maria Agnes D. Calica, ICropS,CAFS

Please quote your lowest price on the Item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.

 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).

- 5. Quotations exceeding the Appoved Budget for Contract shall be rejected.
 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/ Evaluators only)
		Jeuradvantage Security Manager, IPPS Compatible operating systems: Windows and macOS Memory, standard: 512 MB NAND Flash, 512 MB DRAM Memory, maximum: 512 MB NAND Flash, 512 MB DRAM Printer management: Printer Assistant; Utility (Mac); Device Toolbox; Web JetAdmin Software; JetAdvantage Security Manager, SNMP Proxy Agent; WS Pro Proxy Agent; Printer Administrator Resource Kit for Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) Supported network protocols: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery, IP Config: IPv4 (BoolP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download Paper handling input, standard: 50-sheet multipurpose tray, 250- sheet input tray Paper handling output, standard: 150-sheet output bin Duplex printing: Automatic (default) Media sizes supported: Tray 1, Tray 2: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; envelopes (No 10, Monarch); Optional Tray 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postc								
					TOTAL ABC	54,000.00				

Mark Efrahit M. Gironella
BelC TWG
Please quote at your government price (including VAT) and state that the time within which you can make delivery, it will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.
Palmo

TERMS AND CONDITIONS:

1. Price quotation's shall be valid for a period of at least (30) calendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by suppler, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended required to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended required to the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) months.



UNIVERSITY OF THE PHILIPPINES

LOS BANOS

Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) INSTITUTE OF CROP SCIENCE, CAFS

UPLB-RQ-

EVALUATION

(Leave this space blank, For BAC/ Evaluators only)

DEADLINE OF SUBMISSION:

FOR ABC'S ABOVE 500K FOR ABC'S ABOVE 50K

	Suppliers Name:					Date	September 26, 2023		9	
				-		Fund Code:	9390121 (MOOE)			
	77			-		MOP:	SVP			
				-		Contact No:	501-6649; 09286247569; mdca	lles@up edu pi	:	
						Contact Person	Maria Agnes D. Calica, ICropS,			
		Please quote your lowest price on the	e item/s listed be	low, s	subject to the Ge	neral Conditions	below.			
Note:	1. Bidders shall pro	ovide correct and accurate information required in this for	m. All entries mus	st be ty	pewritten or in pri	nt and properly ac	complished. Do not leave blank en	tries, put N/A fo	r not applicable.	
	Bidders must ind specification and co Quotation throug Quotations excee	to be denominated in Philippine Peso shall include all te dicate the BRAND and MODEL NUMBER for equipment ompliance issued by the manufacturer and sample. oth fax/email is acceptable. Winning bidder shall submit o eding the Appoved Budget for Contract shall be rejected. quirements per Memorandum No. 03 Series of 2017 shall	and its accessorie	es or pe	issuance of Puch	ase order (P.O.).	form of manufacturer's un-amende	d sale literature,	unconditional sta	tement of
ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT		OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUA (Leave thi blank, Fo Evaluato
3. Delive	ry period within30c	alendar days.		-	1 +yt 5200451154			- Contract C	The state of the s	1.27.1.21.2
		o the lowest quotation wich complies with the technical specifications, and other any or all offers as may be considered most advantageous to the University.	terms and condition state	ed herein						
		enwriting shall be valid only if they are signed or initiated by you or any of your di	uly authorized representa	tive/s.						
Require	ments for Suppliers (GPPE	3 Resolution No. 21-2017)								
		REQUREMENTS	Shopi (Section		Negotiated Procurement - Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)		
1	Mayor's/Business Permit				,	,	,	,		
2	PhilGEPS Registration Num	iber	,	K.	1	/	/	1	1	
3	Professional license/ CV (co	onsulting services)	1.55	350	/	THE PARTY NAMED IN	,	DESCRIPTION OF THE PARTY OF THE		
4	PCAB License (for Infrastru		Page 10		/	TO THE PARTY				
5	Income / Business tax retur	rms (except for government agencies as lessor)	A S	25 6	FOR ABC'S ABOVE 500K	1	/	FOR ABC'S ABOVE 50K		
6	Omnibus Sworn Statement				FOR ABO'S ABOVE			FOR ABC'S ABOVE		

arefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

7 NFCC for Infrastructure with ABC above Ph500k

ater maring contrant, read and	accepted for detail detailed and fire quote for an are are a price accepted.		
Name of the Company:			
Address:		Tel. No.	
		Fax No. :	
Signature over Printed Name of		Email Address:	
Representative:		Date.	
Opening)			