

UNIVERSITY OF THE PHILIPPINES LOS BANOS


Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) OCCA- University Health Service

Fund Code MOP:

Contact No

Contact Person



DEADLINE OF	
SUBMISSION:	

SVP

Geronimo C. Reyes

9189634130

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Note

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of 4. Quotation strongliance issued by the manufacturer and sample.

 4. Quotation through favlemail is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).

 5. Quotations exceeding the Approved Budget for Contract shall be rejected.

 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

Suppliers Name

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION dispolers must state here the distalled technical specifications of their offer against each of the including parameters of each projections of the social parameters of each projections.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/ Evaluators only)
1	Automatic Voltage Regular	Branded and Brnad New Automatic Voltage Regulator Servo Motor 1500W Wattage: 1500 Watts with 5 Outlets Motor Type: Servo Motor, Auto-Volt 110 and 220VAC 50/60Hz Flat pin plug Cable specs 2 x 1.5 mm2 Product Dimension: 15 x 23 x 20 cm 1.3m cord; With thick and strong handle for easy handling; Officially sealed upon inspection; Warranty: 1 year on parts and services.	un	1	5,000.00	5,000.00				
2	Automatic Voltage Regular	Branded and brand new, Maximum Output Voltage: 3,000 VA Range of Input Voltage: 140V – 250V Input/ Output Voltage: 110V and 220 V Accuracy of Voltage: 220V +/- 3% and 110V +/- 6% Over – Voltage Protection Value: 246V + ~4% Under – Voltage Protection Value: 184V + ~4% Frequency: 50~60Hz Load Power Factor: 0.8 Efficiency: ~90% Adjusting Time: 1.5 sec (when input voltage has a change of 10%) Long Time Delay (for 220V): 5 + 2 mins Short Time Delay (for 220V): 5 + 2 sec Officially sealed upon inspection; Warranty: 1 year on parts and services.	un	2	8,000.00	16,000.00				
3	Uninterrupted Power Supply	Branded and Brnad New, 2000VA for existing ultra sound machine; Nominal Voltage: 110-300Vac (160-300 Vac at 100% load 110-300 Vac at 50% load) Frequency Range: 50/60 hz (auto-sensing), 40 - 70 Hz range. Power Factor; 99; Nominal voltage 220/230/249 Vac. Frequency: 50Hz or 60Hz, Battery type 4x12V 9Ah, Maintennace Free, Seaed lead Acid, Leak Proof, Frequency recharge time time; 4 hours to 90% capacity, Alarm; Battery Mode: sounding every 4 seconds: Low Battery: sounding every second, Overload: sounding every 0.5 second; Fault: continously sounding; Dimension 395 x 145 x 240, Weight: 18.6 kg.	un	1	54,000.00	54,000.00				

Safety: IEC/EN62040-1, IEC/EN60950-1, EMC: IEC/EN62040-2, IEC61000-4-2, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-8; Officially sealed upon inspection; Warranty: 2 years on repair or replace.							
Branded and brand new, Lead time: Usually Ships within 2 Weeks Main: Run time for load: 1300 W Min-max: 130-1300 W Min-max: 130-1300 W Amin 54s Max. Capacity Used: 100 % Main Input Voltage: 230 V Other Input Voltage: 230 V other Input Voltage: 230 V rated power in W: 1300 W Rated power in W: 1300 W Rated power in V2: 2000 VA Input Connection Type: IEC 320 C20 output connection type: 6 IEC 320 C19 Battery type: Lead-acid battery Provided equipment: CD with software, Documentation CD, USB cable General USB compatible: Yes Input Input voltage limits: 170300 V adjustable 180287 V Network frequency: 4763 Hz Output: Harmonic distortion: Less than 5 % at full load Maximum configurable power in VA: 2000 VA Maximum configurable power in W: 1300 W UPS type: Line interactive Wave type: Sine wave Output frequency: 50 Hz sync to mains Conformance: Product certifications: C-Tick, CE, EAC, GOST, SABS, VDE Standards: EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2018 Environmental: Acoustic level: 45 dBA heat dissipation: 135 Btu/h Battery life: 35 year(s) Battery power in VAH: 499 VAh runtime Battery charger power: 166 W rated Communications & Management: control panel Multifunction LCD status and control console Surge Protection and Filtering Surge energy rate: 300 J Noise suppression: Full time multi-pole noise filtering: .3% IEEE surge let-through: zero clamping response time: meets UL 1449 Officially sealed upon inspection; Warranty: 2 years on repair or replace.	un	8,000.00	8,000.00				
					1	1	
	•	TOTAL ABC	83,000.00				
	•	TOTAL ABC	83,000.00	TOTAL QUOTED AMOUNT IN V			

ş (i

C ONLY	
Mark Efran Gironella	

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.

JESSIE IMELDA F. WALDE

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by End-user of the delivered supplies.

Director

3. Delivery period within 30 calendar days.

Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and condition stated herein
 UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
 Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

REQUIREMENTS	Shopping (Section 52)	Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
Mayor's/Business Permit	/	/	/	/	/
PhilGEPS Registration Number	1	/	/	/	1
Professional license/ CV (consulting services)		/	THE PERSON NAMED IN	/	Carly Manter Carly
PCAB License (for Infrastructure)		/			
Income / Business tax returns (except for government agencies as lessor)		FOR ABOVE SOOK	/	/	FOR ABOVE SOK
Omnibus Sworn Statement		FOR ABC'S ABOVE 60K			FOR ABO'S ABOVE 500K
NFCC for Infrastructure with ABC above Ph500k		/			FOR ABO'S ABOVE

· ·

		ASSESSMENT STATES OF THE STATE	I50K
After having carefully read and accepted your Go	eneral Conditions, I/We quote you on the Item at prices	noted above.	
Address:		Tel. No. :	
		Fax No. :	
Signature over Printed Name of	_	Email Address:	
Position:		Date:	