

UNIVERSITY OF THE PHILIPPINES

LOS BANOS VAT Reg. TIN: 000-864-006-00004

UPLB BAC SECRETARIAT BY: ____ DATE: 10 18 23 OCT 17 2023 - TIL UPLB-RQ-10-453-23-6000S DEADLNE OF SURMISSION

Request for Quotation/ Bid Form (Technical Specifications)
NCPC-CAFS

		·
Suppliers Name:	Date	September 27, 2023
	Fund Code:	2136004
	MOP:	SMALL VALUE PROCUREMENT
	Contact No:	536-2231 /09760955526
	Contact Person	NORMAN DELA CRUZ
	Contact I dison	HORMAN DELA OROZ

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
- 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.

 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
- 5. Quotations exceeding the Appoved Budget for Contract shall be rejected.
- 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
- 7. Others:

							DEFENSED SPECIFICATION		5.2.54	EVALUATION
No.	OF THE ITEM	DEGLINES SPECIFICATIONS	UNIT OF MEASURE	QIY	ESTMATED UNIT APPROVED BUDGET OF THE CONTRACT	EXTMATED TOTAL APPROVED DUDGET OF THE CONTRACT	Depting to be the distinguished of the logistic study state have the distinguished out specific storm of their office registrost each of the individual parameters of each regularization.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	(Leave this upoce blank, For BAC/ Evaluators only)
035		Supply, Delivery, Installation, Commissioning and Testing of Branded and Brand New CCTV System for NCPC-CAFS								
1	IP Camera	Branded and brand new, Bullet Network Camera Focal Length: 2.8 mm, Lens Mount: M16 Ins Type: Fixed Aperture: F1.0 Network Storage: MicroSD/microSDHC/microSDXC card (512 GB) local storage, and NAS (NFS, SMB/CIFS), auto network replenishment (ANR) High quality imaging with 4 MP resolution Efficient H 265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Protection: IP67 (IEC 60529-2013) Client: I/MS-4200, Hik-Connect, Hik-Central Basic Event: Motion detection (human and vehicle targets classification), video tampening alarm, exception Smart Event: Line crossing detection, intrusion detection, region entrance detection, region exiting detection Scene change detection Linkage: Upload to NAS/memory card/FTP, notify surveillance center, trigger recording, trigger capture, send email User guide, camera sticker pattern and mounting kit included; Officially sealed upon inspection; Warranty: 1 year on parts and services.	unit	5	7,592.40	37,962.00				
2	IP Carnera	Branded and brand new, Turret Network Camera Image Sensor: 1/1.8" Progressive Scan CMOS Max. Resolution: 2688 × 1520 Focal Length: 2.8 mm, Lens Mount: M16 Iris Type: Fixed Aperture: F1.0 DORI: 2.8 mm, D: 58 m, O: 23 m, R: 11 m, I: 6 m Supplement Light Type: White Light Video Compression: Main stream: H.265/H.264/H.265+/H.264+ Video Bit Rate: 32 Kbps to 8 Mbps Network Protocols: TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, UPPP, SMTP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, UPPP, SMTP, ICMP, 802 1X, QoS, IPv4, IPv6, UDP, Bonjour, SSL/TLS, PPPOE, SNMP, ARP, WebSocket, WebSockets Network Storage: MicroSD/microSDHC/microSDXC card (512 GB) local storage, and NAS (NFS, SMB/CIFS), auto network replenishment (ANR) Client: iVMS-4200, Hik-Connect, Hik-Central Built-In Microphone: -U: YesBasic Event Motion detection (human and vehicle targets classification), video tampering alarm, exception Smart Event: Line crossing detection, intrusion detection, region entrance detection, region exiting detection Csene change detection Linkage: Upload to NAS/memory card/FTP, notify surveillance center, trigger recording, trigger capture, send email Face Capture: Yes Protection: IP67 (IEC 60529-2013) Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging User guide, camera sticker pattern and mounting kit included; Officially sealed upon inspection; Warranty: 1 year on parts and services.	unit	5	6,435.60	32,178.00				

3	NVR	Branded and brand new, Al By NVR: Facial recognition, perimeter protection, motion detection 2.0	unit	1	19,015.20	19,015.20		
		All By Camera: Facial recognition, perimeter protection, video structuralization, throwing objects from building, motion detection 2.0, ANPR, people counting, VCA						
		Engine: 1, engine mode is adjustable Facial Recognition: Face Picture Library: Up to 16 face picture libraries, with up to 10,000 face						
		pictures in total (each picture ≤ 512 KB, total capacity ≤ 150 MB) Face Picture Comparison: 4-ch face picture comparison alarm						
		Facial Detection And Analytics: Face picture comparison, human face capture, face picture search Motion Detection 2.0						
		Human/Vehicle Analysis: 16-ch By NVR: All channels for Hikvision cameras						
		Human/Vehicle Analysis: Up to 4-ch 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm;						
		Up to 12 rules in total; Up to 4-ch 2 MP (H.264/H.265) video analysis for human and vehicle recognition to reduce false alarm						
		By NVR: 4-ch, 2 MP (H-264/H-265) video analysis for human and vehicle recognition to reduce false alarm; Up to 12 rules in total						
		ANPR: By Camera: All channels						
		Vehicle Attributes: Plate number, license plate color, license plate type Plate Attributes: Vehicle brand, vehicle color, vehicle type Video And Audio						
		IP Video Input: 16 Incoming Bandwidth: 160 Mbps						
		Outgoing Bandwidth: 256 Mbps HDMI Output: 4K (3840 × 2160)/60Hz						
		Decoding Format: H.265,H.265+,H.264,H.264+,MPEG4 Network:						
		Network Interface: 1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface Remote Connection: 128						
		Network Protocol: TCP/IP, DHCP, IPv4, IPv6, DNS, DDNS, NTP, RTSP, SADP, SMTP, SNMP, NFS, iSCSI, ISUP, UPnP™, HTTP, HTTPS						
		PoE: Interface: 16, RJ-45 10/100 Mbps self-adaptive Ethernet interface Power: ≤ 200W						
		Standard: IEEE 802.3 af/at SATA: 2 SATA interfaces						
		Capacity: Up to 10 TB capacity for each disk Certification: CE, CB, REACH, WEEE, UKCA, LOA						
		H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm						
		Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture						
		Up to 16-ch IP camera inputs Up to 32-ch 1080p decoding capability						
		User guide, sata data cables, sata power cables, power adapter, mounting screws and rackmounting kit included; Officially sealed upon inspection;						
	Surveillanc	Warranty: 1 year on parts and services.	pc	1	6,120.00	6,120.00		
4	e drive	Branded and brand new, Storage Drive Capacity: 4TB Type: Surveillance Drive;	μ.	١.	0,120.00	0,120.00		
		Officially sealed with anti-static packaging upon inspection before installation in NVR (broken anti-static packaging will not be accepted);						
5	PoE switch	Warranty: 1 year on parts and services. Branded and brand new, Smart PoE Switch	unit	3	4,200.00	12,600.00		
		8 × 100 Mbps PoE RJ45 ports, 1 × gigabit network RJ45 port. IEEE 802.3at/af standard for PoE ports.						
		Network topology management, alarm push, network health monitor. 6 KV surge protection for PoE ports. Up to 300 m long-range transmission.						
		AF/AT camera can reach up to 300 m in extend mode. Power adapter included;						
		Officially sealed upon inspection; Warranty: 1 year on parts and services.						
6	Monitor	Branded and brand new, LED Monitor LED backlit technology with full HD 1920 x 1080	unit	2	11,196.00	22,392.00		
		32" LED backlight monitor 16.7 million colors display images perfectly						
		Multiple interfaces: HDMI, VGA, audio in Built-in speaker Wide viewing angle: Horizontal 178*, Vertical 178*						
		24/7 operation LED backlit technology with full HD 1920×1080						
		16.7 million color, display picture perfectly HDMI support up to 1080P Multiple inputs: HDMI, VGA						
		Multiple inputs: HDMI; VGA Build-in speaker, Audio 5W*2 Auto signal input Detection						
		Smart engine for Phase/Image position/Color calibration Plastic casing						
		Narrow front Bezel Remote control and Monitor Stand included; Officially sealed upon inspection;						
		Warranty: 1 year on parts and services.						
7	Outdoor UTP cable	Branded and brand new, UTP CAT 6 UTP CAT6 Ethernet Network Cable,	pc	5	7,200.00	36,000.00		
		OUTDOOR [0.565mm,OFC,CM,orange]						
		1000 ft/305m per Roll						

8	Royal Cord 3-core 16/2C, 100m/rol	rol	1	7,800.00	7,800.00			
9	Uninterruptible Power Supply (UPS) 650VA 2 years on repair or replace;	unit	1	3,000.00	3,000.00			
10	Metal Enclosure 500 x 500 x 200mm (HxWxD)	рс	1	1,800.00	1,800.00			
11	TV mounting bracket	set	2	1,800.00	3,600.00			
12	HDMI Extender	pc	2	4,200.00	8,400.00			
13	HDMI Splitter	pc	1	3,000.00	3,000.00			
14	RJ45 connector	pc	40	12.00	480.00			
15	PVC Plastic Moulding 1"	pc	30	120.00	3,600.00			
16	PVC Pipe 3/4" x 3m - Neltex	pc	40	216.00	8,640.00			
17	PVC Pipe 1/2" x 3m - Neltex	pc	40	180.00	7,200.00			
18	PVC Elbow 3/4"	рс	50	30.00	1,500.00			
19	PVC Elbow 1/2"	рс	50	24.00	1,200.00			
20	PVC Male Adaptor 3/4"	рс	25	24.00	600.00			
21	PVC Male Adaptor 1/2"	рс	25	18.00	450.00			
22	Utility Box 100 x 100 x 70 mm	рс	20	96.00	1,920.00			
23	Metal Clamp 3/4"	рс	100	12.00	1,200.00			
24	Metal Clamp 1/2"	рс	100	9.60	960.00			
25	Tox with metal screw 100 pair/ box	box	5	300.00	1,500.00			
26	Electrical Tape (Big)	pc	5	60.00	300.00			
27	Sealant	pc	1	60.00	60.00			
28	Expansion Bolt 5/8" x 2"	pc	4	60.00	240.00			
29	Cable tie (BIG) 50pcs/pack	pack	2	300.00	600.00			
30	Manpower Labor: Scope of Work: Supply and Delivery: Equipment, Devices and other Materials needed for installations including CAT5e or better UTP cables, dc connectors, video balun, weather proof carnera junction boxes, IP66 Steel/PVC Wall Box, moldings, PVC pipes, adheasives, cable ties, etc. Labor of Skilled personnel and Engineering: Laying of conduits, cable pulling (UTP cable) and roughing in, painting and restoration of affected areas; Installation of provisions, equipment and devices Termination, Testing, Activation and Implementation Basic operations, maintenance and troubleshooting Orientaion to the enduser Documentations: Service Manual with Supplier's Logo and details with inclusions: Authentication/security setup, Network configurations, as Built plan, Equipment and Cable actual location and Network diagram. Note: Site inspection required: October 16,2023 (Bam-5pm) Initial inspection required on the winning bidder before the installation. Rehabilitation is limited only on the CCTV system cabling and installation All items must be Sealed upon delivery and inspections.	lot	1	64,603.35	64,603.35			
				TOTAL ABC	288,920.55	PI .		

Reviewed and Checked By:

MON Mark Etraim Gironella

BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as NORMAN DELA CRUZ/NCPC-CAFS soon as possible on or before the deadline stated herein.

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by End

3. Delivery period within 14 calendar days.

Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and condition stated herein
 UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.

6. Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive	Negotiate d Procurem
Mayor's/Business Permit		1	/	/	1
PhilGEPS Registration Number	1	1	/	/	1
Professional license/ CV (consulting services)	25000000000	1		/	527527929
PCAB License (for Infrastructure)	97676628768	1			Fall Sax
Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K	/	/	FOR ABC'S
Omnibus Sworn Statement		FOR ABC'S			FOR
NFCC for Infrastructure with ABC above Ph500k		1	STREET,		FOR

After having carefully read and accepted your General Conditions, I/We quote yo Name of the Company:	ou on the Item at prices noted above.	
Address:	Tel. No. : Fax No. :	
Signature over Printed Name of	Email Address:	***************************************
Position:	Date:	