

## UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)
OFFICE OF THE VICE CHANCELLOR FOR PLANNING AND DEVELOPMENT

UPLB BAC SECRETARIAT BY: / DATE: 12 19 2003 DEC 18 2023 UPLB-RQ- 12 - 156 - 23-] - NAM DEADLNE OF SUBMISSION

 _

opliers Name:	Date	December 09, 2023
	Fund Code:	C0003527 - UPLB 9151038
	MOP:	Competitive Bidding
	Contact No:	049 5762625
	Contact Person	Engr. Ralph M. Romero

Please quote your lowest price on the Item/s listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
  3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
  4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
  5. Quotations exceeding the Appoved Budget for Contract shall be rejected.
  6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
  7. Others:

ITEM No.	GENERAL NAME OF THE	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC! Evaluators only)
1	ACRYLIC LATEX PAINT	Semi-gloss; UPLB Beige Color; Factory Pre-mix; premium quality	gallon	2	920.00	1,840.00				
2	BIDET SPRAY KIT	Stainless Steel, 1.2m long metal hose with mounting accessories	set	8	1,380.00	11,040.00				
3	CEILAST PVC LAMINATED BOARD	2' x 4'	piece	25	379.00	9,475.00				
4	Circuit Breaker	20-Amp, 2P, 220V Plug-in Type	piece	1	1,081.00	1,081.00				
5	Circuit Breaker	30-Amp, 2P, 220V Plug-in Type	piece	1	1,081.00	1,081.00				
6	Circuit Breaker	40-Amp, 2P, 220V Plug-in Type	piece	1	1,081.00	1,081.00				
7	CO W/ GROUND FAULT CURRENT INTERRUPTOR (GFCI)	w/ LED INDICATOR LIGHT. 20A-240V Tamper Resistant, SINGLE, UL Listed. Universal Slot	set	2	2,300.00	4,600.00				
8	COTTON GLOVES	Ordinary, 2 pcs/set	set	8	29.00	232.00				
9	CROSS RUNNER TEE	4', Powder Coated Finish, Standard	piece	80	98.00	7,840.00				
10	CUBICLE PARTITION PANEL COAT HOOK	Nylon, Compatible to Phenolic Board	plece	9	92.00	828.00				
11	CUBICLE PARTITION PANEL DOOR KNOB	Nylon, Compatible to Phenolic Board	piece	8	202.00	1,616.00				
12	CUBICLE PARTITION PANEL FOOTING	Nylon, Compatible to Phenolic Board	piece	22	518.00	11,396.00				
13	CUBICLE PARTITION PANEL HEAD RAIL	3m, Compatible to Phenolic Board	plece	3	2,875.00	8,625.00				
14	CUBICLE PARTITION PANEL HINGES	Nylon, Compatible to Phenolic Board	piece	16	230.00	3,680.00				
15	CUBICLE PARTITION PANEL LOCKSET	(Occupant Indicator), Nylon, Compatible to Phenolic Board	set	8	230.00	1,840.00				
16	CUBICLE PARTITION PANEL U-CHANNEL	6', Compatible to Phenolic Board	piece	20	1,380.00	27,600.00				
17	DEFORMED BAR	10mmØ x 6m, PNS Grade 230, w=0.617 kg/m	piece	25	219.00	5,475.00				
18	DOOR CLOSER	Heavy Duty, Capacity: 40-65 kg door weight, 900 - 950 mm door width, 0 - 90 degrees operating angle, and 500,000 cycles tested	piece	4	1,265.00	5,060.00				
19	DOUBLE TUBULAR DEADBOLT LOCKSET	Brass Finish , Adjustable Backset 60-70mm, Heavy Duty	set	4	575.00	2,300.00				
20	ELASTOMERIC SEALANT	Premium Quality	liter	4	748.00	2,992.00				
21	EMPTY SACK	50kg capacity	piece	50	18.00	900.00		-	-	-
22	EPOXY PRIMER	Premium Grade, w/ Catalyst	liter	2	345.00	690.00		-	-	
23	EXHAUST FAN	Wall Mounted w/ Automatic Louver, 14"Ø, 220V	piece	2	1,725.00	3,450.00				
24	EXHAUST FAN	Ceiling Cassette Type, 12" x 12", 3kg, 60Hz, 38W, case size 32.3 x 16.9 x 32 90 (cm) , 220V	piece	4	1,840.00	7,360.00				
25	EXHAUST PIPE HOOD	w/ screen, 4" Ø Stainless Steel w/ Complete Screws and Accessories	piece	2	1,035.00	2,070.00				

				100.000					
26	FACIAL MIRROR	1/4" thk x 1.2m x 0.9m, w/ 1/4" thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Aluminum Edge Frame including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shleid	set	2	4,600.00	9,200.00			
27	FACIAL MIRROR	1/4" thk x 2.7m x 0.9m, w/ 1/4" thk Marine Plywood Sheathing (provide felt cloth backing) & Standard Aluminum Edge Frame including Mounting Bracket & Appropriate Screw w/ PVC Expanding Shield	set	2	7,475.00	14,950.00			
28	FLAT LATEX PAINT	White, Premium Quality	gallon	2	759.00	1,518.00			
29	FLAT WALL ENAMEL PAINT	White, Premium Quality	gallon	2	897.00	1,794.00			
30	FLEXIBLE CEMENTITIOUS WATERPROOFING	Acrylic polymer, tough, elastic, waterproof, UV resistant seam free membrane	gallon	2	1,380.00	2,760.00			
31	FLOOR CLEAN OUT	with adapter, 4", Brass, Heavy	piece	3	1,725.00	5,175.00			
	FLOOR DRAIN	Duty, Countersunk 4" x 4", stainless type 304 with	_	-			 		
32	STRAINER	screws,	piece	5	115.00	575.00	 -		
33	FLOOR DRAIN STRAINER	6" x 6", stainless type 304 with screws,	piece	3	345.00	1,035.00			
34	FLOOR TILE GROUT	Black, 2kg/bag, premium brand	bag	1	115.00	115.00			
35	G.I. TIE WIRE	Ga. #16	kg	5	115.00	575.00			
36	Glazing Putty	for enamel-painted wood, alkyd- type	gallon	2	805.00	1,610.00			
37	JET HAND DRYER	Color: White; Dimension(cm): (L)25cm X (W)17.5cm X (H)48.5cm; 1400-1650 watts ( single phase); 105 m/s wind speed; 220-240V voltage; Brush motor; Up to 150mm sensing distance; IPX1 protection class; With water collection tray; Curvaceous body design; Net weight 4.3 kgs.; 2 Years Motor Warranty	plece	3	9,085.00	27,255.00			
38	JUNCTION BOX WITH	PVC, 4" x 4", Deep Type	plece	10	69.00	690.00			
	COVER LACQUER THINNER	Premium Grade	gallon	2	460.00	920.00	 -		
40	LAVATORY	Under Counter Type Wash Basin, 600L x 422W x 209H with Complete Accessories Including Bracket, etc. (SEE SAMPLE AT OVCPD)	set	7	9,775.00	68,425.00			
41	LAVATORY COUNTER TOP SOLID SURFACE GRANITE	Full Slab Type, Golden Brown, 70cm x 3m x 1.2cm thk	piece	4	17,250.00	69,000.00			
42	LAVATORY P-TRAP	Brass P-O-Plug x 6", Brass CP, Shallow Flange/Die Cast Nuts, 1-1/4" CP Rubber Joint, with cleanout (SEE SAMPLE AT OVCPD)	set	7	633.00	4,431.00			
43	LED BOX-TYPE CASING	Single, 600mm (24")	piece	7	345.00	2,415.00			
-		6" Ø. 750 Lm. 10W, Recessed,		25	345.00	8,625.00	1		
44	LED BULB	Warm White 900Lm 10W-220V, WHITE, 600	set	+	345.00		-	-	
45	LED TUBE	mm (24")	piece	7	403.00	2,821.00			
46	MAIN RUNNER TEE	12', Powder Coated Finish, Standard	plece	15	202.00	3,030.00			
47	PVC Adaptor	20mmØ, 80 Joules izod Impact, 5MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14	piece	20	18.00	360.00			
48	PVC ELECTRICAL BUSHING & G.I. LOCK NUT	20mmØ	set	20	18.00	360.00			
49	PVC ELECTRICAL COUPLING	20mm@, 80 Joules izod Impact, 5MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14	piece	20	14.00	280.00			
50	PVC ELECTRICAL ELBOW	20mmØ x 90° Bend, Long Sweep, Thick Wall, Powerguard, 80 Joules Izod Impact, 5MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14	piece	20	29.00	580.00			
51	PVC ELECTRICAL PIPE	20mmØ x 3m, Thick Well, Powerguard, 80 Joules Izod Impact, 5MPa Tensile Strength, 90% K65 Grade resin by mass, PNS 14	plece	10	161.00	1,610.00			
52	PVC Fitting	PVC Elbow, 2" ø x 2" ø, 90° Bend, ASTM D-2729, ASTM 3311, ISO 4435	piece	15	81.00	1,215.00			
53	PVC Fitting	PVC Elbow, 2" s x 2" s, 45° Bend, ASTM D-2729, ASTM 3311, ISO 4435	piece	15	69.00	1,035.00			
54	PVC Fitting	PVC Tee, 2" ø x 2" ø ASTM D- 2729, ASTM 3311, ISO 4435	piece	10	115.00	1,150.00			
55	PVC Fitting	PVC Wye, 2" ø x 2" ø ASTM D- 2729, ASTM 3311, ISO 4435	piece	10	116.00	1,160.00			

PVC P-trap with Clean-out, 2" Ø x 2" s, ASTM D-2729, ASTM 3311, ISO 4435 piece 10 56 PVC Fitting 253.00 2,530.00 115.00 2,300.00 57 PVC TILE TRIM 20 8mm x 8', White piece QDE PAINT Choco Brown, Premium Quality gallon 2 759.00 1,518.00 Heavy Duty, Must be Compatible w/ the Blind Rivets 59 RIVETER plece 2 518.00 1.036.00 60 ROLLER BRUSH 61 ROLLER BRUSH Foam 4 piece Foam 7" S1 # 80 grit, 9" x 11", Water proof, 2,070.00 6,210.00 62 20 34.00 680.00 SANDPAPER piece 63 Heavy duty # 150 grit, 9" x 11", Water proof, Heavy duty # 240 grit, 9" x 11", Water 360.00 64 SANDPAPER niece 20 18 00 20 18.00 360.00 piece 65 SANDPAPER proof, Heavy duty SILICONE SEALANT Bio-Tech System Anti-Bacterial, 288.00 864.00 piece 66 FOR SANITARY GRADE 300 cc/piece 0.05MPa-0.75MPa Water Pressure, Brass w/ Nickel Chrome Finish, with Complete Accessories including Tail Piece, Stop Valve And Braided SINGLE LEVER LAVATORY FAUCET 7 6,670.00 46,690.00 Flexible Hose (SEE SAMPLE AT OVCPD) Oxford Cherry, 6' x 6', SOLID PHENOLIC 13,800.00 207,000.00 68 Protected w/ Thin Plastic Film piece 15 Wrap Stainless Steel Finish for 35mm 2,188.00 547.00 4 TUBULAR KNOBSET 45mm door thickness, Heavy set Duty TWO-GANG SWITCH 173.00 692.00 WITH PLATE AND COVER 4 70 Recessed 16A 220 V set 1 - supply inlet (1/2" Ø), 2 outlet (1/2" ø) with 1 knob for each outlet, heavy duty Wall-hung, Back-inlet, Ceramic Dimension: L450 x W335 x 16 662.00 10,592.00 71 Universal Angle Valve piece 11,500.00 34,500.00 set 72 URINAL H665 mm, branded and brand With manual push button AC/DC concealed ≥1.2 LPF urinal flush sensor; Material Stainless Steel 304 (Matte Black): Sensing Distance :650mm; Consumption; 1.2 LPF can be reduced to 1 LPF; 69,000.00 23.000.00 URINAL SENSOR set 3 Dimensions: 130 x 130 mm; Water Inlet: G1/2" (External 1,380.00 PVC, 2" x 4", Deep Type 1/2", Level Control Plain end 20 69.00 piece 74 UTILITY BOX 2 345.00 690.00 UTILITY FAUCET 75 12', Powder Coated Finish, 6,860.00 35 196.00 WALL ANGLE piece Standard onteclaro Natural, Unglazed, 700 218.00 152,600,00 77 WALL TILES 300mm x 600mm 276.00 2 White, 2kg/bag, premium brand bag 138.00 78 WALL TILE GROUT Small Round 10 92.00 920.00 79 WASTE CLOTH kg elongated, L725 x W410 x HT50 mm, Close-coupled front lever type elongated Toilet, Single Flush with volume of 6L, with complete tank fittings, Angle Valve, 1/2"Ø F Supply Iniet, 2 Connection Outlets 10,120.00 91,080.00 9 WATER CLOSET set 1/2"Ø M and 1/2"Ø M, Heavy Duty, braided flexible water supply hose and slow-close anti-bac seat and cover, branded TOTAL ABC 999,723.00 TOTAL QUOTED AMOUNT IN WORDS:

ne office
1

## TERMS AND CONDITIONS:

Price quotation's shall be valid for a period of at least (30) calendar days from the date of subm

m period of three (3) months, in the case of EXPENDABLE SUPPLIES, S after acceptance by End-user of the delivered supplies. 2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after accordance to the contract awardee for a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after accordance to the contract awardee for a minimum period of the

Desirery period worm \_\_\_\_\_\_caerinar days.
 Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and condition stated herein.
 UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.

6. Any interineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

REQUIREMENTS

Shopping | Negotisted | Procurement | Section | Small Value | Small Value | Section 53.9) | Sect

After having carefully read and accepted your General Conditions, Name of the Company:	arte quote you on the normal process rotted above.	
Address:	Tel. No. :	
	Fax No. :	
Signature over Printed Name of Representative:	Email Address:	
Position:	Date:	