

UNIVERSITY OF THE PHILIPPINES LOS BANOS

Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) INSTITUTE OF CHEMISTRY

UPLB BAC SECRETARIAT
BY: ________ DATE: 2 /7 /2624

FEB 1 2 2024

UPLB-RQ- 2-011-24-I - | Vam |
DEADLINE OF SUBMISSION

UPLB-RQ-

DEAD! IN	OF SUBMISSION:	
----------	----------------	--

Suppliers Name:	Date	JANUARY 30, 2024
	Fund Code:	N83152A
	MOP:	SMALL VALUE PROCUREMENT
	Contact No:	9057385975
	Contact Person	Angel S. Ancheta

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Note:

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
- 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by
- 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
- 5. Quotations exceeding the Appoved Budget for Contract shall be rejected.
- 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
- 7. Others:

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/ Evaluators only)
	Inverter Spilt Type Air Conditioning Unit with Supply/Delivery, Labor & Materials including Installation	SPECIFICATION: Brand new 5.0 HP Full DC Inverter type Ceiling Suspended Split Type Airconditioning Unit with Rated Cooling Capacity 42,700 (13,000-43,300) BTU/hr, Power Input 4.42 (1.30-4.80) kW., EER 9.66 Power Source, 230 Volts, 60Hz, 1 Phase, Running Current (26 Max Amps) R410A Refrigerant, Pipe diameter liquid side 3/4", Gas side 5/8" O.D. Wireless Remote	lot	1	270,000.00	270,000.00				
		SCOPE OF WORK					E (1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1			
		A. Layout and installation of fabricated angle bar 3/16" x 1 1/2" thickness, pre painted primer epoxy (gray) for FCU and ACCU								
		B. Mounting and Installation of Air Conditioning units FCU and ACCU with Rubber Pad Support.								
		C) Chipping and Plastering of Concrete or Glass								
		D) Layout and Installation of Drainage Pipeline using PVC 3/4" Diameter (Eslon Blue)								
		E. Layout and Installation of Electrical PVC (Neltex) Including Power and Transmission Wirings from FCU to ACCU using 3.5mm2 Including Grounding Line								
		F. Layout and Installation of Electrical Wiring 5.5mm? and Liquid Tight Flexible Conduit with Connector from ACCU to 50 amp. Circuit Breaker NEMA 3R Enclosure meter from ACCU)								
		G. Layout and Installation of Hard Drawn Copper Pipe 5/8" O.D. And 3/8" O.D. Type -L with Rubber Insulation 3/4%" thickness from FCU to ACCU including Vinyl tape Insulation								

Hause learning and Correction, System Hauffing and Vacuations (ACL 10 February 1997) (Indefendent Hauffing and Migraphian Fide Special	Reviewed and Checked By:	DOLLA CALLIC						
Nacuuming Refrigement Charaging and Start Up with Commissionin.		Manual			1			
Neumann New York			TOTAL ABO	270,000.00	TOTAL QUOTED AMOUNT IN WO			
Nesturming Literiferant Charging and Start Up with Commissionin. Literiferant Charging and Start Up Fig. 1 and Charging and Charging and Start Up Fig. 1 and Charging and Start Up Fig. 1 and Charging and								
Nectiments	34 ()							
Refrigement Charging and Start Up with Commissionin. I. Provision/Metal Cladding of Refrigement Pipe sets from ACCU to FCU, using glaunate from gauge O.5mm as per drawing 1" x 3" x" size (Pre-painted same as Wall K. Attach Certificate of warpainted same as Wall K. Attach Certificate of warpainted same as Wall K. Attach Certificate of warpainted same as Wall R. Attach Certificate of warpainted same as Wall A. Attach Certificate of warpainted same as Wall R. Attach Certificate of warpainted same as Wall A. Attach Certificate of warpainted same as Wall A. Attach Certificate of warpainted same as Wall A. Attach Certificate of warpainted warpainte								-
Nacuuming Britiseant Charging and Start Up with Commissionin. I. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to YCU, using glavanter from gauge O.Smm as par of drawing I" x 3"-x" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND TITLING WITH INSULATIONS 20 Ft. Copper Pipe " O.D. x 1.02mm Titl K Type - L Hard 20 Ft. Copper Pipe " O.D. x 1.02mm Titl K Type - L Hard 4 Pes. Copper Elbow % " LD. x 9" Long Radius 4 Pes. Copper Elbow % " LD. x 9" Long Radius 5 Pes. Fliet Silver Robber Insulation % " LD. x %" Titl K 4 Length Elastomeric Rubber Insulation %" - LD. x %" Titl K 4 Length Elastomeric Rubber Insulation %" - LD. x %" Titl K 4 Length Elastomeric Rubber Insulation %" - LD. x %" Titl K 5 Pes. Fliet Silver Robber Insulation %" - LD. x %" Titl K 4 Length Elastomeric Rubber Insulation %" - LD. x %" Titl K 5 Pes. Fliet Silver Robber Insulation %" - LD. x %" Titl K 5 Pes. Fliet Silver Robber Insulation %" - LD. x %" Titl K 5 Pes. Fliet Silver Robber Insulation %" - LD. x %" Titl K 6 Insulation Robber Robb	3.11							
Neuroiming								
Vacuuming Refrigerant Charging and Start Up with Commissionin.	1974 1549							
Lefrigerant Charging and Start Up with Commissionin.			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			39.74.50		
Vacuuming LikeFrigerant Charping and Start Up with Commissionin, LikeFrigerant Charping and Start Up with Commissionin, LikeFrigerant Charping and Start Up with Commissionin, LikeFrigerant Pipe sets from ACU to FUL, using galvanite Iron gauge 0.5mm as per drawing 1 x 3 x 4 stee [Pre-printed same as well as	3.0							
Vacuuming LRefrigerant Charging and Start Up with Commissionin.								
Vacuuming LRefrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACU to PCU, using galvanize iron guage 0,5mm as per drawing 1" x 3"x 4" size (Pre-planted same as Wall L. A. Attach Certificate of warranty L. A. Attach Certif								
Necuring L. Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using splanatice iron guage 0.5mm as per drawing 1° x³ x² x² s² x² Per per-painted same as Wall S. Attach Certificate of warranty S. Att								
Vacuuming L.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACU to FCU, using gahvanize iron guage 0.5mm as per drawing 1" x" x"x" size (Pre-painted Same as Wall Start Charging and Start Up with Commissionin. Start Charging and Start Up with Commissionin Start Charging and Start Up with Charging								
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. I. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1"x 3"x.4" size (Pre-painted same as Wall								
Vacuuming L.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to PCU, using galvanize Iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall L. Attach Certificate of warranty L. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS COPPER PIPE AND FITTING WITH INSULATIONS L. Attach Certificate of warranty								+
Vacuuming LRefrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x 4" size (Pre-painted same as Wall L. Attach Certificate of warranty L. Attach Cer								
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. I. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x4" size (Pre-painted same as Wall	3 - 1							
Vacuuming Lefrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3" x 4" size (Pre-painted same as Wall Left Certificate of warranty Left Certificate of Left Certificate Office								
Vacuuming L.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall								+
Vacuuming L.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x 4" size (Pre-painted same as Wall L. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS L. Copper Pipe 7" O.D. x 1.02mm THK Type - L. Hard L. Copper Pipe 7" O.D. x 1.02mm THK Type - L. Hard L. Copper Pipe 7" O.D. x 0.76mm THK						12 15 15 5		
Vacuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x 4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe 8" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" LD. x 90" Long Radius 4 Pcs. Copper Elbow %" LD. x 90" Long Radius 5 Fcs. Flat Silver Rod 18" 4 Length Elastomeric Rubber Insulation %" 1.D. x %" THK 4 Length Elastomeric Rubber Insulation %" LD. x %" THK x 2 Rolls Polyethylene Vinyl Tape Insulation 4" x 50 meters ELECTRICAL WORK FOR ACCUTO FCU, CONTROL		32 Mtrs. ITHHN Stranded Wire #3 5 mm2				21 - 23 - 64 - 65		
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x 4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe %" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" LD. x 90" Long Radius 4 Pes. Copper Elbow %" LD. x 90" Long Radius 5 Pcs. Flat Silver Rod 18" 4 Length Elastomeric Rubber Insulation %" 1.D. x %" THK 4 Length Elastomeric Rubber Insulation %" 1.D. x %" THK x 2 Rolls Polyethylene Vinyl Tape Insulation 4" x 50 meters			Fugi er Sakia			A 104 13 A 1	1004 1470 200	
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Netal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe " 0. D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe " 0. D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" LD. x 90" Long Radius 4 Pcs. Copper Elbow %" LD. x 90" Long Radius 5 Pcs. Flat Silver Rod 18" 4 Length Elastomeric Rubber Insulation %" 1.D. x %" THK 4 Length Elastomeric Rubber Insulation %" 1.D. x %" THK x							To State of the	
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x 4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe 8" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" I.D. x 90° Long Radius 4 Pcs. Copper Elbow %" I.D. x 90° Long Radius 5 Pcs. Flat Silver Rod 18" 4 Length Elastomeric Rubber insulation % " 1.D. x %" THK		2 Rolls Polyethylene Vinyl Tape Insulation 4" x 50 meters						
Vacuuming L.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe 8" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" LD. x 90° Long Radius 4 Pcs. Copper Elbow %" LD. x 90° Long Radius 5 Pcs. Flat Silver Rod 18"		4 Length Elastomeric Rubber Insulation %" LD. x %" THK x						
Vacuuming LRefrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe %" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow %" LD. x 90° Long Radius 4 Pcs. Copper Elbow %" LD. x 90° Long Radius								
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe %" O.D. x 0.76mm THK Type - L Hard 4 Pes. Copper Elbow % " LD. x 90° Long Radius								
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard 20 Ft. Copper Pipe %" O.D. x 0.76mm THK Type - L Hard								1 1,5 2 1 1 1 2 1 2 1
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS 20 Ft. Copper Pipe 7" O.D. x 1.02mm THK Type - L Hard			1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3					Take Transport
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty COPPER PIPE AND FITTING WITH INSULATIONS							(현실) 사람이에 걸었다. 회사들이 사람들은 기자	
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall K. Attach Certificate of warranty	2004 2004							
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per drawing 1" x 3"x.4" size (Pre-painted same as Wall						37 (1971)		
Vacuuming I.Refrigerant Charging and Start Up with Commissionin. J. Provision/Metal Cladding of Refrigerant Pipe sets from ACCU to FCU, using galvanize iron guage 0.5mm as per								
Vacuuming I.Refrigerant Charging and Start Up with Commissionin.								
Vacuuming								
	4-13 4-7							
	4.1	H.Leak Testing and Correction, System Flushing and						

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two 3. Delivery period within 30 calendar days.

4. Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and condition stated herein

5. UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
6. Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

Requirements for Suppliers (GPPB Resolution No. 21-2017)

REQUIREMENTS	Shopping	Negotiated	Negotiated	Negotiated Procurement- Scientific,	Negotiated
1 Mayor's/Business Permit	/	/	/	/	/
2 PhilGEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)		/		/	
4 PCAB License (for Infrastructure)	4. 多数 1. 多数 1. 数 6.	/			
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE	/	/	FOR ABC'S ABOVE
6 Omnibus Sworn Statement		FOR ABC'S ABOVE			FOR ABC'S ABOVE
7 NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE

7 NFCC for Infrastructure with ABC above Ph500k			POR ABOS ABOVE
After having carefully read and accepted your General Conditions, I/We quo Name of the Company:	te you on the Item at prices noted above.		
Address:		Tel. No. :	
		Fax No.:	
Signature over Printed Name of		Email Address:	
Position:		Date:	