



UNIVERSITY OF THE PHILIPPINES

LOS BANOS
Los Banos, IV-A

VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)
Plant Pathology Laboratory, Institute of Plant Breeding

UPLB BAC SECRETARIAT
BY: [Signature] DATE: 3-4-24
MAR 08 2024
UPLB-RQ-3-23-24-RJS
DEADLINE OF SUBMISSION

UPLB-RQ-

DEADLINE OF SUBMISSION:

Date: 3/4/2024
Fund Code: N8 366Z1
MOP: SHOPPING
Contact No: 0927740154
Contact Person: Mary Ann D. Maquilian

Please quote your lowest price on the items listed below, subject to the General Conditions below.

Note:

- Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
- Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/or levies payable.
- Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
- Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
- Quotations exceeding the Approved Budget for Contract shall be rejected.
- Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
- Others: _____

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION <small>Suppliers must state how the detailed technical specifications of their offer against each of the individual parameters of each requirements</small>	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION <small>(Leave this space blank. For BAC/Evaluators only)</small>
1	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 50 ml	pc	250.00	12,500.00				
2	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 100 ml	pc	280.00	8,400.00				

✓

3	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 150 ml	pc	50	300.00	15,000.00			
4	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 250 ml	pc	30	350.00	10,500.00			
5	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 500 ml	pc	5	600.00	3,000.00			
6	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 1000 ml	pc	5	750.00	3,750.00			
7	Beaker	borosilicate glass, superior heat, chemical and thermal shock resistance, clear graduated metric scale in white, autoclavable at 121°C, 2000 ml	pc	5	1,500.00	7,500.00			
8	Beaker	high quality, polypropylene, 500 ml	pc	5	150.00	750.00			
9	Beaker	high quality, polypropylene, 1000 ml	pc	5	175.00	875.00			
10	Beaker	high quality, polypropylene, with durable handle, 2000 ml	pc	4	600.00	2,400.00			
11	Beaker	high quality, polypropylene, with durable handle, 5000 ml	pc	2	800.00	1,600.00			
12	Cryogenic box	high quality polypropylene, snap-on lid, holds 1-2ml tubes, 133 mm in length	pc	8	500.00	4,000.00			
13	Filtration flask	thick wall, heavy duty, 500 ml	pc	1	1,000.00	1,000.00			
14	Filtration flask	thick wall, heavy duty, 1000 ml	pc	1	1,300.00	1,300.00			
15	Glass cell spreader	(L-rod), large, 90 degrees bend, 6 mm x 12 in	pc	2	200.00	400.00			
16	Gloves	nitrile, powder-free, small size, 100 pcs/box	box	4	300.00	1,200.00			
17	Gloves	nitrile, powder-free, medium size, 100 pcs/box	box	8	300.00	2,400.00			

18	Graduated cylinder	borosilicate glass, thick, heavy duty, hexagonal base, permanent amber graduations, 50 ml	pc	2	800.00	1,600.00			
19	Graduated cylinder	borosilicate glass, thick, heavy duty, hexagonal base, permanent amber graduations, 100 ml	pc	2	900.00	1,800.00			
20	Graduated cylinder	borosilicate glass, thick, heavy duty, hexagonal base, permanent amber graduations, 500 ml	pc	2	1,100.00	2,200.00			
21	Graduated cylinder	borosilicate glass, thick, heavy duty, hexagonal base, permanent amber graduations, 1000 ml	pc	2	1,500.00	3,000.00			
22	Graduated cylinder	high quality, polypropylene, embossed graduation, 100 ml	pc	2	150.00	300.00			
23	Graduated cylinder	high quality, polypropylene, embossed graduation, 500 ml	pc	2	500.00	1,000.00			
24	Graduated cylinder	high quality, polypropylene, embossed graduation, 1000 ml	pc	2	600.00	1,200.00			
25	Graduated cylinder	high quality, polypropylene, embossed graduation, 2000 ml	pc	2	800.00	1,600.00			
26	Laboratory alcohol	glass, 150 ml capacity	pc	3	100.00	300.00			
27	Laboratory gown	various sizes: small(shoulder: 17.5, bust: 43, length: 36, sleeve length: 20), medium(shoulder: 18, bust: 44, length: 37, sleeve length: 21) and large(shoulder: 19, bust: 45, length: 38, sleeve length: 22)	pc	5	500.00	2,500.00			
28	Laboratory sealing film	moisture-proof, thermoplastic, semitransparent, 4 in x 125 ft	pc	1	3,500.00	3,500.00			
29	Laboratory slippers	waterproof, non-slip EVA, sizes: 36(2), 37(1), 38(1)	pr	4	300.00	1,200.00			
30	Latex rubber tube	4mm ID x 6mm OD, 2m/pc	pc	2	200.00	400.00			
31	Magnetic stirrer bar	PTFE-coated, cylindrical, polygon, pivot ring, 8 pcs/set, assorted sizes 8-35mm	set	3	500.00	1,500.00			

32	Magnetic stirrer bar retriever	PTFE-coated, 1/2 inch in length, 5/8 in diameter, white	pc	1	750.00	750.00			
33	Media bottle	high strength, borosilicate glass, autoclavable, polypropylene screw cap, with drip-free pouring ring, with uniform wall thickness and high temperature stability, color cap: blue, 500 ml	pc	12	1,400.00	16,800.00			
34	Media bottle	high strength, borosilicate glass, autoclavable, polypropylene screw cap, with drip-free pouring ring, with uniform wall thickness and high temperature stability, color cap: blue, 250 ml	pc	8	700.00	5,600.00			
35	Microcentrifuge tubes	snap cap with flat top, 0.6ml capacity, polypropylene, conical bottom, RNase-, DNase-free; 1000 pcs/pck	pck	2	1,050.00	2,100.00			
36	Microspatula	stainless steel with twin ends, 9 in	pc	3	300.00	900.00			
37	Microtube rack	96-well, double-sided for 0.5 ml and 1.5/2 ml tubes, polypropylene	pc	10	500.00	5,000.00			
38	Microtube rack	80-well, one-sided for 0.5 ml and 1.5/2 ml tubes, polypropylene	pc	10	350.00	3,500.00			
39	Petri dish	90 mm x 15 mm, borosilicate glass, each piece has 1 pair of bottom dish and lid	pc	50	490.00	24,500.00			
40	pH pen	0-14.0±0.1 accuracy, 3x1.5V alkaline battery, manual calibration	pc	4	500.00	2,000.00			
41	Pipette	borosilicate glass, 25 ml	pc	2	600.00	1,200.00			
42	Pipette tips	0.1-10ul, natural, polypropylene, 1000 tips/pck	pck	5	1,500.00	7,500.00			
43	Tissue paper	lintfree, 11.2 x 21.3 cm, 280 sheets/box	box	10	250.00	2,500.00			
44	Spatula	brass-rivet wood handle, stainless steel blade 10", 1.25 x 10 inches	pc	4	75.00	300.00			
45	Spatula	brass-rivet wood handle, stainless steel blade 8"	pc	4	60.00	240.00			

✓

46	Spanula	brass-rivet wood handle, stainless steel blade 6"	pc	4	45.00	180.00			
47	Transfer pipette	polyethylene, with graduation, 3 ml, 100 pcs/pck	pck	2	300.00	600.00			
48	Rubber stopper	Buchner funnel filtration adapter cones, 9 pcs/set	set	2	1,000.00	2,000.00			
49	Syringe	disposable, without needle, 50cc/mL, single use only, no-pyrogenic, non-toxic, latex free, luer tip lock, sterile, 20 pcs/box	box	1	800.00	800.00			
50	Weighing boat	disposable, polystyrene, 80 mm x 80 mm x 23 mm; approx. 0.2 mm thick, 100-ml capacity, 100pcs/pck	pck	1	1,350.00	1,350.00			
51	Micropipettor	<ul style="list-style-type: none"> •Branded and Brand new •Single-channel •Pipetting type: air-cushion system •Volume range: 100 - 1000 μL, adjustable •Accuracy (testing volumes: 100 μL, 500 μL, 1000 μL): \pm 3% / 3 μL, \pm 1% / 5 μL, \pm 0.6 % / 6 μL •Repeatability/Precision (testing volumes: 100 μL, 500 μL, 1000 μL): \pm 0.6% / 0.6 μL, \pm 0.2% / 1 μL, \pm 0.2% / 2 μL •Easy disassembly with quick connection clip •Fully autoclavable at 121°C •Blue operating button •Improved ergonomics - springloaded tip cone for optimal pipette tip fit with minimal insertion force; ultra-light piston with high chemical and temperature resistance (cylinder made of PPS - Polyphenylene sulfide, piston rod made from PEI - polyetherimide, and washer made from EPDM - ethylene-propylene-diene-rubber); both control and ejector button require very low operating force •Includes certification of calibration, with 3-year warranty 	un	1	46,000.00	46,000.00			

52	<p>Benchtop pH meter</p> <ul style="list-style-type: none"> • Branded and Brand New • Compact, space saving design with ABS housing for durability and chemical resistance • Remove sensor holder after use and store on the side of the meter • Large, 4.3-inch segmented LCD display for easy viewing; intuitive button arrangement and simple menu for easy operation • RS232 or USB ports to export data directly either to a printer or a PC for further processing • ATC and MTC temperature compensation • Five point (max.) linear/segmented calibration with four predefined buffer groups • Sensor inputs: BNC, Cinch, NTC 30 kiloOhm • Ideal for wide range of laboratory applications • pH Range: -2.00 to 16.00 • pH Resolution: 0.01/0.1 • pH Accuracy: ±0.01 • mV Range: -2000 to 2000mv • mV Resolution: 1mV • mV Accuracy: ±1mV • Temperature Range: -5° to +105°C (23° to 221°F) • Temperature Resolution: 0.1°C • Temperature Accuracy: 0.3°C • Memory Size: 200 measurements, current calibration • Automatic and manual endpoint recording, Acoustic endpoint signal, Visual endpoint signal • Power Supply: 100 to 240V, 50/60Hz, 12 VDC • Dimensions: 22.7 x 14.7 x 7cm (9 x 5.7 x 2.7 in.) • Weight: 0.63kg (1.4 lb.) • Sensor specifications: Measurement range: 0 - 14 pH; Temperature range: 0 - 80°C (32 - 176°F); Connector: BNC/RCA; Type of junction: Polyester; Shaft material: POM; Reference System: Ag/AgCl; Reference electrolyte: Gel • With 1 year warranty 	un	1	65,000.00	65,000.00					
TOTAL ABC										287,495.00
TOTAL QUOTED AMOUNT IN WORDS:										

Reviewed and Checked By:

Jessica C. Villanueva
BAG TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.

M. Munguil
Mags Ann D. MAquiling

BUYER/ END-USER

TERMS AND CONDITIONS:

- Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.
- In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by End-user of the delivered supplies.
- Delivery period within 50 calendar days.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and condition stated herein
- UPLB reserves the right to reject any/all offers as may be considered most advantageous to the University.
- Any interferences, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representatives.

Requirements for Suppliers (GPPB Resolution No. 21-2017)

REQUIREMENTS

	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
1 Mayor's Business Permit	/	/	/	/	/
2 PhilCEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)	/	/	/	/	/
4 PCAB License (for Infrastructure)	/	/	/	/	/
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K			FOR ABC'S ABOVE 50K
6 Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FOR ABC'S ABOVE 500K
7 NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE 50K

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

Name of the Company:

Address:

Tel. No. :

Fax No. :

Signature over Printed Name of Representative:

Email Address:

Position:

Date:

