I on Dance W. A	LOS BANOS	UNIVERSITY OF THE PHILIPPINES

VAT Reg. TH: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications) Institute of Biological Sciences

1-255-24-1255 BY: DATE: 1-12-24 DEADLNE OF SUBMISSION JUL 17 2024 100m DEADLINE OF SUBMISSION: UPLB-RQ-

Date
Fund Code:
MOP:
Contact No:
Contact
Person July 08, 2024
N934223
Shopping
1020036633
PAUL EDRINE C. MAPOY

(pcmapoy@up.edu.ph) beb 19 # 10

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Suppliers Name

1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable

2. Price quotation's to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable

3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and

Quodation through taxiemal is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
 Quodations exceeding the Accoved Budget for Contract shall be rejected.
 Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation.
 Others.

1 Printer	Agreelfuri Products TEM GENERAL NAME OF NA
Branded and brand new, Multifunction Printer Functions: Print, copy, scan Print speed black (ISO, letter): Up to 35 ppm Print speed black (ISO, A4): Up to 33 ppm Print speed color (ISO): Up to 33 ppm Print speed color (A4, ready): As fast as 9.1 sec First page out black (A4, ready): As fast as 9.1 sec First page out color (A4, ready): As fast as 10.5 sec Up to 50,000 pages Duty cycle (monthly, A4): Up to 50,000 pages Duty cycle (monthly, bage volume: 750 to 4,000 Print quality color (best): Up to 600 x 600 dpi: Up to 50,000 pages Duty cycle (monthly, bage volume: 750 to 4,000 Print quality color (best): Up to 600 x 600 dpi: Up to 38,400 x 600 enhanced dpi Print languages: PcL 6, PcL 5e, PcL 5c, Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office Print technology: Laser Connectivity, standard: 1x Gigabit Ethernet 10/100/1000 Base-TX network: 1 Hi-Speed USB 2.0 (device); 1x HI-Speed USB 2.0 (host); 1 WI-Fi 802.11ac (dual band); 1x WI-Fi Direct, Walk-up USB; Auto-crossover Ethernet Mobile printing: Brand Smart App: Apple AirPrint w, Mopria Certified, Wi-Fi® Direct Printing: Brand Smart App and other mobile Apps Network capabilities: Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet, Authentication via 802.1x; 802.11ac (WI-Fi 5); Authentication via WEP, Wireless capability. Brand Smart App: Apple AirPrint w, Mopria w EP,	NE CH. CHATCHES PHICLES THE CHATCHES
90	Section of the sectio
	ą
60,000.00	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT
60,000 00	ESTIMATED TOTAL APPROVED CONTRACT
	Months of the Children Action of the Children
	TOTAL STREET
	TOTAL (Leave the state of CACOTED PRICE baset for SAC) Franklands certy)

Storage: Optional Job Storage via external rear host USB port (minimum 16 GB) Compatible Operating Systems: Windows, Windows Client OS; Android; iOS; Mobile OS; macOS, 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 Media sizes, custom: Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x Media types: Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted Paper handling input, optional: Optional 550-sheet tray Scan resolution, optical: Up to 1200 dpi Enhanced scanning resolution: Up to 1200 dpi Scan file format: PDF; JPG; TIFF Scanner type: Flatbed, ADF prepunched, recycled, rough), postcards, labels, envelopes Finished output handling: Sheet feed Paper handling output, standard: 150-sheet output bin Automatic Document Feeder (ADF) Paper handling input, standard: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Citrix XenApp & XenDesktop 7.6,Linux Memory: 512 MB NAND Flash, 512 MB DRAM Maximum Memory: 512 MB NAND Flash, 512 MB DRAM Copy speed (color, normal quality, A4): Up to 33 cpm Scan size (ADF), minimum: 102 x 152 mm Scan size (ADF), maximum: 216 x 356 mm Scan resolution, hardware: Up to 1200 x 1200 dpi Power consumption: 585 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP Copier settings: ID Copy, Number of copies; Resize (including 2-Up); Copy resolution (color text and graphics): Up to 600 x 600 dpi Copy resolution (black text): Up to 600 x 600 dpi Copy speed (black, normal quality, A4): Up to 33 cpm Scan technology: Contact Image Sensor (CIS) Scan speed (normal, letter): Up to 31 ppm (b&w), up to 28 ppm (color, Scan speed (normal, A4): Up to 29 ppm (b&w), up to 26 ppm (color) Scan size, maximum: 216 x 297 mm Power: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off) 2 (2 Values based on 115V test Save Current Settings; Restore Factory Defaults; Quality (Draft/Standard/Best) Copy reduce / enlarge settings: 25 to 400% Copies, maximum: Up to 999 copies Duplex ADF scanning: No Automatic document feeder capacity: Standard, 50 sheets uncurled Ecolabels: CECP; IT ECO Declaration; EPEAT® Silver India 4 (EPEAT® registered where Energy savings feature technology: Auto-On/Auto-Off Technology; Instant-on Technology (kWh). Blue Angel TEC based on 230V test result, ENERGY STAR TEC data based on 115V test represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours Blue Angel compliant. No, please refer to the ECI (Ecolabel Comparison Information) document Operating temperature range: 50 to 90.5°F Operating temperature range: 10 to 32.5°C Recommended operating humidity range: 30 to 70% RH (non-condensing) Operating humidity range: 10 to 80% RH (non-condensing) results based on ES test method.) Faxing: No Lighter/Darker, Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 62368-1-14, 2nd Ed.; IEC 62471:2006 / EN 62471:2008; Compliance with Laser safety standards 21 Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 2nd Ed. 2014-12-01, CSA C22.2 No Safety: IEC 60950-1:2005 +A1:2009 +A2:2013 (International); IEC 62368-1:2014; EN 62368applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by Typical electricity consumption (TEC) number: 3 (Typical Electricity Consumption (TEC) rating 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany 1.2014(EU); EN 60825-1.2014/IEC 60825-1.2014 (Class 1 Laser Product); EN 62479:2010/IEC country.

Unger's Saureas Pered	2 PNIGEPS Registration Number	3 Professional licenses CV (5 tracerno / Businesa las returna (exe	6 Orestus Seon Statument	7 RECC for infrastructure with ABC above PH500k	After having carefully read a	Address	Signature over Printed	Position .									
	nber	Icense/ CV (consulting services)	broome. / Business law returns (except for government agencies as lessor)		th ASC above PH500k	After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.												
REQUIREMENTS			(Constant			tions, I'We quote you on the Item												
ENTS						at prices noted above.												
(Section 52)	,																	
Procurement-	,		NOR SON SON	MODE SCHOOL SECTION	,			,		,								
Procuration			,				Fax No	Email Address	Date									
Adjactured Federation, Scionary or Regulated Adjace Wark, Escharce Technology and Media - Procurement	,	,	,															
rysiogy and Media Pr			ASK ASK	ADC.	And													
	~		NOS BACIE SORVEOS	006 300 0.00 30	OVE 504													