UPLB BAC SECRETARIAT
BY: my DATE: 1904. 2024

OCT 2 3 2024 10:00 AM



## UNIVERSITY OF THE PHILIPPINES

LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

UPLB-RQ- 10-414-24 6000 DEADLNE OF SUBMISSION

Request for Quotation/ Bid Form (Technical Specifications

TYPE END USER/DEPARTMENT UNIT

DEADLINE OF	
SUBMISSION:	

		30	IBMISSION:
Suppliers Name:	Date	August 29, 2024	
	Fund Code: MOP:	9383128	FOR SMELL Value
	Contact No:	049 536-7512	***
	Contact Person	Donald D. Sheppard	
		00.1	

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

PR# 167774

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished, Do not leave blank entries, put N/A for not applicable.
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
  3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
  4. Quotation through fas/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
  5. Quotations exceeding the Approved Budget for Contract shall be relected.
  6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
  7. Others:

ITEM No.	GENERAL NAME OF THE	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	TOTAL	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/ Evaluators only)
1	Beakers	Beakers (250 ml), Smooth Finishing, Chemical Resistance made of borosilicate material	рс	5	250.00	1,250,00				
2	Interfolded paper towels	1 pty x 175 pull, color: white pulp	pc	40	50.00	2,000.00				
3	Pipette Tip	Blue tips compatible with Arkray Spotchem SP-4430; Packaging: 100pcs	pc	1	3,000.00	3,000.00				
4	Laboratory Scissors	Heavy Duty Multi-purpose Stainless Kitchen Shears Scissors, with Strong Straight Edge Snips. all-metal construction with rounded ergonomic handles The sewing scissors measure approximately 19cm/ 7.48 inches and has 7.5cm/2.95 inch blades.	рс	2	150.00	300.00				
5	Hemacytometer Set	Hemocytometer / Improved Neubauer Counting Chamber including 2 hemocytometer over glasses with double ing Without spring clips bell depth: 0.1mm ican be calibrated: 1. The ruling shows 9 large squares of 1 mm² each 2. The four large squares of 1 mm² each 2. The four large squares in the corners marked "L" for counting leucocytes are each subdivided into 16 squares with 0.25 mm sides. 3. The large square in the center is subdivided into 16 squares with 0.25 mm sides. 4. The large square in the center is subdivided into 25 oroun squares of 0.2 mm sides. Each group square consists of 16 mini squares with 0.05 mm sides, each having an area of 0.0025 mm². The 5 group squares in the large central square are used for counting thrombocytes and erythrocytes. 5. All group squares have triple boundary lines on each side. The central line is the limiting line and determines whether cells in the marginal area shall be included in the count or not. For research and laboratory use		2	4,500.00	9,000.00				
6	Lactated ringers solution	Solution for IV infusion 1000 ml. Electrolyte replenisher, Sterile: non-pyrogenic. Sigle dose container. Osmolarity: 273 mOsm/L, hypotonic, pH 60,-7.5	рс	1	150.00	150.00				
7	Urine Strips	In parameter urine strip test are firm plastic strips which several different reagent areas are affixed. The 10 parameter urine strip test provide tests for Glucose, Ketone (Acetoacetic acid), Specific Gravity, Blood, pH and Protein in Urine.100 strips per bottle	btl	2	1,000.00	2,000.00				
8	рН рарег	Determine pH easily and inexpensively without instrumentation Color changes instantaneously, simply compare to chart for determination Available in two convenient formats — a booklet of 20 strips, 7 x 70 mm; or a single 9-mm wide roll in a convenient dispenser, pH measurement effective range: 1.4 to 3.0, 8.0 to 9.6. Quantity: 100 strips per pck	pck	2	1,500.00	3,000.00				

9	Digital Body Thermometer	Digital Thermometer With Large LCD Display, Accurate Body Temperature With Swing Technology, Battery Can Last Up To: Years. Safe To Disinfect Using Water Or Alcohol Because The Product Is Water Resistant. After the test is completed, the buzzer will sound, the temperature measurement is over, and the thermometer will beep. Material: ABS, stainless steel Size: 126*19*9mm LCD size: 16*9mm Power supply: built-in button battery Display Range: 32.0-42.9. Battery Type: Akaline LR41	рс	5	250.01	1,250.00		
10	Syringe disposable	1 ml w/ gauge 26 needle, 100pcs/box	box	3	500.00	1,500.00		
11	Syringe disposable	3 ml w/ gauge 26 needle, 100pcs/box	box	3	700.00	2,100.00		
12	Stirring Rod	Glass stirring rods borosilicate: 15 pcs glass rods, long glass stirring rod 8", diameter 6mm glass stick; Round head stir sticks glass: smooth surface, easy to clean; heat resistant, acid and alkali resistant; can withstand temperateures of up to 297 "F without fracturing	рс	6	150.00	900,000		
13	Surgical suture	12pc/box, Silk Braided Black Curve Cutting	рс	1	450.00	450.00		
14		or Round Bodied 1/2 Circle 75cm Powder Free, Small, 100 pcs/box	box	1	450.00			 
15	Pipettor 10µI-100µL	I ADJUSTABLE VOLUME: Covering a volume range of 10µI-100µI.  2. AUTOCLAVABLE: The tip core can be disassembled and sterifized by autoclave in 121 degree.  3. HIGH QUALITY: The control button and tip ejector cap is made of PA material, the body of the micropipette is made of premium grade PP material, High temperature resistance.  4.EASY TO OPERATE: With air displacement principle, tips ejector and disposal tips, this pipettor is easy to operate for sampling and dispensing accurate liquid volumes.  5.HIGHLY ACCURATE: Each variable pipette is tested to ensure precision and accuracy, in case the volume inaccurate when you using, you can recalibrate it.	рс	1	9,000.00	9,000.00		
16	Pipettor 100ul to 1000ul.	1.ADJUSTABLE VOLUME: Covering a volume range of 100ul to 1000ul.  2.AUTOCLAVABLE: The tip core can be disassembled and sterilized by autoclave in 121 degree.  3.HIGH QUALITY: The control button and tip ejector cap is made of PA material; the body of the micropipette is made of premium grade PP material, High temperature resistance.  4.EASY TO OPERATE: With air displacement principle, tips ejector and disposal tips, this pipettor is easy to operate for sampling and dispensing accurate liquid volumes.  5.HIGHLY ACCURATE: Each variable pipette is tested to ensure precision and accuracy, in case the volume inaccurate when you using, you can recalibrate it.	рс	1	9,000.00	9,000.00		
17	Microtainer EDTA	100 vials/pack, Microtainer Blood Collection Tube with Lavender Cap, 250 to 500 µL Fill Volume, K2-EDTA Additive	pck	1	1,500.00	1,500.00		
18	Micropore tape	1" x 10 yards - Each (1 Roll) - White, hypoallergenic paper, breathable surgical tape.	рс	1	900.00	900.00		
19	Heavy-Duty Foldable Push Cart	300 KG Capacity. 2 Swivel and 2 fixed for caster wheels, Steel Powder Coated Platform – Durable. Metal Handle	рс	1	8,000.00	8,000.00		
20	Aluminum foil	12" x 300m, jumbo roll dispenser	рс	1	895.00	895.00		
21	Neurological / Neuro Hamm	Package includes: 5 pcs Hammer Kit: Pinwheel, T-shape hammer, Taylor Buck Hammer, Metal Rod Hammer & Plastic Rod Hammer. Material: Zinc Alloy+ PVC Size:13.5cm/5.3in, 34.3cm/13.5in 1 cm/0.39", 3 cm/1.18"	рс	5	800.00	4,000.00		

		includes:							1	1
		-three ear cannula;						1		
		- ear speculum,								
22	Ophthalmoscope	- one medium-sized battery handle;	pc	2	5,000.0	10,000.00				
		- nasal speculum used to assist in the								
		spreading of the nose;								
		- two laryngeal mirrors							1	
		100pcs/pck, individually packed in easy,								
23	Schirmer tear test paper	transparent, heat-sealed pouches Sterilized	pc	3	2,500.0	7,500.00				
		using Ethylene Oxide (ETO)								
24	Cover slip	22 x 40mm, No. 2 thickness (0.21mm) Case	рс	1	1,800,0	0 1,800,00			1	
		contains 10, 1oz. boxes of cover slips Histosec pastilles solidification point 56-58°C	P0	-	1,000,0	1,000.00				
25	Paraffin wax	embedding for histology, 0-0.50% oil content	pc	5	600.0	3,000.00				
		Embedding cassettes with snappable lid.								<del> </del>
26	Tissue Casset	histology, P.O.M material with big writing surface, white color, External dimensions 40x26x7mm(WxDxH)	pc	2	3,000.0	6,000.00				
27	Gloves Nitrile Disposable L	Powder Free, Large, 100 pcs/box	box	4	200.0	0 800.00			<del> </del>	-
0.0		35°/80 mm, Type of cutting edge - Angled,								1
28	Microtome Blade	Size: Show long v these bish v 0.35 # i.t.	pc	4	7,000.0	28,000.00				
		Size: 80mm long x 8mm high x 0.25mm thick 100pcs/pack, 2-3ml capacity, graduated		-	-	-		-		
29	Plastic dropper	disposable plastic pipette dropper esssential oils transfer pipettes for lab	рс	5	200.00	1,000.00				
					TOTAL ABO	118,745.00				
	Reviewed and Checked By	-					TOTAL QUOTED AMOUNT IN	WORDS:		
	rearround and encoured by									
		Serie C Villanueva					$\sim$			
N		BAC TWG	***************************************							
1eas	e quote at your governme	nt price (including VAT) and state that the	time wit ossible o	hin w n or b	thich you can ma before the deadli	ike delivery, it wi ne stated herein,	If be appreciated if we can have	your quotation	In the office as	
						no otated florent.	DONALD D. SHEPARD			
							BUYER/END-USER			
	AND CONDITIONS:						BOTER/END-USER			
. In pro	fer to assure that manufacturing of	eriod of at least (30) calendar days from the date of su defects shall be corrected by supplier, a wetranty securi-	ity chall be	Decil liber	d from the contract a	narrino for a paining su	poriod of three (2) months in the acce	- CEVDENDADIE	OURDU E	
ninimu	m of one (1) year warranty and	two (2) to three (3) years extended warranty (if appl	ficable) in t	he case	of NON-EXPENDA	BLE SUPPLIES after	acceptance by End-user of the delivered	of EXPENDABLE supplies.	SUPPLIES, nr a	
. Delive	ery period within 4 chende	r days.								
. Aware	d of contract shall be made to the	lowest quotation wich complies with the technical spec	cifications,	and oth	er terms and condito	n stated herein				
. Any in	terfineations, erasure, or overwri	or all offers as may be considered most advantageous ting shall be valid only if they are signed or initiated by	s to the Uni	of your	duly authorized reno	es <i>ent</i> ative/s				
	ments for Suppliers (GPPB Re		, ,	,	and comment to the					
		REQUIREMENTS	Shoppi	ing	Negotiated	Negotiated	Negotiated Procurement-Scientific,	Negotiated		
1			(Section	52)	Procurement- Small Value	Procurement- Lease of Real	Scholarly or Artistic Work, Exclusive Technology and Media Services	Procurement- Emergency		
					Procurement	Property or Venue	(Section 53.6)	(Section 53.2)		
	Mayor's/Business Permit		/		(Section 53.9)	(Section 53.10)	/	/		
	PhilGEPS Registration Number Professional license/ CV (consul	ing services)		University of	/	/		/		
4	PCAB License (for Infrestructure				/		-			
5	income / Business tax returns (e.	ccept for government agencies as lessor)			FOR ABC'S ABOVE	. /	/	FOR ABC'S ABOVE 50K		
6	Omnibus Swom Statement	T T T T T T T T T T T T T T T T T T T			FOR ABC'S ABOVE			ABOVE 50K FOR ABO'S		
	NFCC for Infrastructure with ABC	shove Ph500k			50K			ABOVE 500K		
L		L. Control of the con						FOR ABC'S ABOVE SOK		
fter h	aving carefully read and	accepted your General Conditions, I/We qu	ote you	on the	e Item at prices r	oted above,				
ddres	of the Company:									
-Jul 65						Tel. No. : Fax No. :				
ianotu										
	re over Printed Name of					Email Address:				
	entative:									