


UNIVERSITY OF THE PHILIPPINES LOS BANOS Los Banos, IV-A VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)

OVCPD-UPMO



| Suppliers Name: | Date | November 7, 2024 |
|-----------------|----------------|----------------------|
| | Fund Code: | 9370100 |
| | MOP: | SVP |
| | Contact No: | amiacap@up.edu.ph |
| | Contact Person | Engr. Arnel M. Lacap |

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

Note

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable
- 2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
- 2. Price quotations to be described in Finishing in Finishing and Models and Finishing in Finish
- 4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).
- Quotations exceeding the Appoved Budget for Contract shall be rejected.
 Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

Electrical Sysyem Supplies and Lighting Components

| | Lighting Components | | | | | | | | |
|--------------------------------|---|--|--|--|---|--|---|--|--|
| GENERAL NAME OF THE ITEM | REQUIRED SPECIFICATIONS | UNIT OF MEAS URE | QTY | ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT | ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT | OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements | QUOTE D UNIT PRICE | TOTAL QUOTED PRICE | EVALUATION (Leave this space blank. For BAC/ Evaluators only) |
| LED Curtain lights | "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI - BPS Certified" | box | 20 | 1,350.00 | 27,000.00 | | | | |
| LED String Lights | lock/unlock end to end connector, 220 - 240 V, | | 100 | 1,350.00 | 135,000.00 | | | | |
| | LED Curtain lights | "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI - BPS Certified" "LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, | GENERAL NAME OF THE ITEM "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI-BPS Certified" "LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, | GENERAL NAME OF THE ITEM "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI-BPS Certified" "LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, | GENERAL NAME OF THE ITEM "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI-BPS Certified" "LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Green; Length: 14-15.3m, | GENERAL NAME OF THE ITEM The ITEM | GENERAL NAME OF THE ITEM "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with 198 String Lights LED String Lights (200lights), Warm white, Steady with 20 Strobe LED lights, Width:1.53m, 20 drops with 36 "" length, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI-BPS Certified" LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector. 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, | GENERAL NAME OF THE ITEM REQUIRED SPECIFICATIONS REQUIRED SPECIFICATION REQU | GENERAL NAME OF THE ITEM "LED Curtain Lights (200lights) White, Steady with 20 Strobe LED Lock/unlock and to end connector, 220 - 240 V, Plug with fuse Wire Color: Clear, DTI-BPS Certified" LED String Lights (200lights), Warm white, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connector, 220 - 240 V, Plug with fuse wire resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse wire Color: Green; Length: 14-15.3m, Plug with fuse, Wire Color: Green; Length: 14-15.3m, Plug with fuse Pl |

| ì | | | | | | | | | |
|---|--------------------------------|---|------|-----|----------|------------|--|---|--|
| 3 | LED String Lights | "LED String Lights (200lights), Blue, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, DTI - BPS Certified" | box | 120 | 1,350.00 | 162,000.00 | | | |
| 4 | LED String Lights | "LED String Lights (200lights), White, Steady with 20 Strobe LED, Outdoor Type, Max of 15.5W, Maximum Connection: 5 200 LED, Indoor/Outdoor Use, water resistant and electric shock proof, roll to lock/unlock end to end connector, 220 - 240 V, Plug with fuse, Wire Color: Green; Length: 14-15.3m, DTI - BPS Certified" | box | 120 | 1,350.00 | 162,000.00 | | | |
| 5 | Decorati ve Lantern | Decorative Lantern with LED lights, Outdoor Type (to be installed streetlights) | set | 40 | 2,500.00 | 100,000.00 | | | |
| 6 | LED Christm as Lights | LED Christmas Lights (150lights), RGBW, Night Sky Blinking, Outdoor Type | set | 20 | 1,800.00 | 36,000.00 | | 3 | |
| 7 | Strip Light | "Strip Light (Flat Light), Warm White (50m/roll), LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours, -Package: 50 Meters, View angle:120° -Working Temperature:- 20° to 50°, IP65, Input Voltage: 110V or 220V, with EU plug, LED Bulb: 60 LEDs/M, CE, RoHs certified" | roll | 2 | 8,500.00 | 17,000.00 | | | |

| 8 | Strip Light | "Strip Light (Flat Light), Blue (50m/roll) , LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours , -Package: 50 Meters, View angle:120° -Working Temperature: 20° to 50°, IP65 , Input Voltage: 110V or 220V , with EU plug , LED Bulb: 60 LEDs/M , CE , RoHs certified" | roll | 2 | 8,500.00 | 17,000.00 | | |
|----|----------------|---|------|---|----------|-----------|--|--|
| 9 | Strip Light | "Strip Light (Flat Light), White (50m/roll), LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours, - Package: 50 Meters, View angle:120° -Working Temperature:- 20° to 50°, IP65, Input Voltage: 110V or 220V, with EU plug, LED Bulb: 60 LEDs/M, CE, RoHs certified" | roll | 2 | 8,500.00 | 17,000.00 | | |
| 10 | Rope Light | "Rope Light, Warm White (50m/rol), LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours, -Package: 50 Meters, View angle:120° -Working Temperature:- 20° to 50°, IP65, Input Voltage: 110V or 220V, with EU plug, LED Bulb: 60 LEDs/M, CE, RoHs certified " | roll | 3 | 7,000.00 | 21,000.00 | | |
| 11 | Rope Light | "Rope Light, Blue (50m/rol), LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours, -Package: 50 Meters, View angle:120° -Working Temperature: 20° to 50°, IP65, Input Voltage: 110V or 220V, with EU plug, LED Bulb: 60 LEDs/M, CE, RoHs certified | roll | 2 | 7,000.00 | 14,000.00 | | |

| 12 | Rope Light | "Rope Light, White (50m/rol), LED Type: High Quality 5050 SMD LED, high intensity and reliability, Long lifespan >50,000 hours, -Package: 50 Meters, View angle:120° -Working Temperature:- 20° to 50°, IP65, Input Voltage: 110V or 220V, with EU plug, LED Bulb: 60 LEDs/M, CE, RoHs certified " | roll | 2 | 7,000.00 | 14,000.00 | | |
|----|-------------------------------|--|------|-----|----------|-----------|--|--|
| .3 | Meteor Shower Lights | Meteor Shower Lights, Rain Drops LED Outdoor Type, Water Resistance, Color:Blue, 50cm | рс | 30 | 1,000.00 | 30,000.00 | | |
| .4 | Meteor Shower Lights | Meteor Shower Lights, Rain Drops LED Outdoor Type, Water Resistance, Color:White, 50cm | pcs | 30 | 950.00 | 28,500.00 | | |
| 15 | LED Color Light Bulb | LED Color Light Bulb, Round , 3watts, E27 , 220V , heavy duty , power saving, Color: warmwhite | pcs | 100 | 100.00 | 10,000.00 | | |
| 16 | LED Color Light Bulb | LED Color Light Bulb, Round , 3watts, E27 , 220V , heavy duty , power saving, Color: Blue | pcs | 100 | 100.00 | 10,000.00 | | |
| L7 | LED Color Light Bulb | LED Color Light Bulb, Round , 3watts, E27 , 220V , heavy duty , power saving, Color: white | pcs | 100 | 100.00 | 10,000.00 | | |
| 18 | LED Bulb | LED Bulb, Warm White, 12Watts , E27 , 220V | pcs | 20 | 220.00 | 4,400.00 | | |
| 19 | LED Bulb | LED Bulb, Daylight, 15Watts, E27, 220V | pcs | 25 | 260.00 | 6,500.00 | | |
| 20 | LED Bulb | LED Bulb, Daylight, 15Watts , E27 , 220V | set | 5 | 1,050.00 | 5,250.00 | | |
| 1 | Strobe Light | Strobe Light, 10pcs/set, white, String light | set | 5 | 1,050.00 | 5,250.00 | | |
| 2 | Strobe Light | Strobe Light, 10pcs/set, blue, String light | set | 5 | 1,050.00 | 5,250.00 | | |
| 23 | Strobe Light | Strobe Light, 10pcs/set, red, String light | set | 5 | 1,050.00 | 5,250.00 | | |

| 24 | LED flood light | LED flood light with bracket, 150watts, 180- 265V, outdoor type, IP65, 60Hz, 3000K (warm white) | pcs | 6 | 6,600.00 | 39,600.00 | |
|----|------------------------------|---|------|-----|----------|-----------|--|
| 25 | Electric al wire | Electrical wire 3.5mm ² (#12 AWG)THHN/ THWN- 2, copper, stranded, 30+ amperes at 90°C, 3.3 mmØ, 37kg/km., ASTM B3, B8 NEC compliant (150m/box) | box | 1 | 5,000.00 | 5,000.00 | |
| 26 | Flat | Flat cord #14/2 PNS 163, UL62, ASTM B174, 300VAC @ 60°C, Res. 9.13@20°C, 17.81kg/km, Black, 150m/rl | roll | 1 | 7,500.00 | 7,500.00 | |
| 27 | Electric al Tape | Electrical Tape Highland medium grade tape 1700, rubber resin adhessive material, 1000v/mil dielectric strength, 7 mil thick, 90°C/194°F, ¾ x 36'/roll, RoHS compliant, ASTM D 2301, CSA | roll | 100 | 50.00 | 5,000.00 | |
| 28 | Rubber Tape | Rubber Tape, Nitto#15 Heavy Duty, ¾" x 66" (19mm x 20.1m) | rl | 10 | 220.00 | 2,200.00 | |
| 29 | Rubber Socket | Rubber Socket, Weatherproof | рс | 80 | 50.00 | 4,000.00 | |
| 30 | Metal Lamp Holder | Single Slot E27 Metal Lamp Holder, weather proof type | pcs | 40 | 250.00 | 10,000.00 | |
| 31 | Plastic Cable Tie | Plastic Cable Tie, Nylon, 4" Length (100pcs/pack) | pck | 10 | 150.00 | 1,500.00 | |
| 32 | Plastic Cable Tie | Plastic Cable Tie, Nylon, 6" Length (100pcs/pack) | pck | 65 | 170.00 | 11,050.00 | |
| 33 | Plastic Cable Tie | Plastic Cable Tie, Nylon, 10" Length (100pcs/pack) | pck | 12 | 220.00 | 2,640.00 | |
| 34 | Insulate d Staple Wire | Insulated Staple Wire #1 (100pcs/box) | box | 20 | 100.00 | 2,000.00 | |
| 35 | Silicone Sealant | Silicone Sealant | tub | 5 | 250.00 | 1,250.00 | |
| 36 | No more nails | No more nails, multi purpose adhessive | tub | 5 | 300.00 | 1,500.00 | |

. .

. .

ě

-

| 37 | Photo Controll er Switch | Photo Controller Switch with mounting bracket, Heavy Duty, Outdoor Type, 220V, 10A, branded | set | 25 | 950.00 | 23,750.00 | |
|----|-----------------------------------|--|-----|----|-----------|------------|-------------------------------|
| 38 | LED PAR38 Bulb | LED PAR38 Bulb, 15watts, Warm White, E27 | pcs | 10 | 700.00 | 7,000.00 | |
| 39 | LED PAR38 Bulb | LED PAR38 Bulb, 15watts, Blue, E27 | pcs | 20 | 700.00 | 14,000.00 | |
| 40 | LED PAR38 Bulb | LED PAR38 Bulb, 15watts, White, E27 | pcs | 20 | 700.00 | 14,000.00 | |
| 41 | Strip Light | Strip Light (Flat Light) Connector | pcs | 15 | 180.00 | 2,700.00 | |
| 42 | Rope Light | Rope Light Connector | pcs | 12 | 150.00 | 1,800.00 | |
| | | CNoO | | | TOTAL ABC | 998.890.00 | TOTAL QUOTED AMOUNT IN WORDS: |

| | an. | |
|------------------|-----------------|---|
| Reviewed and Che | DISTRIBLESTENOR | |
| | BAC TWG | Т |

TERMS AND CONDITIONS:

- TERMS AND CONDITIONS:

 1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

 2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by End-user of the delivered supplies.
- 3. Delivery period within 14 calendar days.
 4. Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and conditon stated herein
- UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
 Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

| REQUIREMENTS | Shopping (Section 52) | Procurement- Small Value | Procurement- Lease of Real Property or | Negotiated Procurement- Scientific Scholarly | Negotia: ed Procure |
|--|--|-----------------------------|---|--|---------------------------|
| 1 Mayor's/Business Permit | 1 | / | / | / | / |
| PhilGEPS Registration Number | 1 | / | / | 1 | 1 |
| Professional license/ CV (consulting services) | | / | | / | TO SECTION |
| PCAB License (for Infrastructure) | | / | | | |
| Income / Business tax returns (except for government agencies as lessor) | | FOR ABC'S ABOVE 500K | / | / | FOR ABC'S ABOVE |
| 6 Omnibus Sworn Statement | | FOR ABC'S | 100000 | | FOR |
| 7 NECC for Infrastructure with ABC above Ph500k | DOMESTIC OF THE PARTY OF THE PA | / | (Allement Manager | | FOR |

| Name of the Company: | Tel. No. : | |
|---|----------------|--|
| .ddress: | Fax No. : | |
| SANA SANA SANA SANA SANA SANA SANA SANA | | |
| Signature over | Email Address: | |
| rinted Name of | | |
| Representative: | | |
| Position | Date | |
| | | |