


**UNIVERSITY OF THE PHILIPPINES****LOS BANOS**

Los Banos, IV-A

VAT Reg. TIN: 000-864-006-00004

Request for Quotation/ Bid Form (Technical Specifications)**ASF PROJECT 1 (Year II EXT)****UPLB-RQ-****DEADLINE OF SUBMISSION:**

Suppliers Name: _____

Date **November 18, 2024**Fund Code: **N92572A -Direct Cost**MOP: **SVP**Contact No: **lnaquirre1@up.edu.ph**Contact Person **Laurie Ann Marcella N. Aguirre****Please quote your lowest price on the item/s listed below, subject to the General Conditions below.****PK# 202411-00745****Note:**

1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
5. Quotations exceeding the Approved Budget for Contract shall be rejected.
6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
7. Others: _____

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION <small>Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements</small>	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank. For BAC/Evaluators only)
	ASF Real-time PCR kit (100runs/kit)	OIE and BAI registered enables detection of the African swine fever virus (ASFV) in swine blood, serum, or tissues by real time PCR amplification of the ASFV P72 gene Includes: ->2 x 1000uL tube containing Contains primers, TaqMan® probes, buffer, and enzyme for optimized duplex real-time PCR amplification of ASFV and IPC targets.	kit	1	71,000.00	71,000.00				


1	<p>> 2 x 90 uL tube containing EPC ASFV: Nucleic acid template for P72 target amplification. It serves as an external positive control for the realtime PCR reaction, and it is used to set the cycle threshold (Ct) for evaluating test results</p> <p>>1 x 500uL tube containing IPC ASFV: Internal positive control added to each sample and control at the lysis step of the DNA extraction procedure. It serves as a control for the DNA purification process, and it is used to monitor for the presence of PCR inhibitors.</p> <p>Storage: -30°C to -10°C Ct values are calibrated per lot kit kappa coefficient (κ) statistics were used to evaluate the concordance between each test and the result of 0.87%(95% CI) vs UPL-PCR Can detect all ASF genotypes (compatible with qPCR system)</p> <p>Expiry Date: At least 1 year upon delivery</p>								
---	--	--	--	--	--	--	--	--	--

2	Gel stain	Fluorescent nucleic acid stain 10000X in water 0.5 mL 302/312 nm absorbance Stable at room temperature Ready to use. Directly mixed with molten agarose before gel casting, no destaining Expiry Date: At least 1 year upon delivery	vial	3	7,663.00	22,989.00				
3	Molecular ladder, 100 bp	DNA Molecular weight standard marker 100 bp 500 uL 650ng/5uL concentration Form: 10mL tris-HCl, pH 7.4 ; 1mM EDTA Supplied with 1mL 6x loading buffer Marker should consist of 10 fragments between 100 and 1000 bp in multiples of 100bp and an additional fragment at 1500 bp. Compatible with GelRed nucleic acid stain	vial	2	6,684.00	13,368.00				
TOTAL ABC						107,357.00				
							TOTAL QUOTED AMOUNT IN WORDS:			

Reviewed and Checked By:


Jeric C. Villanueva
BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before


DR. DENNIS V. UMALI
BUYER/ END-USER

TERMS AND CONDITIONS:

- Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.
- In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of **three (3) months**, in the case of EXPENDABLE SUPPLIES, or a minimum of **one (1) year** warranty and
- Delivery period within 30 calendar days.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and condition stated herein
- UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
- Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement- Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement- Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
Mayor's/Business Permit					

1 PhilGEPS Registration Number					
2 Professional license/ CV (consulting services)					
3 PCAB License (for Infrastructure)					
4 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K			FOR ABC'S ABOVE 50K
5 Omnibus Sworn Statement		FOR ABC'S ABOVE 50K			FOR ABC'S ABOVE 500K
6 NFCC for Infrastructure with ABC above Ph500k					FOR ABC'S ABOVE 50K

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

Name of the Company:

Address:

Signature over Printed Name of Representative:

Tel. No. :

Fax No. :

Email Address:

Date: