

UNIVERSITY OF THE PHILIPPINES LOS BANOS

Los Banos, IV-A

Request for Quotation/ Bid Form (Technical Specifications) VAT Reg. TIN: 000-864-006-00004

INSTITUTE OF PLANT BREEDING, CAFS

BY: BAC SECRETARIAT MAR 2 5 2025 000

DEADLINE OF SUBMISSION UPLB-RQ- 03-015 -25-6008s

SUBMISSION: DEADLINE OF

UPLB-RQ-

Suppliers Name: Please quote your lowest price on the item/s listed below, subject to the General Conditions below. MOP Fund Code: Contact Person Contact No: SMALL VALUE PROCUREMENT RYAN D. RODRIGUEZ March 13, 2025 GF / 2135004 מירוו בין

Note:

1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not

 Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
 Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature. unconditional statement of specification and compliance issued by the manufacturer and sample.

Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Puchase order (P.O.).

Quotations exceeding the Approved Budget for Contract shall be rejected

6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation

4	ω	2	14		ITEM GE
TIRE	BRAKE	BRAKE	BRAKE		GENERAL NAME OF THE ITEM
Branded and Brand New Tire 80/90R17 Rear, 60/70R17 Front, Tubeless for Yamaha Vega Force, Premium Brand,	Branded and Brand New Brake Pad and Drum for Toyota HiAce (2L Engine)	Branded and Brand New Brake Pad and Drum for Izusu Hi-Lander (1997 Model)	Branded and Brand New Brake Pad and Drum for Toyota Innova 2014 Model	VEHICLE PARTS AND ACCESSORIES	REQUIRED SPECIFICATIONS
set/s	set/s	set/s	set/s		UNIT OF MEASURE
н	H	1	H		ALD
5,000.00	5,000.00	5,000.00	5,500.00		ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT
5,000.00	5,000.00	5,000.00	5,500.00		ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT
					OFFERED SPECIFICATION Suppliers must state here the detailed fechnical specifications of their offer against each of the individual parameters of each requirements
					QUOTED UNIT PRICE
	4				QUOTED UNIT TOTAL QUOTED PRICE PRICE
					EVALUATION (Leave this space blank. For BAC/ Evaluators only)

						Revised 6 June 2018/ JOINT BAC RESOLUTION NO. R-005-1	TEACR	Revised 6 June 2018/ JOI
Socket: H4 9005 9006	2,500.00	2,500.00	H	set/s	Branded and Brand New Filter for Toyota HIAce 2L (Air#17801-54100, Oil#15600-41040, Fuel#23303-6401/64020), Heavy Duty	FILTER	15	
Bulb Headlight, LED Bulb Socket: 14 9005 9066 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LW/Pair(5000 LW/Bulb) Color Temperature: 5500K White Bulb (Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Waterproof Level: 1P68 Materia: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours Bulb for Stop Light:12V Bulb for Flasher:12V 21/5W; Double Contact; Color: Red LED Bulb for Flasher:12V 21/5W; Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow LED Bulb for Flasher:12V Bulb for Flasher:12V LED Bulb for Flasher	2,000.00	2,000.00	H	set/s	Branded and Brand New Filter Fuel Filter Part #23390-YZZA1; Oil Filter Part #90915-YZZD2; Air Element Filter Part #17801-0C010 for Toyota Innova	FILTER	14	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips: With Bridgelux- COB LED Chips: Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: 2100,000 Hours Bulb for Stop Light:12V 21/5W; Double Contact; Color: Yellow Bulb for Flasher:12V 21/5W; Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red LED Bulb for Flasher:12V 21/5W; Double Contact; Color: Yellow Bulb for Flasher:12V 21/5W; Double Contact; Color: Yellow Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow Branded and Brand New Fan Belt for Toyota HiAce 21 (Alternator, Power, Compressor) Compressor) Set/s 1 2,000.00	2,000.00	2,000.00	Ľ	set/s	Branded and Brand New Fan Belt for Izusu HiLander (Alternator, Power, Compressor)	BELT	13	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips: With Bridgelux- COOR Temperature: - 40°C~+80°C Beam Angle: 360° Waterinof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: 2100,000 Hours Super Long Service Li	2,000.00	2,000.00	ь.	set/s	Branded and Brand New Fan Belt for Toyota HIAce 2L (Alternator, Power, Compressor)	BELT	12	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips: With Bridgelux- COIder Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours Bulb for Stop Light: 12V 21/5W; Double Contact; Color: Pelow Bulb for Flasher: 12V 21/5W; Double Contact; Color: Red LED Bulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow LED Sulb for Flasher: 12V 21/5W; Double Contact; Color: Yellow	2,000.00	200.00	10	pc/s	LED Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow	вицв	11	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow LED Bulb for Stop Light:12V 21/5W; Double Contact; Pc/s Single Contact; Color: Yellow LED Bulb for Stop Light:12V 21/5W; Double Contact; Pc/s Color: Red Bulb for Flasher:12V 21/5W; Color: Red LED Bulb for Stop Light:12V 21/5W; Double Contact; Pc/s Single Contact; Color: Yellow Color: Red	2,000.00	200.00	10	pc/s	LED Bulb for Flasher:12V 21/5W; Double Contact; Color: Yellow	вигв	10	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red Bulb for Flasher:12V 21/5W; Double Contact; Color: Yellow Single Contact; Color: Yellow Bulb for Flasher:12V 21/5W; Bulb for Flasher:	2,000.00	200.00	10	pc/s	LED Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red	вицв	9	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red Bulb for Flasher:12V 21/5W; Double Contact; Color: Pc/s 12 50.00	600.00	50.00	12	pc/s	Bulb for Flasher:12V 21/5W; Single Contact; Color: Yellow	вицв	00	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: >100,000 Hours Bulb for Stop Light:12V Bulb for Stop Light:12V Color: Red	600.00	50.00	12	pc/s	Bulb for Flasher:12V 21/5W; Double Contact; Color: Yellow	висв	7	
Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux- COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: - 40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours	600.00	50.00	12	pc/s	Bulb for Stop Light:12V 21/5W; Double Contact; Color: Red	BULB	6	
Branded and Brand New	4,500.00	1,500.00	ω	set/s	Branded and Brand New Bulb Headlight, LED Bulb Socket: H4 9005 9006 LED Chips: With Bridgelux-COB LED Chips Power: 72W/Pair(36W/Bulb) Lumens:10000LM/Pair(5000 LM/Bulb) Color Temperature: 6500K White Voltage(V): DC 9V-32V Current(A): 2.5A±0.2A Working temperature: -40°C~+80°C Beam Angle: 360° Waterproof Level: IP68 Material: Aviation Aluminium 6063 Super Long Service Life: ≥100,000 Hours	BULB	U1	

	23	22	21	20	19	18	17	16
	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE
	Branded and Brand New Interior/ Inner Tube; Size: 7- 16; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:8- 18 TR 15; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:13.6-24; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:16.9/18.4-30 TR218A; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:12.4-24 TR218A; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:13.6-26 TR218A; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size:8-16 TR15; for Farm tractor	Branded and Brand New Interior/ Inner Tube; Size: 11.2-24; for Farm tractor
	pc/s	pc/s	pc/s	pc/s	pc/s	pc/s	pc/s	pc/s
	2	2	2	4	2	2	2	2
TOTAL ABC	1,080.00	1,080.00	2,988.00	4,212.00	2,988.00	3,000.00	840.00	2,160.00
86,420.00	2,160.00	2,160.00	5,976.00	16,848.00	5,976.00	6,000.00	1,680.00	4,320.00

Reviewed and Checked By:

TWG Z L. BERNARDO

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated hereigh.

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE SUPPLIES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLIES after acceptance by Enduser of the delivered supplies.

BUYERI END-USER

Delivery period within ___14__ calendar days.

4. Award of contract shall be made to the lowest quotation wich complies with the technical specifications, and other terms and condition stated herein

5. UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.

6. Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s

REQUIREMENTS	Shopping (Section 52)	Negotiated Procurement- Small Value Procurement (Section 53.9)	Negotiated Procurement-Lease of Real Property or Venue (Section 53.10)	Negotiated Procurement-Scientific, Scholarly or Artistic Work, Exclusive Technology and Media Services (Section 53.6)	Negotiated Procurement- Emergency (Section 53.2)
1 Mayor's/Business Permit	,	,	/	/	,
2 PhilGEPS Registration Number	,	,	,	/	,
3 Professional license/ CV (consulting services)		/	S. S	/	Value of the last
4 PCAB License (for Infrastructure)		,			
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE SOOK	\	,	FOR ABC'S ABOVE 50K
6 Omnibus Sworn Statement		FOR ABC'S ABOVE			FOR ABC'S ABOVE 500K
7 NFCC for Infrastructure with ABC above Ph500k		`			FOR ABC'S ABOVE

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above. Name of the Company: Signature over Printed Name of Representative: Address: Fax No. : Email Address: Tel. No. :

Position:

Date: