



# UNIVERSITY OF THE PHILIPPINES

LOS BANOS

Los Banos, IV-A

VAT Reg. TIN: 000-864-006-00004

## Request for Quotation/ Bid Form (Technical Specifications) NATIONAL INSTITUTE OF MOLECULAR BIOLOGY AND BIOTECHNOLOGY

UPLB BAC SECRETARIAT

BY: *[Signature]* DATE: 03-143-25

MAR 21 2025 10am

UPLB-RQ-03-143-25-RES

DEADLINE OF SUBMISSION

UPLB-RQ-

DEADLINE OF  
SUBMISSION:

Suppliers Name:

Date

March 14, 2025

Fund Code:

N8-440-47

MOP:

Small Value Procurement

Contact No:

0917-189-5694

Contact Person

Analiza C. Dote

Please quote your lowest price on the item/s listed below, subject to the General Conditions below.

*Per 2025-02 03805*


Note:

1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put N/A for not applicable.
2. Price quotation/s to be denominated in Philippine Peso shall include all taxes, duties, and/ or levies payable.
3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
4. Quotation through fax/email is acceptable. Winning bidder shall submit original signed RQ before issuance of Purchase order (P.O.).
5. Quotations exceeding the Approved Budget for Contract shall be rejected.
6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation
7. Others: \_\_\_\_\_

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION <small>Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements</small>	QUOTED UNIT PRICE	TOTAL QUOTED PRICE	EVALUATION <small>(Leave this space blank. For BAC/Evaluators only)</small>
1	Flat Disc Capsule/Cartridge filters	Flat Disc Capsule/Cartridge filters, 0.2µm, 64-mm dia, filtration area 20 sq cm, hose barb end, non-sterile, autoclavable up to 20 cycles, PTFE filter material, max autoclaving temp 134 degree C, Max Operating Pressure 200 kPa, for use in 5L bioreactor/fermentor	pc	4	650.00	2,600.00				
2	Laboratory sealing film	Laboratory sealing film, self-sealing, colorless, moisture-free, thermoplastic, 4 inches x125ft/roll	roll	2	1,830.00	3,660.00				
3	Lint-free tissue	Lint-free tissue, 4.4"x8.4", single ply, 280 sheets per box	box	10	225.00	2,250.00				
4	Centrifuge tubes, 15mL	Centrifuge tubes, 15mL with cap, polypropylene, conical bottom, sterile, disposable, 50pcs./pack	pack	3	480.00	1,440.00				
5	Centrifuge tubes, 50mL	Centrifuge tubes, 50mL with cap, polypropylene, conical bottom, sterile, disposable, 25pcs./pack	pack	2	700.00	1,400.00				
6	Centrifuge tube, 50 ml	Centrifuge tube, 50 ml capacity, round bottom, polytetrafluoroethylene materials	pc	3	900.00	2,700.00				
7	Clamps, 3-prong	Clamps, 3-prong, dual adjustment, large	pc	3	300.00	900.00				
8	Clamp holder, regular	Clamp holder, regular, zinc material	pc	3	300.00	900.00				
9	Cryogenic Vials, 2.0-mL	Cryogenic Vials, 2.0-mL, external thread, self-standing base, round bottom, silicone washer seal, polypropylene (PP), autoclavable, RNase/DNase-free, can withstand -80 to +121 deg.C, 50pcs./pack	pack	3	2,500.00	7,500.00				
10	Filter paper #1	Filter paper #1 (grade 4), (100pcs/pack)	pack	5	350.00	1,750.00				
11	Filter Paper Ordinary	Filter Paper Ordinary, 24x24" 100pcs/pack	pack	3	500.00	1,500.00				
12	Filter Membrane	Filter Membrane; pore size: 0.22 Micron, diameter: 25mm, 100pcs/pack sterile; individually packed	pack	1	6,000.00	6,000.00				
13	Filter membrane, Nylon material	Filter membrane, Nylon material, 47mm, 60-125µm thickness, 0.2µm pore size, 100pcs/pack sterile	pack	1	13,700.00	13,700.00				

14	Microcentrifuge tubes, 1.5mL,	Microcentrifuge tubes, 1.5mL, with attached locking cap, conical bottom, clear, polypropylene, autoclavable, RNase and DNase free, 1000pcs/resealable pack	pack	2	800.00	1,600.00			
15	Microcentrifuge tubes, 2.0mL	Microcentrifuge tubes, 2.0mL, with attached locking cap, conical bottom, clear, polypropylene, autoclavable, RNase and DNase free, 1000pcs/resealable pack	pack	1	900.00	900.00			
16	Petri Dish	Petri Dish, disposable, D90xH50-mm, sterile, polystyrene (PS) plastic, 500 pcs./box	box	2	5,850.00	11,700.00			
17	Pipette tips, 1000uL	Pipette tips, 1000uL, non-sterile, 1000pcs./bag	bag	1	1,800.00	1,800.00			
18	Pipette tips, 200uL	Pipette tips, 200uL, non-sterile, 1000pcs./bag	bag	1	1,500.00	1,500.00			
19	Pipette tips, 10uL	Pipette tips, 10uL, non-sterile, 1000pcs./bag	bag	1	1,000.00	1,000.00			
20	Septum, for HPLC and GC 1.5mL vials	Septum, for HPLC and GC 1.5mL vials, made of PTFE/silicon, 100pcs/pack	pack	2	3,500.00	7,000.00			
21	Silicone tubings	Silicone tubings, transparent, 1.6mm I.D. x 4.8mm O.D. x 10m length, wall thickness 1.6mm, 1m/pack	pack	1	5,500.00	5,500.00			
22	Silicone tubings	Silicone tubings, transparent, 3.2mm I.D. x 6.4mm O.D. x 10m length, wall thickness 1.6mm, 1m/package	pack	1	7,000.00	7,000.00			
23	Sterile membrane filters	Sterile membrane filters w/o absorbent pads, white grid, round, cellulose nitrate, 100 membranes-47mm diameter, 0.45um pore size, VCN type	box	1	5,000.00	5,000.00			
24	Syringe filter; materials	Syringe filter; materials: MCE, pore size: 0.22u, diameter: 25mm, non-sterile, reuse stable, autoclavable 8 pcs/pack	pack	1	15,000.00	15,000.00			
25	Syringe filter, pore size: 0.22um	Syringe filter, pore size: 0.22um, material: nylon, 1000 pcs/pack	pack	1	13,000.00	13,000.00			
26	Test Tube, 25ml	Test Tube, Borosilicate Glass, 18 x 150mm, 25ml, 72pcs/box	box	1	2,400.00	2,400.00			
27	Test Tube, 7ml	Test Tube, Borosilicate Glass, Φ 13 x 100mm, 7ml, 72pcs/box	box	1	2,000.00	2,000.00			
28	Test Tubes, 13mm x 100mm	Test Tubes, 13mm x 100mm, screw cap, borosilicate glass, clear	box	1	4,500.00	4,500.00			
29	Vials, compatible with HPLC and GC use, ~1.5mL	Vials, compatible with HPLC and GC use, ~1.5mL, clear glass with writing patch, 12mm O.D., 9.0mm vial bore dia., cap material PP, septum made of PTFE/silicon, 100pcs/pack	pack	1	7,500.00	7,500.00			
30	Agarose	Agarose, Molecular Biology Grade, Low EEO, 100 grams/bottle	btl	1	7,140.00	7,140.00			
31	DNA isolation kit	DNA isolation kit for bacteria, yeast and fungi, 50 preps	box	1	25,000.00	25,000.00			
32	DNA ladder	DNA ladder 1kb, 200bp to 10kb, 14 bands	box	1	8,000.00	8,000.00			
33	DNA purification kit	DNA purification kit for bacteria, yeast and fungi, 50 preps	box	1	20,000.00	20,000.00			
34	dNTP Set	dNTP Set, 100mM, PCR Grade, 4 x 250ul (25 umol)	box	1	15,000.00	15,000.00			
35	PCR Kit	PCR Kit, Q5 DNA Polymerase, 50 reactions/pack	pack	1	19,000.00	19,000.00			
36	Molecular Biology Grade Water	Molecular Biology Grade Water, 500 ml/bottle, for molecular use	btl	1	7,000.00	7,000.00			
37	PCR mix	PCR mix, 100 rxns. (4 x 1.125mL vials), ready-to-use mixture of DNA polymerase	box	1	15,000.00	15,000.00			
38	Taq DNA	Taq DNA Polymerase, Recombinant, 500 U (5U/ul); including 10x Buffer w/o MgCl2, and 50mM MgCl2	btl	1	10,000.00	10,000.00			

39	pH pen	pH pen, pH Range: 0.00 to 14.00 pH, pH Resolution: 0.01 pH, pH Accuracy: ±0.05 pH 2 points push-button calibration Automatic temperature compensation Measurement Parameters: pH, Temp.	pc	1	1,000.00	1,000.00			
40	Thermometer, probe-type	Thermometer, probe-type, Temperature range: -50°C to +300°C or -58°F to +572°F Resolution: 0.1°C or 0.1°F Accuracy: ± 1°C or ± 1 °F Optional temperature unit: °C / °F, Material: 304 Stainless Steel & ABS Plastic	pc	2	500.00	1,000.00			
41	Refractometer, 0-40°Brix	Refractometer, 0-40°Brix, Measuring Range: 0-40% Division: 0.2% Accuracy: ±0.2% Reference Temperature: 20C	pc	1	2,000.00	2,000.00			
42	Refractometer, 0-90°Brix	Refractometer, 0-90°Brix, Measuring Range: 0-90% Division: 0.2% Accuracy: ±0.2% Reference Temperature: 20C	pc	1	2,000.00	2,000.00			
TOTAL ABC						265,840.00			
						TOTAL QUOTED AMOUNT IN WORDS:			

  
Marynold V. Purificacion  
BAC TWG

Please quote at your government price (including VAT) and state that the time within which you can make delivery. It will be appreciated if we can have your quotation in the office as soon as possible on or before the deadline stated herein.

  
Apaliza C. Dote  
BUYER/ END-USER

**TERMS AND CONDITIONS:**

- Price quotation/s shall be valid for a period of at least (30) calendar days from the date of submission.
- In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of **three (3) months**, in the case of EXPENDABLE
- Delivery period within 30 calendar days.
- Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and condition stated herein
- UPLB reserves the right to reject any or all offers as may be considered most advantageous to the University.
- Any interlineations, erasure, or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.

**Requirements for Suppliers (GPPB Resolution No. 21-2017)**

REQUIREMENTS	Shopping	Negotiated	Negotiated	Negotiated Procurement- Scientific	Negotiated
1 Mayor's/Business Permit	/	/	/	/	/
2 PhilGEPS Registration Number	/	/	/	/	/
3 Professional license/ CV (consulting services)		/		/	
4 PCAB License (for Infrastructure)		/			
5 Income / Business tax returns (except for government agencies as lessor)		FOR ABC'S ABOVE 500K	/	/	FOR ABC'S ABOVE 500K
6 Omnibus Sworn Statement		FOR ABC'S ABOVE 500K			FOR ABC'S ABOVE 500K
7 NFCC for Infrastructure with ABC above Ph500k		/			FOR ABC'S ABOVE 500K

After having carefully read and accepted your General Conditions, I/We quote you on the Item at prices noted above.

Name of the Company: \_\_\_\_\_

Address: \_\_\_\_\_ Tel. No. : \_\_\_\_\_

Signature over Printed \_\_\_\_\_ Fax No. : \_\_\_\_\_

Position: \_\_\_\_\_ Email Address: \_\_\_\_\_

Date: \_\_\_\_\_