

UNIVERSITY OF THE PHILIPPINES LOS BANOS

Los Banos, IV-A VAT Reg. TIN: 000-864-006-0

Request for Quotation/ Bid Form (Technical Specifications) OVCRE - PGC AGRI

UPLB BAC SECRETARIAT DATE: slial25

MAY 19 2025 - 10AM

UPLB-RQ-

DEADLINE OF SUBMISSION L.S. RQ 5- 223- 25 - RES DEADLNE OF SUBMISSION

ppliers Name:	Date	April 30, 2025	
	Fund Code:	N843400	
	MOP:	NP SVP	
	Contact No:	9656785530	
	Contact Person	Daiserie A. Villarante	

Please quote your lowest price on the item's listed below, subject to the General Conditions below.

- 1. Bidders shall provide correct and accurate information required in this form. All entries must be typewritten or in print and properly accomplished. Do not leave blank entries, put NIA for not applicable
- 2. Price quotation's to be denominated in Philopine Peso shall include all taxes, duties, and/or levies payable.
 3. Bidders must indicate the BRAND and MODEL NUMBER for equipment and its accessories or peripherals. Evidence shall be in the form of manufacturer's un-amended sale literature, unconditional statement of specification and compliance issued by the manufacturer and sample.
 4. Quotation through flavienal is acceptable. Whreins bidder shall submit original signed RO before assuance of Puchase order (P.O.).
 5. Quotations exceeding the Accorded Budget for Contract shall be received.
 6. Documentary requirements per Memorandum No. 03 Series of 2017 shall be attached upon submission of the quotation.
 7. Others:

ITEM No.	GENERAL NAME OF THE ITEM	REQUIRED SPECIFICATIONS	UNIT OF MEASURE	QTY	ESTIMATED UNIT APPROVED BUDGET OF THE CONTRACT	ESTIMATED TOTAL APPROVED BUDGET OF THE CONTRACT	OFFERED SPECIFICATION Suppliers must state here the detailed technical specifications of their offer against each of the individual parameters of each requirements.	QUOTED UNIT	TOTAL QUOTED PRICE	EVALUATION (Leave this space blank, For BAC! Evaluators only)
1	Filter paper	Quantitative filter paper, ashless, circles, diam. at least 125 mm, box of 100, pore size 20-25 µm (Particle retention)	box	3	2,000.00	6,000.00				
2	Centrifuge tubes	polypropylene, 1 x 3.5 in, clear, compatible Ultracentrifuge, 50/pack	pck	2	16,600.00	33,200.00				
3	Tube chiller	96-wells, with temperature indicator that changes the color when its temperature exceeds 7 °C, 0.2mL	pcs	6	8,333.33	49,999.98				
4	Ice pan	1 L,non-sweating high density expanded polyurethane, 6.13" x 6.13" x 3.61" H	pcs	5	4,000.00	20,000.00				
5	Cuvette	quartz, 10mm pathlength, 0.6mL capacity	box	1	14,500.00	14,500.00				
6	Distilled water	At least 10L per bottle	pcs	20	125.00	2,500.00				
7	pH Pen	Automatic and portable, Temperature Compensation, Operating Environment: 0 – 50 C / 32 – 122 F Measurement Resolution: 0.1 pH, 1 °C / 1 F Measurement Range: 0.0 – 14.0 pH, 0 – 50 °C / 32 – 122 F Measurement Accuracy: ± 0.1 pH, ± 1 °C / ±2 F Calibration: pH requires two point, pH 7.0 & pH 4.0 or pH 10.0 Power: 1 x AAA battery	pcs	5	700.00	3,500.00				
8	Liquid nitrogen	For liquid nitrogen tank refill, 50L, colorless, odorless	liters	122	201.64	24,499.26				
9	Miracloth	Approx. 22 - 25 µm pore size, rayon-polyester	roll	1	8,500.00	8,500.00				
10	HPLC filters	0.22um, syringe filter, PTFE/PVDF, 100pcs/pck	pck	2	10,000.00	20,000.00				
11	Cuvette	quartz, 10mm pathlength, 1mL capacity	box	1	18,500.00	18,500.00				
					TOTAL ABC	201,199.24				
ITEMIZED							TOTAL QUOTED AMOUNT IN WORDS:			

Att			
Reviewed and Checked By:			
CHI		· ·	
Marynold V. Purificacion		ľ	
BAC TWG		A local	
ease quote at your government price (including VAT) and state that the time wit	thin which you can make delivery. It will be appreciat	ted if we can have your quotation is the office as soon a	s possible on or befor
	the deadline stated herein.		
		\sim	
		Daiserie Villarante	Control Control

TERMS AND CONDITIONS:

1. Price quotation/s shall be valid for a period of at least (30) calendar days from the date of subm

s, mise quotations shall be valid for a period of all least (XI) callendar days from the date of submission.

2. In order to assure that manufacturing defects shall be corrected by supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of EXPENDABLE. SUPPLES, or a minimum of one (1) year warranty and two (2) to three (3) years extended warranty (if applicable) in the case of NON-EXPENDABLE SUPPLES after acceptance by Enduser of the delivered supplies.

Requirements for Suppliers (GPPB Resolution No. 21-2017)
REQUIREMENTS Negotiated Procurement-Small Value Procurement (Section 53.9) Mayor's/Business Permit
 Phi/GEPS Registration Number
 Trofessional license/ CV (consulting services)
 PCAB License (for infrastructure) 5 Income / Business tax returns (except for government agencies as lessor) OR ABOVE ABOVE FOR ABO'S ABOVE 6 Omnibus Sworn Statement

7 NFCC for infrastructure with ABC above Ph500k		1800	FOR AGCS AGCNE SOX
After having carefully read and accepted your Genera Name of the Company:	Conditions, I/We quote you on the Item at prices n	oted above.	
Address:		Tel. No.	
		Fax No. :	
Signature over Printed Name of Representative:		Email Addr	ess
Position:		Date:	